

```
[main] [ 2016-12-11 17:56:43.460 IST ] [RConfig.<init>:88]
java.class.path=/u01/app/oracle/product/11.2.0/db_1/jdk/jre/lib/rt.jar:/u01/app/oracle/product/11.2.0/db_1/jdk/jre/lib/i18n.jar:/u01/app/oracle/product/11.2.0/db_1/assistants/jlib/rconfigPatch.jar:/u01/app/oracle/product/11.2.0/db_1/assistants/jlib/rconfig.jar:/u01/app/oracle/product/11.2.0/db_1/assistants/jlib/assistantsCommon.jar:/u01/app/oracle/product/11.2.0/db_1/jlib/ewt3.jar:/u01/app/oracle/product/11.2.0/db_1/jlib/ewtcompat-3_3_15.jar:/u01/app/oracle/product/11.2.0/db_1/jlib/share.jar:/u01/app/oracle/product/11.2.0/db_1/jlib/help4.jar:/u01/app/oracle/product/11.2.0/db_1/jlib/jewt4.jar:/u01/app/oracle/product/11.2.0/db_1/jlib/oracle_ice5.jar:/u01/app/oracle/product/11.2.0/db_1/jlib/kodiak.jar:/u01/app/oracle/product/11.2.0/db_1/jlib/swingall-1_1_1.jar:/u01/app/oracle/product/11.2.0/db_1/lib/xmlparserv2.jar:/u01/app/oracle/product/11.2.0/db_1/jlib/orail8n.jar:/u01/app/oracle/product/11.2.0/db_1/jlib/orail8n-mapping.jar:/u01/app/oracle/product/11.2.0/db_1/jlib/orail8n-utility.jar:/u01/app/oracle/product/11.2.0/db_1/jlib/orail8n-collation.jar:/u01/app/oracle/product/11.2.0/db_1/jlib/ldapjclnt11.jar:/u01/app/oracle/product/11.2.0/db_1/jlib/netcfg.jar:/u01/app/oracle/product/11.2.0/db_1/jlib/ojmisc.jar:/u01/app/oracle/product/11.2.0/db_1/jlib/oraclepki103.jar:/u01/app/oracle/product/11.2.0/db_1/jlib/opm.jar:/u01/app/oracle/product/11.2.0/db_1/jdbc/lib/ojdbc5.jar:/u01/app/oracle/product/11.2.0/db_1/jlib/srvn.jar:/u01/app/oracle/product/11.2.0/db_1/jlib/srvnhas.jar:/u01/app/oracle/product/11.2.0/db_1/jlib/srvnasm.jar:/u01/app/oracle/product/11.2.0/db_1/classes:/u01/app/oracle/product/11.2.0/db_1/jlib/oemlt.jar:/u01/app/oracle/product/11.2.0/db_1/jlib/emca.jar:/u01/app/oracle/product/11.2.0/db_1/sysman/jlib/emCORE.jar:/u01/app/oracle/product/11.2.0/db_1/oc4j/j2ee/home/oc4j.jar:/u01/app/oracle/product/11.2.0/db_1/oc4j/j2ee/home/db_oc4j_deploy.jar:/u01/app/oracle/product/11.2.0/db_1/jlib/emConfigInstall.jar:/u01/app/oracle/product/11.2.0/db_1/oui/jlib/OraPrereq.jar:/u01/app/oracle/product/11.2.0/db_1/inventory/prereqs/oui/OraPrereqChecks.jar:/u01/app/oracle/product/11.2.0/db_1/oui/jlib/OraPrereqChecks.jar:/u01/app/oracle/product/11.2.0/db_1/jlib/cvu.jar:/u01/app/oracle/product/11.2.0/db_1/jdk/jre/lib/ext/sunjce_provider.jar:/u01/app/oracle/product/11.2.0/db_1/assistants/asmca/jlib/asmca.jar
[main] [ 2016-12-11 17:56:43.461 IST ] [RConfig.<init>:89]
java.home=/u01/app/oracle/product/11.2.0/db_1/jdk/jre
[main] [ 2016-12-11 17:56:43.461 IST ] [RConfig.<init>:90]
rconfig.user.dir=/u01/app/oracle/product/11.2.0/db_1/assistants/rconfig/sampleXMLs
[main] [ 2016-12-11 17:56:43.576 IST ] [ConfigParser.createURL:182]
PATH=/u01/app/oracle/product/11.2.0/db_1/assistants/rconfig/sampleXMLs/oracle/sysman/assistants/rconfig/parser/rconfig.xsd
[main] [ 2016-12-11 17:56:43.577 IST ] [ConfigParser.createURL:197]
URL=file:/u01/app/oracle/product/11.2.0/db_1/assistants/rconfig/sampleXMLs/oracle/sysman/assistants/rconfig/parser/rconfig.xsd
[main] [ 2016-12-11 17:56:43.578 IST ] [ConfigParser.parse:104] Found the parser at url
file:/u01/app/oracle/product/11.2.0/db_1/assistants/rconfig/sampleXMLs/oracle/sysman/assistants/rconfig/parser/rconfig.xsd
[main] [ 2016-12-11 17:56:43.653 IST ] [ConfigParser.parse:136] Input File is not null, parsing input file xml
[main] [ 2016-12-11 17:56:43.653 IST ] [ConfigParser.parse:143] Input xml Path : my.xml
[main] [ 2016-12-11 17:56:43.654 IST ] [ConfigParser.parse:147] validating the input against rconfig.xsd:
[main] [ 2016-12-11 17:56:43.655 IST ] [ConfigurationHandler.startElement:114] localName=RConfig
[main] [ 2016-12-11 17:56:43.656 IST ] [ConfigurationHandler.startElement:114] localName=ConvertToRAC
[main] [ 2016-12-11 17:56:43.663 IST ] [ConfigurationHandler.processElement:75] RACConversion request created
[main] [ 2016-12-11 17:56:43.669 IST ] [ConfigurationHandler.startElement:114]
```

```
localName=Convert
[main] [ 2016-12-11 17:56:43.677 IST ] [Convert.<init>:92] doPrechecks=YES
[main] [ 2016-12-11 17:56:43.677 IST ] [ConfigurationHandler.startElement:114]
localName=SourceDBHome
[main] [ 2016-12-11 17:56:43.678 IST ] [ClusterStep.startChild:65] Inside
startchild of cluster step for SourceDBHome
[main] [ 2016-12-11 17:56:43.678 IST ] [ConfigurationHandler.endElement:149]
endElement localName=SourceDBHome
[main] [ 2016-12-11 17:56:43.679 IST ] [ClusterStep.endChild:133] Calling endChild
for ClusterStep
[main] [ 2016-12-11 17:56:43.681 IST ] [OraHome.<init>:51] Path to Oracle
Home=/u01/app/oracle/product/11.2.0/db_1
[main] [ 2016-12-11 17:56:43.685 IST ] [OraHome.<init>:51] Path to Oracle
Home=/u01/app/oracle/product/11.2.0/db_1
[main] [ 2016-12-11 17:56:43.685 IST ] [ConfigurationHandler.startElement:114]
localName=TargetDBHome
[main] [ 2016-12-11 17:56:43.685 IST ] [ClusterStep.startChild:65] Inside
startchild of cluster step for TargetDBHome
[main] [ 2016-12-11 17:56:43.686 IST ] [ConfigurationHandler.endElement:149]
endElement localName=TargetDBHome
[main] [ 2016-12-11 17:56:43.686 IST ] [ClusterStep.endChild:133] Calling endChild
for ClusterStep
[main] [ 2016-12-11 17:56:43.687 IST ] [OraHome.<init>:51] Path to Oracle
Home=/u01/app/oracle/product/11.2.0/db_1
[main] [ 2016-12-11 17:56:43.687 IST ] [ConfigurationHandler.startElement:114]
localName=SourceDBInfo
[main] [ 2016-12-11 17:56:43.687 IST ] [ClusterStep.startChild:65] Inside
startchild of cluster step for SourceDBInfo
[main] [ 2016-12-11 17:56:43.691 IST ] [ConfigurationHandler.startElement:114]
localName=Credentials
[main] [ 2016-12-11 17:56:43.691 IST ] [ConfigurationHandler.startElement:114]
localName=User
[main] [ 2016-12-11 17:56:43.692 IST ] [ConfigurationHandler.endElement:149]
endElement localName=User
[main] [ 2016-12-11 17:56:43.692 IST ] [Instance$Credentials.endChild:220]
UserName=sys
[main] [ 2016-12-11 17:56:43.692 IST ] [ConfigurationHandler.startElement:114]
localName=Password
[main] [ 2016-12-11 17:56:43.701 IST ] [ConfigurationHandler.endElement:149]
endElement localName=Password
[main] [ 2016-12-11 17:56:43.702 IST ] [Instance$Credentials.endChild:224]
Password Encrypted=false
[main] [ 2016-12-11 17:56:43.702 IST ] [ConfigurationHandler.startElement:114]
localName=Role
[main] [ 2016-12-11 17:56:43.703 IST ] [ConfigurationHandler.endElement:149]
endElement localName=Role
[main] [ 2016-12-11 17:56:43.703 IST ] [Instance$Credentials.endChild:250]
Role=sysdba
[main] [ 2016-12-11 17:56:43.703 IST ] [ConfigurationHandler.endElement:149]
endElement localName=Credentials
[main] [ 2016-12-11 17:56:43.704 IST ] [ConfigurationHandler.endElement:149]
endElement localName=SourceDBInfo
[main] [ 2016-12-11 17:56:43.704 IST ] [ConfigurationHandler.startElement:114]
localName=NodeList
[main] [ 2016-12-11 17:56:43.704 IST ] [ClusterStep.startChild:65] Inside
startchild of cluster step for NodeList
[main] [ 2016-12-11 17:56:43.705 IST ] [ConfigurationHandler.startElement:114]
localName=Node
[main] [ 2016-12-11 17:56:43.705 IST ] [ClusterStep.startChild:65] Inside
```

```
startchild of cluster step for Node
[main] [ 2016-12-11 17:56:43.705 IST ] [Node.<init>:47] Name as obtained in
inputXML=paw-racnode1
[main] [ 2016-12-11 17:56:43.706 IST ] [Node.<init>:61] Qualified Node name=paw-
racnode1, Non-qualified Node name=paw-racnode1
[main] [ 2016-12-11 17:56:43.706 IST ] [ConfigurationHandler.endElement:149]
endElement localName=Node
[main] [ 2016-12-11 17:56:43.706 IST ] [ConfigurationHandler.startElement:114]
localName=Node
[main] [ 2016-12-11 17:56:43.708 IST ] [ClusterStep.startChild:65] Inside
startchild of cluster step for Node
[main] [ 2016-12-11 17:56:43.708 IST ] [Node.<init>:47] Name as obtained in
inputXML=paw-racnode2
[main] [ 2016-12-11 17:56:43.708 IST ] [Node.<init>:61] Qualified Node name=paw-
racnode2, Non-qualified Node name=paw-racnode2
[main] [ 2016-12-11 17:56:43.708 IST ] [ConfigurationHandler.endElement:149]
endElement localName=Node
[main] [ 2016-12-11 17:56:43.709 IST ] [ConfigurationHandler.endElement:149]
endElement localName=NodeList
[main] [ 2016-12-11 17:56:43.709 IST ] [ClusterStep.endChild:133] Calling endChild
for ClusterStep
[main] [ 2016-12-11 17:56:43.709 IST ] [ClusterStep.endChild:136] Nodes.length=2
[main] [ 2016-12-11 17:56:43.710 IST ] [ConfigurationHandler.startElement:114]
localName=InstancePrefix
[main] [ 2016-12-11 17:56:43.710 IST ] [ClusterStep.startChild:65] Inside
startchild of cluster step for InstancePrefix
[main] [ 2016-12-11 17:56:43.713 IST ] [ConfigurationHandler.endElement:149]
endElement localName=InstancePrefix
[main] [ 2016-12-11 17:56:43.713 IST ] [OptionsCheck.endChild:115]
NewSIDPREFIX=pawdb
[main] [ 2016-12-11 17:56:43.714 IST ] [ConfigurationHandler.startElement:114]
localName=SharedStorage
[main] [ 2016-12-11 17:56:43.714 IST ] [ClusterStep.startChild:65] Inside
startchild of cluster step for SharedStorage
[main] [ 2016-12-11 17:56:43.714 IST ] [ClusterStep.startChild:65] Inside
startchild of cluster step for SharedStorage
[main] [ 2016-12-11 17:56:43.731 IST ] [ConfigurationHandler.startElement:114]
localName=TargetDatabaseArea
[main] [ 2016-12-11 17:56:43.731 IST ] [ConfigurationHandler.endElement:149]
endElement localName=TargetDatabaseArea
[main] [ 2016-12-11 17:56:43.751 IST ] [ConfigurationHandler.startElement:114]
localName=TargetFlashRecoveryArea
[main] [ 2016-12-11 17:56:43.752 IST ] [ConfigurationHandler.endElement:149]
endElement localName=TargetFlashRecoveryArea
[main] [ 2016-12-11 17:56:43.752 IST ] [ConfigurationHandler.endElement:149]
endElement localName=SharedStorage
[main] [ 2016-12-11 17:56:43.752 IST ] [ConfigurationHandler.endElement:149]
endElement localName=Convert
[main] [ 2016-12-11 17:56:43.754 IST ] [ClusterStep.endChild:133] Calling endChild
for ClusterStep
[main] [ 2016-12-11
17:56:43.754 IST ] [ConfigurationHandler.endElement:149] endElement
localName=ConvertToRAC
[main] [ 2016-12-11 17:56:43.754 IST ] [ConfigurationHandler.endElement:149]
endElement localName=RConfig
[main] [ 2016-12-11 17:56:43.755 IST ] [ConfigParser.parse:149] Validated input
against rconfig schema:
[main] [ 2016-12-11 17:56:43.755 IST ] [RACConvertStep.execute:149] $$$$$$ The
request name is ConvertToRAC
```

```
[main] [ 2016-12-11 17:56:43.762 IST ] [RACConvertStep.execute:164]
InetAddress.getLocalHost=paw-racnode1.airydba.com
[main] [ 2016-12-11 17:56:43.762 IST ] [Node.<init>:47] Name as obtained in
inputXML=paw-racnode1.airydba.com
[main] [ 2016-12-11 17:56:43.762 IST ] [Node.<init>:61] Qualified Node name=paw-
racnode1.airydba.com, Non-qualified Node name=paw-racnode1
[main] [ 2016-12-11 17:56:43.762 IST ] [RACConvertStep.execute:168] Value of
_localNode=paw-racnode1
[main] [ 2016-12-11 17:56:43.764 IST ] [ClusterStep.checkNodeList:187] Index of
localNode in HostItemList=0
[main] [ 2016-12-11 17:56:43.767 IST ] [OracleHome.getVersion:877]
OracleHome.getVersion called. Current Version: null
[main] [ 2016-12-11 17:56:43.951 IST ] [InventoryUtil.getOUIInvSession:347]
setting OUI READ level to ACCESSLEVEL_READ_LOCKLESS
[main] [ 2016-12-11 17:56:43.951 IST ] [OracleHome.getVersion:896] Homeinfo
/u01/app/oracle/product/11.2.0/db_1,2
[main] [ 2016-12-11 17:56:44.748 IST ] [OracleHome.getVersion:922]
OracleHome.server.getVersion Version: 11.2.0.1.0
[main] [ 2016-12-11 17:56:44.749 IST ] [OracleHome.getVersion:943] Current Version
From Inventory: 11.2.0.1.0
[main] [ 2016-12-11 17:56:44.750 IST ] [OracleHome.getVersion:948] using
sqlplus: /u01/app/oracle/product/11.2.0/db_1/bin/sqlplus
[main] [ 2016-12-11 17:56:44.750 IST ] [OracleHome.getVersion:877]
OracleHome.getVersion called. Current Version: 11.2.0.1.0
[main] [ 2016-12-11 17:56:44.750 IST ] [OracleHome.getVersion:943] Current Version
From Inventory: 11.2.0.1.0
[main] [ 2016-12-11 17:56:44.750 IST ] [OracleHome.getVersion:948] using
sqlplus: /u01/app/oracle/product/11.2.0/db_1/bin/sqlplus
[main] [ 2016-12-11 17:56:44.752 IST ] [OracleHome.getVersion:877]
OracleHome.getVersion called. Current Version: 11.2.0.1.0
[main] [ 2016-12-11 17:56:44.752 IST ] [OracleHome.getVersion:943] Current Version
From Inventory: 11.2.0.1.0
[main] [ 2016-12-11 17:56:44.752 IST ] [OracleHome.getVersion:948] using
sqlplus: /u01/app/oracle/product/11.2.0/db_1/bin/sqlplus
[main] [ 2016-12-11 17:56:44.752 IST ] [SQLPlusEngine.getCmmdParams:222] m_home
11.2.0.1.0
[main] [ 2016-12-11 17:56:44.752 IST ] [SQLPlusEngine.getCmmdParams:223] version >
112 true
[main] [ 2016-12-11 17:56:45.006 IST ] [SQLEngine.getEnvParams:547] Default
NLS_LANG: AMERICAN_AMERICA.AL32UTF8
[main] [ 2016-12-11 17:56:45.006 IST ] [SQLEngine.getEnvParams:557] NLS_LANG:
AMERICAN_AMERICA.AL32UTF8
[main] [ 2016-12-11 17:56:45.008 IST ] [SQLEngine.initialize:317] Execing
SQLPLUS/SVRMGR process...
[main] [ 2016-12-11 17:56:45.026 IST ] [SQLEngine.initialize:354]
m_bReaderStarted: false
[main] [ 2016-12-11 17:56:45.026 IST ] [SQLEngine.initialize:358] Starting Reader
Thread...
[main] [ 2016-12-11 17:56:45.227 IST ] [Instance.getSQLEngine:381] SQLEngine
spooling to=/u01/app/oracle/cfgtoollogs/rconfig/pawdb1/sqlLog
[main] [ 2016-12-11 17:56:45.228 IST ] [SQLEngine.setSpool:1940] old Spool = null
[main] [ 2016-12-11 17:56:45.228 IST ] [SQLEngine.setSpool:1941] Setting Spool
= /u01/app/oracle/cfgtoollogs/rconfig/pawdb1/sqlLog
[main] [ 2016-12-11 17:56:45.229 IST ] [SQLEngine.setSpool:1942] Is spool
appendable? --> true
[main] [ 2016-12-11 17:56:45.231 IST ] [OracleHome.getVersion:877]
OracleHome.getVersion called. Current Version: null
[main] [ 2016-12-11 17:56:45.237 IST ] [InventoryUtil.getOUIInvSession:347]
setting OUI READ level to ACCESSLEVEL_READ_LOCKLESS
```

```

[main] [ 2016-12-11 17:56:45.238 IST ] [OracleHome.getVersion:896] Homeinfo
/u01/app/oracle/product/11.2.0/db_1,2
[main] [ 2016-12-11 17:56:45.597 IST ] [OracleHome.getVersion:922]
OracleHome.server.getVersion Version: 11.2.0.1.0
[main] [ 2016-12-11 17:56:45.597 IST ] [OracleHome.getVersion:943] Current Version
From Inventory: 11.2.0.1.0
[main] [ 2016-12-11 17:56:45.597 IST ] [OracleHome.getVersion:948] using
sqlplus: /u01/app/oracle/product/11.2.0/db_1/bin/sqlplus
[main] [ 2016-12-11 17:56:45.598 IST ] [OracleHome.getVersion:877]
OracleHome.getVersion called. Current Version: 11.2.0.1.0
[main] [ 2016-12-11 17:56:45.598 IST ] [OracleHome.getVersion:943] Current Version
From Inventory: 11.2.0.1.0
[main] [ 2016-12-11 17:56:45.598 IST ] [OracleHome.getVersion:948] using
sqlplus: /u01/app/oracle/product/11.2.0/db_1/bin/sqlplus
[main] [ 2016-12-11 17:56:45.598 IST ] [OracleHome.getVersion:877]
OracleHome.getVersion called. Current Version: 11.2.0.1.0
[main] [ 2016-12-11 17:56:45.598 IST ] [OracleHome.getVersion:943] Current Version
From Inventory: 11.2.0.1.0
[main] [ 2016-12-11 17:56:45.599 IST ] [OracleHome.getVersion:948] using
sqlplus: /u01/app/oracle/product/11.2.0/db_1/bin/sqlplus
[main] [ 2016-12-11 17:56:45.599 IST ] [SQLPlusEngine.getCmmdParams:222] m_home
11.2.0.1.0
[main] [ 2016-12-11 17:56:45.599 IST ] [SQLPlusEngine.getCmmdParams:223] version >
112 true
[main] [ 2016-12-11 17:56:45.599 IST ] [SQLEngine.getEnvParams:547] Default
NLS_LANG: AMERICAN_AMERICA.AL32UTF8
[main] [ 2016-12-11 17:56:45.600 IST ] [SQLEngine.getEnvParams:557] NLS_LANG:
AMERICAN_AMERICA.AL32UTF8
[main] [ 2016-12-11 17:56:45.601 IST ] [SQLEngine.initialize:317] Execing
SQLPLUS/SVRMGR process...
[main] [ 2016-12-11 17:56:45.618 IST ] [SQLEngine.initialize:354]
m_bReaderStarted: false
[main] [ 2016-12-11 17:56:45.618 IST ] [SQLEngine.initialize:358] Starting Reader
Thread...
[main] [ 2016-12-11 17:56:45.684 IST ] [Instance.getSQLEngine:381] SQLEngine
spooling to=/u01/app/oracle/cfgtoollogs/rconfig/pawdb/sqlLog
[main] [ 2016-12-11 17:56:45.685 IST ] [SQLEngine.setSpool:1940] old Spool = null
[main] [ 2016-12-11 17:56:45.685 IST ] [SQLEngine.setSpool:1941] Setting Spool
= /u01/app/oracle/cfgtoollogs/rconfig/pawdb/sqlLog
[main] [ 2016-12-11 17:56:45.685 IST ] [SQLEngine.setSpool:1942] Is spool
appendable? --> true
[main] [ 2016-12-11 17:56:45.708 IST ] [SQLEngine.done:2148] Done called
[main] [ 2016-12-11 17:56:45.710 IST ] [SQLEngine.spoolOff:2008] Setting spool off
= /u01/app/oracle/cfgtoollogs/rconfig/pawdb/sqlLog
[main] [ 2016-12-11 17:56:45.711 IST ] [OracleHome.getVersion:877]
OracleHome.getVersion called. Current Version: 11.2.0.1.0
[main] [ 2016-12-11 17:56:45.711 IST ] [OracleHome.getVersion:943] Current Version
From Inventory: 11.2.0.1.0
[main] [ 2016-12-11 17:56:45.711 IST ] [OracleHome.getVersion:948] using
sqlplus: /u01/app/oracle/product/11.2.0/db_1/bin/sqlplus
[main] [ 2016-12-11 17:56:45.712 IST ] [OracleHome.getVersion:877]
OracleHome.getVersion called. Current Version: 11.2.0.1.0
[main] [ 2016-12-11 17:56:45.712 IST ] [OracleHome.getVersion:943] Current Version
From Inventory: 11.2.0.1.0
[main] [ 2016-12-11 17:56:45.712 IST ] [OracleHome.getVersion:948] using
sqlplus: /u01/app/oracle/product/11.2.0/db_1/bin/sqlplus
[main] [ 2016-12-11 17:56:45.712 IST ] [OracleHome.getVersion:877]
OracleHome.getVersion called. Current Version: 11.2.0.1.0
[main] [ 2016-12-11 17:56:45.713 IST ] [OracleHome.getVersion:943] Current Version

```

```

From Inventory: 11.2.0.1.0
[main] [ 2016-12-11 17:56:45.713 IST ] [OracleHome.getVersion:948] using
sqlplus: /u01/app/oracle/product/11.2.0/db_1/bin/sqlplus
[main] [ 2016-12-11 17:56:45.861 IST ] [SQLPlusEngine.getCmmdParams:222] m_home
11.2.0.1.0
[main] [ 2016-12-11 17:56:45.861 IST ] [SQLPlusEngine.getCmmdParams:223] version >
112 true
[main] [ 2016-12-11 17:56:45.862 IST ] [SQLEngine.getEnvParams:547] Default
NLS_LANG: AMERICAN_AMERICA.AL32UTF8
[main] [ 2016-12-11 17:56:45.862 IST ] [SQLEngine.getEnvParams:557] NLS_LANG:
AMERICAN_AMERICA.AL32UTF8
[main] [ 2016-12-11 17:56:45.864 IST ] [SQLEngine.initialize:317] Execing
SQLPLUS/SVRMGR process...
[main] [ 2016-12-11 17:56:45.875 IST ] [SQLEngine.initialize:354]
m_bReaderStarted: false
[main] [ 2016-12-11 17:56:45.875 IST ] [SQLEngine.initialize:358] Starting Reader
Thread...
[main] [ 2016-12-11 17:56:45.914 IST ] [Instance.getSQLEngine:381] SQLEngine
spooling to=/u01/app/oracle/cfgtoollogs/rconfig/pawdb/sqlLog
[main] [ 2016-12-11 17:56:45.914 IST ] [SQLEngine.setSpool:1940] old Spool = null
[main] [ 2016-12-11 17:56:45.914 IST ] [SQLEngine.setSpool:1941] Setting Spool
= /u01/app/oracle/cfgtoollogs/rconfig/pawdb/sqlLog
[main] [ 2016-12-11 17:56:45.914 IST ] [SQLEngine.setSpool:1942] Is spool
appendable? --> true
[main] [ 2016-12-11 17:56:45.922 IST ] [DBInstance.initialize:130] Number of
records =1
[main] [ 2016-12-11 17:56:45.922 IST ] [DBInstance.initialize:131] First record
=[Ljava.lang.String;@6b359c1b
[main] [ 2016-12-11 17:56:45.922 IST ] [DBInstance.initialize:137] DB ID =
4198016202
[main] [ 2016-12-11 17:56:45.922 IST ] [DBInstance.initialize:139] DB role =
PRIMARY
[main] [ 2016-12-11 17:56:45.923 IST ] [DBInstance.initialize:141] Log mode =
NOARCHIVELOG
[main] [ 2016-12-11 17:56:45.923 IST ] [DBInstance.initialize:145] fsfoStatus =
DISABLED
[main] [ 2016-12-11 17:56:45.923 IST ] [DBInstance.initialize:155] _FSFOEnabled =
false
[main] [ 2016-12-11 17:56:45.926 IST ] [DBInstance.initialize:162] DB version =
11.2.0.1.0
[main] [ 2016-12-11 17:56:45.926 IST ] [DBInstance.initialize:165] Status = OPEN
[main] [ 2016-12-11 17:56:45.936 IST ] [DBInstance.initialize:203] Number of
records =16
[main] [ 2016-12-11 17:56:45.936 IST ] [DBInstance.initialize:210] processing
parameter cluster_database
[main] [ 2016-12-11 17:56:45.936 IST ] [DBInstance.initialize:245] bCluster=false
[main] [ 2016-12-11 17:56:45.936 IST ] [DBInstance.initialize:210] processing
parameter undo_management
[main] [ 2016-12-11 17:56:45.936 IST ] [DBInstance.initialize:227]
bAutoUndo=true
[main] [ 2016-12-11 17:56:45.937 IST ] [DBInstance.initialize:210] processing
parameter db_domain
[main] [ 2016-12-11 17:56:45.937 IST ] [DBInstance.initialize:233] dbDomain=
[main] [ 2016-12-11 17:56:45.937 IST ] [DBInstance.initialize:210] processing
parameter dispatchers
[main] [ 2016-12-11 17:56:45.937 IST ] [DBInstance.initialize:239]
dispatchers=(PROTOCOL=TCP) (SERVICE=pawdbXDB)
[main] [ 2016-12-11 17:56:45.937 IST ] [DBInstance.initialize:210] processing
parameter local_listener

```

```

[main] [ 2016-12-11 17:56:45.938 IST ] [DBInstance.initialize:275]
localListener=(DESCRIPTION=(ADDRESS_LIST=(ADDRESS=(PROTOCOL=TCP) (HOST=paw-racnode1-
vip) (PORT=1521))))
[main] [ 2016-12-11 17:56:45.938 IST ] [DBInstance.initialize:210] processing
parameter remote_listener
[main] [ 2016-12-11 17:56:45.938 IST ] [DBInstance.initialize:281] remoteListener=
[main] [ 2016-12-11 17:56:45.938 IST ] [DBInstance.initialize:210] processing
parameter background_dump_dest
[main] [ 2016-12-11 17:56:45.938 IST ] [DBInstance.initialize:257]
bDump=/u01/app/oracle/diag/rdbms/pawdb/pawdb/trace
[main] [ 2016-12-11 17:56:45.986 IST ] [DBInstance.initialize:210] processing
parameter user_dump_dest
[main] [ 2016-12-11 17:56:45.987 IST ] [DBInstance.initialize:269]
bDump=/u01/app/oracle/diag/rdbms/pawdb/pawdb/trace
[main] [ 2016-12-11 17:56:45.987 IST ] [DBInstance.initialize:210] processing
parameter core_dump_dest
[main] [ 2016-12-11 17:56:45.987 IST ] [DBInstance.initialize:263]
bDump=/u01/app/oracle/diag/rdbms/pawdb/pawdb/cdump
[main] [ 2016-12-11 17:56:45.987 IST ] [DBInstance.initialize:210] processing
parameter audit_file_dest
[main] [ 2016-12-11 17:56:45.987 IST ] [DBInstance.initialize:251]
aDump=/u01/app/oracle/admin/pawdb/adump
[main] [ 2016-12-11 17:56:45.988 IST ] [DBInstance.initialize:210] processing
parameter db_name
[main] [ 2016-12-11 17:56:45.988 IST ] [DBInstance.initialize:215] db_name=pawdb
[main] [ 2016-12-11 17:56:45.988 IST ] [DBInstance.initialize:210] processing
parameter db_unique_name
[main] [ 2016-12-11 17:56:45.988 IST ] [DBInstance.initialize:221]
db_unique_name=pawdb
[main] [ 2016-12-11 17:56:45.988 IST ] [DBInstance.initialize:210] processing
parameter dg_broker_start
[main] [ 2016-12-11 17:56:45.988 IST ] [DBInstance.initialize:287]
dgBrokerStart=FALSE
[main] [ 2016-12-11 17:56:45.989 IST ] [DBInstance.initialize:210] processing
parameter dg_broker_config_file1
[main] [ 2016-12-11 17:56:45.989 IST ] [DBInstance.initialize:293]
dgBrokerConfigFile1=/u01/app/oracle/product/11.2.0/db_1/dbs/dr1pawdb.dat
[main] [ 2016-12-11 17:56:45.989 IST ] [DBInstance.initialize:210] processing
parameter dg_broker_config_file2
[main] [ 2016-12-11 17:56:45.989 IST ] [DBInstance.initialize:299]
dgBrokerConfigFile2=/u01/app/oracle/product/11.2.0/db_1/dbs/dr2pawdb.dat
[main] [ 2016-12-11 17:56:45.989 IST ] [DBInstance.initialize:210] processing
parameter diagnostic_dest
[main] [ 2016-12-11 17:56:45.989 IST ] [DBInstance.initialize:305]
diagnostic_dest=/u01/app/oracle
[main] [ 2016-12-11 17:56:46.060 IST ] [SQLEngine.done:2148] Done called
[main] [ 2016-12-11 17:56:46.061 IST ] [SQLEngine.spoolOff:2008] Setting spool off
= /u01/app/oracle/cfgtoollogs/rconfig/pawdb/sqlLog
[main] [ 2016-12-11 17:56:46.061 IST ] [OracleHome.getVersion:877]
OracleHome.getVersion called. Current Version: 11.2.0.1.0
[main] [ 2016-12-11 17:56:46.062 IST ] [OracleHome.getVersion:943] Current Version
From Inventory: 11.2.0.1.0
[main] [ 2016-12-11 17:56:46.062 IST ] [OracleHome.getVersion:948] using
sqlplus: /u01/app/oracle/product/11.2.0/db_1/bin/sqlplus
[main] [ 2016-12-11 17:56:46.062 IST ] [OracleHome.getVersion:877]
OracleHome.getVersion called. Current Version: 11.2.0.1.0
[main] [ 2016-12-11 17:56:46.062 IST ] [OracleHome.getVersion:943] Current Version
From Inventory: 11.2.0.1.0
[main] [ 2016-12-11 17:56:46.062 IST ] [OracleHome.getVersion:948] using

```

```

sqlplus: /u01/app/oracle/product/11.2.0/db_1/bin/sqlplus
[main] [ 2016-12-11 17:56:46.063 IST ] [OracleHome.getVersion:877]
OracleHome.getVersion called. Current Version: 11.2.0.1.0
[main] [ 2016-12-11 17:56:46.063 IST ] [OracleHome.getVersion:943] Current Version
From Inventory: 11.2.0.1.0
[main] [ 2016-12-11 17:56:46.084 IST ] [OracleHome.getVersion:948] using
sqlplus: /u01/app/oracle/product/11.2.0/db_1/bin/sqlplus
[main] [ 2016-12-11 17:56:46.084 IST ] [SQLPlusEngine.getCmmdParams:222] m_home
11.2.0.1.0
[main] [ 2016-12-11 17:56:46.084 IST ] [SQLPlusEngine.getCmmdParams:223] version >
112 true
[main] [ 2016-12-11 17:56:46.085 IST ] [SQLEngine.getEnvParams:547] Default
NLS_LANG: AMERICAN AMERICA.AL32UTF8
[main] [ 2016-12-11 17:56:46.085 IST ] [SQLEngine.getEnvParams:557] NLS_LANG:
AMERICAN_AMERICA.AL32UTF8
[main] [ 2016-12-11 17:56:46.086 IST ] [SQLEngine.initialize:317] Execing
SQLPLUS/SVRMGR process...
[main] [ 2016-12-11 17:56:46.105 IST ] [SQLEngine.initialize:354]
m_bReaderStarted: false
[main] [ 2016-12-11 17:56:46.106 IST ] [SQLEngine.initialize:358] Starting Reader
Thread...
[main] [ 2016-12-11 17:56:46.135 IST ] [Instance.getSQLEngine:381] SQLEngine
spooling to=/u01/app/oracle/cfgtoollogs/rconfig/pawdb/sqlLog
[main] [ 2016-12-11 17:56:46.135 IST ] [SQLEngine.setSpool:1940] old Spool = null
[main] [ 2016-12-11 17:56:46.136 IST ] [SQLEngine.setSpool:1941] Setting Spool
= /u01/app/oracle/cfgtoollogs/rconfig/pawdb/sqlLog
[main] [ 2016-12-11 17:56:46.136 IST ] [SQLEngine.setSpool:1942] Is spool
appendable? --> true
[main] [ 2016-12-11 17:56:46.140 IST ] [DBInstance.prepareStandby:849] DB status =
OPEN
[main] [ 2016-12-11 17:56:46.142 IST ] [LocalNodeCheck.checkLocalNode:123]
Performing LocalNodeCheck
[main] [ 2016-12-11 17:56:46.162 IST ] [Version.isPre:274] version to be checked
11.2.0.1.0 major version to check against10
[main] [ 2016-12-11 17:56:46.162 IST ] [Version.isPre:285] isPre.java: Returning
FALSE
[main] [ 2016-12-11 17:56:46.163 IST ] [OCR.loadLibrary:308]
Inside constructor of OCR
[main] [ 2016-12-11 17:56:46.174 IST ] [OCR.loadLibrary:316] Going to load the ocr
library
[main] [ 2016-12-11 17:56:46.175 IST ] [sPlatform.isHybrid:66] osName=Linux
osArch=amd64 JVM=64 rc=false
[main] [ 2016-12-11 17:56:46.176 IST ] [sPlatform.isHybrid:66] osName=Linux
osArch=amd64 JVM=64 rc=false
[main] [ 2016-12-11 17:56:46.176 IST ] [Library.load:254] Loading library
/u01/app/oracle/product/11.2.0/db_1/lib/libsvrmocr11.so
[main] [ 2016-12-11 17:56:46.184 IST ] [OCR.loadLibrary:318] loaded ocr libraries
[main] [ 2016-12-11 17:56:46.184 IST ] [OCR.isCluster:939] Calling OCRNative for
isCluster()
[main] [ 2016-12-11 17:56:46.188 IST ] [nativesystem.OCRNative.Native] JNI:
isCluster() Successfully initialized meta context
[main] [ 2016-12-11 17:56:46.188 IST ] [nativesystem.OCRNative.Native] JNI:
procr_get_conf() retValue = 0
[main] [ 2016-12-11 17:56:46.189 IST ] [nativesystem.OCRNative.Native] The OCR
file is configured & local_only=false

[main] [ 2016-12-11 17:56:46.189 IST ] [OCR.isCluster:943] OCR Result status =
true
[main] [ 2016-12-11 17:56:46.189 IST ] [OCR.isCluster:955] Boolean result = true

```



```
[main] [ 2016-12-11 17:56:46.194 IST ] [HASContext.<init>:100] moduleInit = 7
[main] [ 2016-12-11 17:56:46.194 IST ] [sPlatform.isHybrid:66] osName=Linux
osArch=amd64 JVM=64 rc=false
[main] [ 2016-12-11 17:56:46.194 IST ] [sPlatform.isHybrid:66] osName=Linux
osArch=amd64 JVM=64 rc=false
[main] [ 2016-12-11 17:56:46.194 IST ] [Library.load:254] Loading library
/u01/app/oracle/product/11.2.0/db_1/lib/libsrvmhas11.so
[main] [ 2016-12-11 17:56:46.229 IST ] [has.HASContextNative.Native] prsr_trace:
no lsf ctx, line=Native: allocHASContext

[main] [ 2016-12-11 17:56:46.229 IST ] [has.HASContextNative.Native]
allocHASContext: Came in
[main] [ 2016-12-11 17:56:46.229 IST ] [has.HASContextNative.Native]
allocHASContext: module_init = 7
[main] [ 2016-12-11 17:56:46.230 IST ] [has.HASContextNative.Native]
allocHASContext: META context [1]
[main] [ 2016-12-11 17:56:46.231 IST ] [has.HASContextNative.Native]
allocHASContext: LSF context [1]
[main] [ 2016-12-11 17:56:46.237 IST ] [has.HASContextNative.Native] prsr_trace:
Native: prsr_initSCLS

[main] [ 2016-12-11 17:56:46.237 IST ] [has.HASContextNative.Native]
allocHASContext: SCLS context [1]
[main] [ 2016-12-11 17:56:46.237 IST ] [has.HASContextNative.Native]
allocHASContext: retval [1]
[main] [ 2016-12-11 17:56:46.237 IST ] [Util.<init>:86] Util Instance created.
[main] [ 2016-12-11 17:56:46.259 IST ] [has.UtilNative.Native] prsr_trace:
hasHAPrivilege

[main] [ 2016-12-11 17:56:46.265 IST ] [has.HASContextNative.Native] prsr_trace:
Native: allocHASContext

[main] [ 2016-12-11 17:56:46.266 IST ] [has.HASContextNative.Native]
allocHASContext: Came in
[main] [ 2016-12-11 17:56:46.266 IST ] [has.HASContextNative.Native]
allocHASContext: module_init = 56
[main] [ 2016-12-11 17:56:46.266 IST ] [has.HASContextNative.Native]
allocHASContext: SLTS context [1]
[main] [ 2016-12-11 17:56:46.266 IST ] [has.HASContextNative.Native] prsr_trace:
Native: prsr_initCLSS

[main] [ 2016-12-11 17:56:46.272 IST ] [has.HASContextNative.Native]
allocHASContext: CLSS context [1]
[main] [ 2016-12-11 17:56:46.272 IST ] [has.HASContextNative.Native] prsr_trace:
Native: prsr_initCLSR

[main] [ 2016-12-11 17:56:46.275 IST ] [has.HASContextNative.Native] prsr_trace:
prsr_initCLSR: before calling clsrcini

[main] [ 2016-12-11 17:56:46.277 IST ] [has.HASContextNative.Native] prsr_trace:
prsr_initCLSR: before calling clsrcerrini

[main] [ 2016-12-11 17:56:46.277 IST ] [has.HASContextNative.Native]
allocHASContext: CLSR context [1]
[main] [ 2016-12-11 17:56:46.277 IST ] [has.HASContextNative.Native]
allocHASContext: retval [1]
[main] [ 2016-12-11 17:56:46.278 IST ] [ClusterAlias.<init>:86] ClusterAlias
Instance created.
[main] [ 2016-12-11 17:56:46.287 IST ] [OracleHome.getNodeNames:311]
```

```
    inside getNodeNames
[main] [ 2016-12-11 17:56:46.289 IST ] [InventoryUtil.getOUIInvSession:347]
setting OUI READ level to ACCESSLEVEL_READ_LOCKLESS
[main] [ 2016-12-11 17:56:46.290 IST ] [OracleHome.isClusterInstalled:293]
bClusterInstalled=true
[main] [ 2016-12-11 17:56:46.290 IST ] [LocalNodeCheck.checkLocalNode:134] Getting
ParallelServerConfig for dbUniqueName=pawdb
[main] [ 2016-12-11 17:56:46.319 IST ] [OCRTree.init:214] calling OCRTree.init
[main] [ 2016-12-11 17:56:46.320 IST ] [Version.isPre:274] version to be checked
11.2.0.1.0 major version to check against10
[main] [ 2016-12-11 17:56:46.320 IST ] [Version.isPre:285] isPre.java: Returning
FALSE
[main] [ 2016-12-11 17:56:46.323 IST ] [OCRTree.<init>:162] calling OCR.init at
level 7
[main] [ 2016-12-11 17:56:46.323 IST ] [OCR.init:286] OCR instance is not present
[main] [ 2016-12-11 17:56:46.323 IST ] [OCR.<init>:239] Called into OCR.java
Constructor: level =7
[main] [ 2016-12-11 17:56:46.323 IST ] [OCR.loadLibrary:308]
    Inside constructor of OCR
[main] [ 2016-12-11 17:56:46.324 IST ] [OCR.<init>:250] Calling Native function
[main] [ 2016-12-11 17:56:46.331 IST ] [nativesystem.OCRNative.Native]
    initializeOCRLevel: NEW level = 7

[main] [ 2016-12-11 17:56:46.359 IST ] [nativesystem.OCRNative.Native]
    initializeOCRLevel: NEW procr_init retval = 0

[main] [ 2016-12-11 17:56:46.359 IST ] [OCR.<init>:254] Returned after
initializing OCR
[main] [ 2016-12-11 17:56:46.360 IST ] [Util.<init>:86] Util Instance created.
[main] [ 2016-12-11 17:56:46.360 IST ] [has.UtilNative.Native] prsr_trace: Native:
getCurrentUserPrimaryGroup

[main] [ 2016-12-11 17:56:46.382 IST ] [has.UtilNative.Native] prsr_trace: got
primary group name=oinstall

[main] [ 2016-12-11 17:56:46.383 IST ] [OCR.<init>:268] Primary Group of Current
User: oinstall
[main] [ 2016-12-11 17:56:46.384 IST ] [ClusterLock.<init>:60] ClusterLock
Instance created.
[main] [ 2016-12-11 17:56:46.385 IST ] [OCRTree.isDatabaseConfigured:691]
Acquiring shared CSS lock SRVM.DATABASE.DATABASES
[main] [ 2016-12-11 17:56:46.385 IST ] [has.ClusterLockNative.Native] prsr_trace:
Native: acquireShared

[main] [ 2016-12-11 17:56:46.400 IST ] [OCR.keyExists:688]
OCR.keyExists(DATABASE.DATABASES.pawdb)
[main] [ 2016-12-11 17:56:46.400 IST ] [nativesystem.OCRNative.Native] keyExists:
calling procr_open_key(DATABASE.DATABASES.pawdb)

[main] [ 2016-12-11 17:56:46.466 IST ] [nativesystem.OCRNative.Native] keyExists:
procr_open_key retval = 4

[main] [ 2016-12-11 17:56:46.466 IST ] [OCR.keyExists:688]
OCR.keyExists(DATABASE.DATABASES.pawdb)
[main] [ 2016-12-11 17:56:46.467 IST ] [nativesystem.OCRNative.Native] keyExists:
calling procr_open_key(DATABASE.DATABASES.pawdb)

[main] [ 2016-12-11 17:56:46.498 IST ] [nativesystem.OCRNative.Native] keyExists:
procr_open_key retval = 4
```

```
[main] [ 2016-12-11 17:56:46.499 IST ] [OCRTree.isDatabaseConfigured:721]
Releasing shared CSS lock SRVM.DATABASE.DATABASES
[main] [ 2016-12-11 17:56:46.499 IST ] [has.ClusterLockNative.Native] prsr_trace:
Native: unlock

[main] [ 2016-12-11 17:56:46.521 IST ] [has.UtilNative.Native] prsr_trace: Native:
getCRSHome

[main] [ 2016-12-11 17:56:46.521 IST ] [has.UtilNative.Native] prsr_trace: Native:
getCRSHome crs_home=/u01/app/11.2.0/grid(**)

[main] [ 2016-12-11 17:56:46.521 IST ] [HASContext.getCRSHome:507]
/u01/app/11.2.0/grid
[main] [ 2016-12-11 17:56:46.521 IST ] [Util.getCRSHome:542] getCRSHome:
ret=/u01/app/11.2.0/grid
[main] [ 2016-12-11 17:56:46.522 IST ] [Version.isPre:274] version to be checked
11.2.0.1.0 major version to check against10
[main] [ 2016-12-11 17:56:46.522 IST ] [Version.isPre:285] isPre.java: Returning
FALSE
[main] [ 2016-12-11 17:56:46.522 IST ] [ClusterInfo.<init>:234]
m_olsnodesPath=/u01/app/11.2.0/grid/bin/olsnodes
[main] [ 2016-12-11 17:56:46.522 IST ] [Environment.checkCRSVersion:146]
Cluster.getVersion=11.2.0.1.0
[main] [ 2016-12-11 17:56:46.522 IST ] [Environment.checkCRSVersion:156] Major
Version=11
[main] [ 2016-12-11 17:56:46.523 IST ] [Environment.checkDBVersion:267] Major
Version=11
[main] [ 2016-12-11 17:56:46.526 IST ] [ClusterUtil.<init>:65] ClusterUtil
Instance created
[main] [ 2016-12-11 17:56:46.526 IST ] [ClusterUtil.<init>:68] ClusterUtil
m_bSKGXN=true
[main] [ 2016-12-11 17:56:46.527 IST ] [has.ClusterUtilNative.Native] prsr_trace:
Native: getHostName

[main] [ 2016-12-11 17:56:46.527 IST ] [has.ClusterUtilNative.Native] prsr_trace:
Native: getHostName:hostname length: 256

[main] [ 2016-12-11 17:56:46.529 IST ] [has.ClusterUtilNative.Native] prsr_trace:
Native: getHostName:hostname: paw-racnode1

[main] [ 2016-12-11 17:56:46.529 IST ] [GetActiveNodes.getHostName:518] hostname =
paw-racnode1
[main] [ 2016-12-11 17:56:46.530 IST ] [Cluster.getHostName:1215] hostname = paw-
racnode1
[main] [ 2016-12-11 17:56:46.530 IST ] [LocalNodeCheck.checkLocalNode:142] Getting
hostname from cluster=paw-racnode1
[main] [ 2016-12-11 17:56:46.530 IST ] [Version.isPre:274] version to be checked
11.2.0.1.0 major version to check against10
[main] [ 2016-12-11 17:56:46.530 IST ] [Version.isPre:285] isPre.java: Returning
FALSE
[main] [ 2016-12-11 17:56:46.530 IST ] [OCR.loadLibrary:308]
Inside constructor of OCR
[main] [ 2016-12-11 17:56:46.530 IST ] [OCR.isCluster:939] Calling OCRNative for
isCluster()
[main] [ 2016-12-11 17:56:46.530 IST ] [nativesystem.OCRNative.Native] JNI:
isCluster() Successfully initialized meta context
[main] [ 2016-12-11 17:56:46.531 IST ] [nativesystem.OCRNative.Native] JNI:
procr_get_conf() retValue = 0
```

```
[main] [ 2016-12-11 17:56:46.531 IST ] [nativesystem.OCRNative.Native] The OCR
file is configured & local_only=false

[main] [ 2016-12-11 17:56:46.531 IST ] [OCR.isCluster:943] OCR Result status =
true
[main] [ 2016-12-11 17:56:46.531 IST ] [OCR.isCluster:955] Boolean result = true
[main] [ 2016-12-11 17:56:46.531 IST ] [GetActiveNodes.create:220] Going into
GetActiveNodes constructor...
[main] [ 2016-12-11 17:56:46.532 IST ] [ClusterUtil.<init>:65] ClusterUtil
Instance created
[main] [ 2016-12-11 17:56:46.532 IST ] [ClusterUtil.<init>:68] ClusterUtil
m_bSKGXN=true
[main] [ 2016-12-11 17:56:46.532 IST ] [has.ClusterUtilNative.Native] prsr_trace:
Native: getLocalNodeName

[main] [ 2016-12-11 17:56:46.532 IST ] [has.ClusterUtilNative.Native] prsr_trace:
Native: getLocalNodeName:nodenumber: 1

[main] [ 2016-12-11 17:56:46.533 IST ] [has.ClusterUtilNative.Native] prsr_trace:
Native: getLocalNodeName:nodename: paw-racnode1

[main] [ 2016-12-11 17:56:46.533 IST ] [has.ClusterUtilNative.Native] prsr_trace:
Native: getNodeNames

[main] [ 2016-12-11 17:56:46.557 IST ] [has.ClusterUtilNative.Native] prsr_trace:
Native: getNodeNames:number of nodes: 2

[main] [ 2016-12-11 17:56:46.558 IST ] [has.ClusterUtilNative.Native] prsr_trace:
Native: getNodeNames:node 1 is alive k = 0

[main] [ 2016-12-11 17:56:46.559 IST ] [has.ClusterUtilNative.Native] prsr_trace:
Native: getNodeNames:1 nodename: paw-racnode1

[main] [ 2016-12-11 17:56:46.559 IST ] [has.ClusterUtilNative.Native] prsr_trace:
Native: getNodeNames:node 2 is alive k = 1

[main] [ 2016-12-11 17:56:46.562 IST ] [has.ClusterUtilNative.Native] prsr_trace:
Native: getNodeNames:2 nodename: paw-racnode2

[main] [ 2016-12-11 17:56:46.562 IST ] [GetActiveNodes.<init>:192] Inside
GetActiveNodes :paw-racnode1
[main] [ 2016-12-11 17:56:46.565 IST ] [GetActiveNodes.<init>:204] Started
clusterware daemon thread
[main] [ 2016-12-11 17:56:46.565 IST ] [GetActiveNodes.create:222] Out of
GetActiveNodes constructor.
[main] [ 2016-12-11 17:56:46.565 IST ] [LocalNodeCheck.checkLocalNode:143] Getting
localnode from cluster=paw-racnode1
[GetActiveNodesThread] [ 2016-12-11 17:56:46.566 IST ] [Semaphore.acquire:109]
SyncBufferFull:Acquire called by thread GetActiveNodesThread m_count=0
[main] [ 2016-12-11 17:56:46.644 IST ] [DBInstance.getLocalStorageType:366] Number
of records =0
[main] [ 2016-12-11 17:56:46.682 IST ] [DBInstance.getDataAndControlFiles:547]
Number of DataAndControlFiles =6
[main] [ 2016-12-11 17:56:46.683 IST ] [SQLEngine.done:2148] Done called
[main] [ 2016-12-11 17:56:46.683 IST ] [SQLEngine.spoolOff:2008] Setting spool off
= /u01/app/oracle/cfgtoollogs/rconfig/pawdb/sqlLog
[main] [ 2016-12-11 17:56:46.689 IST ] [ClusterUtils.validateRawDevice:760] Inside
validateRawDevice
[main] [ 2016-12-11 17:56:46.690 IST ] [sPlatform.isHybrid:66] osName=Linux
```

```
osArch=amd64 JVM=64 rc=false
[main] [ 2016-12-11 17:56:46.690 IST ] [Library.load:245] Property
oracle.installer.library_loc is set to
value=/u01/app/oracle/product/11.2.0/db_1/oui/lib/linux
[main] [ 2016-12-11 17:56:46.690 IST ] [Library.load:247] Loading library
/u01/app/oracle/product/11.2.0/db_1/oui/lib/linux/libsrvml1.so
[main] [ 2016-12-11 17:56:46.761 IST ] [nativesystem.UnixNative.Native]
UnixNative_validateDevice:
devName=/u01/app/oracle/flash_recovery_area/pawdb/control02.ctl

[main] [ 2016-12-11 17:56:46.762 IST ] [nativesystem.UnixNative.Native]
UnixNative_validateDevice: status=FALSE

[main] [ 2016-12-11 17:56:46.762 IST ] [ClusterUtils.validateRawDevice:768] device
status false
[main] [ 2016-12-11 17:56:46.763 IST ] [ClusterUtils.validateRawDevice:760] Inside
validateRawDevice
[main] [ 2016-12-11 17:56:46.773 IST ] [nativesystem.UnixNative.Native]
UnixNative_validateDevice: devName=/u01/app/oracle/oradata/pawdb/control01.ctl

[main] [ 2016-12-11 17:56:46.774 IST ] [nativesystem.UnixNative.Native]
UnixNative_validateDevice: status=FALSE

[main] [ 2016-12-11 17:56:46.775 IST ] [ClusterUtils.validateRawDevice:768] device
status false
[main] [ 2016-12-11 17:56:46.775 IST ] [ClusterUtils.validateRawDevice:760] Inside
validateRawDevice
[main] [ 2016-12-11 17:56:46.776 IST ] [nativesystem.UnixNative.Native]
UnixNative_validateDevice: devName=/u01/app/oracle/oradata/pawdb/sysaux01.dbf

[main] [ 2016-12-11 17:56:46.776 IST
] [nativesystem.UnixNative.Native] UnixNative_validateDevice: status=FALSE

[main] [ 2016-12-11 17:56:46.776 IST ] [ClusterUtils.validateRawDevice:768] device
status false
[main] [ 2016-12-11 17:56:46.777 IST ] [ClusterUtils.validateRawDevice:760] Inside
validateRawDevice
[main] [ 2016-12-11 17:56:46.777 IST ] [nativesystem.UnixNative.Native]
UnixNative_validateDevice: devName=/u01/app/oracle/oradata/pawdb/system01.dbf

[main] [ 2016-12-11 17:56:46.778 IST ] [nativesystem.UnixNative.Native]
UnixNative_validateDevice: status=FALSE

[main] [ 2016-12-11 17:56:46.778 IST ] [ClusterUtils.validateRawDevice:768] device
status false
[main] [ 2016-12-11 17:56:46.779 IST ] [ClusterUtils.validateRawDevice:760] Inside
validateRawDevice
[main] [ 2016-12-11 17:56:46.779 IST ] [nativesystem.UnixNative.Native]
UnixNative_validateDevice: devName=/u01/app/oracle/oradata/pawdb/undotbs01.dbf

[main] [ 2016-12-11 17:56:46.779 IST ] [nativesystem.UnixNative.Native]
UnixNative_validateDevice: status=FALSE

[main] [ 2016-12-11 17:56:46.780 IST ] [ClusterUtils.validateRawDevice:768] device
status false
[main] [ 2016-12-11 17:56:46.781 IST ] [ClusterUtils.validateRawDevice:760] Inside
validateRawDevice
[main] [ 2016-12-11 17:56:46.781 IST ] [nativesystem.UnixNative.Native]
UnixNative_validateDevice: devName=/u01/app/oracle/oradata/pawdb/users01.dbf
```

```
[main] [ 2016-12-11 17:56:46.781 IST ] [nativesystem.UnixNative.Native]
UnixNative_validateDevice: status=FALSE

[main] [ 2016-12-11 17:56:46.782 IST ] [ClusterUtils.validateRawDevice:768] device
status false
[main] [ 2016-12-11 17:56:46.782 IST ] [LocalNodeCheck.checkLocalNode:178]
Comparing the source and target oracle home versions
[main] [ 2016-12-11 17:56:46.784 IST ] [OracleHome.getVersion:877]
OracleHome.getVersion called. Current Version: 11.2.0.1.0
[main] [ 2016-12-11 17:56:46.785 IST ] [OracleHome.getVersion:943] Current Version
From Inventory: 11.2.0.1.0
[main] [ 2016-12-11 17:56:46.785 IST ] [OracleHome.getVersion:948] using
sqlplus: /u01/app/oracle/product/11.2.0/db_1/bin/sqlplus
[main] [ 2016-12-11 17:56:46.786 IST ] [OracleHome.getVersion:877]
OracleHome.getVersion called. Current Version: 11.2.0.1.0
[main] [ 2016-12-11 17:56:46.786 IST ] [OracleHome.getVersion:943] Current Version
From Inventory: 11.2.0.1.0
[main] [ 2016-12-11 17:56:46.786 IST ] [OracleHome.getVersion:948] using
sqlplus: /u01/app/oracle/product/11.2.0/db_1/bin/sqlplus
[main] [ 2016-12-11 17:56:46.787 IST ] [OracleHome.getVersion:877]
OracleHome.getVersion called. Current Version: 11.2.0.1.0
[main] [ 2016-12-11 17:56:46.787 IST ] [OracleHome.getVersion:943] Current Version
From Inventory: 11.2.0.1.0
[main] [ 2016-12-11 17:56:46.818 IST ] [OracleHome.getVersion:948] using
sqlplus: /u01/app/oracle/product/11.2.0/db_1/bin/sqlplus
[main] [ 2016-12-11 17:56:46.818 IST ] [SQLPlusEngine.getCmmdParams:222] m_home
11.2.0.1.0
[main] [ 2016-12-11 17:56:46.819 IST ] [SQLPlusEngine.getCmmdParams:223] version >
112 true
[main] [ 2016-12-11 17:56:46.819 IST ] [SQLEngine.getEnvParams:547] Default
NLS_LANG: AMERICAN_AMERICA.AL32UTF8
[main] [ 2016-12-11 17:56:46.819 IST ] [SQLEngine.getEnvParams:557] NLS_LANG:
AMERICAN_AMERICA.AL32UTF8
[main] [ 2016-12-11 17:56:46.820 IST ] [SQLEngine.initialize:317] Execing
SQLPLUS/SVRMGR process...
[main] [ 2016-12-11 17:56:46.842 IST ] [SQLEngine.initialize:354]
m_bReaderStarted: false
[main] [ 2016-12-11 17:56:46.843 IST ] [SQLEngine.initialize:358] Starting Reader
Thread...
[main] [ 2016-12-11 17:56:46.942 IST ] [Instance.getSQLEngine:381] SQLEngine
spooling to=/u01/app/oracle/cfgtoollogs/rconfig/pawdb/sqlLog
[main] [ 2016-12-11 17:56:46.943 IST ] [SQLEngine.setSpool:1940] old Spool = null
[main] [ 2016-12-11 17:56:46.943 IST ] [SQLEngine.setSpool:1941] Setting Spool
= /u01/app/oracle/cfgtoollogs/rconfig/pawdb/sqlLog
[main] [ 2016-12-11 17:56:46.943 IST ] [SQLEngine.setSpool:1942] Is spool
appendable? --> true
[main] [ 2016-12-11 17:56:46.946 IST ] [DBInstance.prepareStandby:849] DB status =
OPEN
[main] [ 2016-12-11 17:56:46.946 IST ] [OracleHome.getNodeNames:311] inside
getNodeNames
[main] [ 2016-12-11 17:56:46.946 IST ] [InventoryUtil.getOUIInvSession:347]
setting OUI READ level to ACCESSLEVEL_READ_LOCKLESS
[main] [ 2016-12-11 17:56:46.946 IST ] [ClusterCheck.checkCluster:169] OUI Node
Names Length=2
[main] [ 2016-12-11 17:56:46.947 IST ] [ClusterCheck.checkCluster:172] OUI Node
List Length=2
[main] [ 2016-12-11 17:56:46.947 IST ] [GetActiveNodes.create:226] Returning an
existing instance of GetActiveNodes
```

```
[main] [ 2016-12-11 17:56:47.079 IST ] [has.UtilNative.Native] prsr_trace: Native:
getCRSHome

[main] [ 2016-12-11 17:56:47.081 IST ] [has.UtilNative.Native] prsr_trace: Native:
getCRSHome crs_home=/u01/app/11.2.0/grid(**)

[main] [ 2016-12-11 17:56:47.081 IST ] [HASContext.getCRSHome:507]
/u01/app/11.2.0/grid
[main] [ 2016-12-11 17:56:47.081 IST ] [Util.getCRSHome:542] getCRSHome:
ret=/u01/app/11.2.0/grid
[main] [ 2016-12-11 17:56:47.081 IST ] [Version.isPre:274] version to be checked
11.2.0.1.0 major version to check against10
[main] [ 2016-12-11 17:56:47.081 IST ] [Version.isPre:285] isPre.java: Returning
FALSE
[main] [ 2016-12-11 17:56:47.082 IST ] [ClusterInfo.<init>:234]
m_olsnodesPath=/u01/app/11.2.0/grid/bin/olsnodes
[main] [ 2016-12-11 17:56:47.082 IST ] [UnixSystem.isNodeAccessible:967] Checking
accessibility of node: paw-racnode1
[main] [ 2016-12-11 17:56:47.108 IST ] [UnixSystem.checkRemoteExecutionSetup:2110]
checkRemoteExecutionSetup:: Checking user equivalence using Secured Shell
'/usr/bin/ssh'
[main] [ 2016-12-11 17:56:47.108 IST ] [UnixSystem.checkRemoteExecutionSetup:2112]
checkRemoteExecutionSetup:: Running Unix command: /usr/bin/ssh -o FallBackToRsh=no
-o PasswordAuthentication=no -o StrictHostKeyChecking=yes -o
NumberOfPasswordPrompts=0 paw-racnode1 /bin/true
[main] [ 2016-12-11 17:56:47.110 IST ] [RuntimeExec.runCommand:75] Calling
Runtime.exec() with the command
[main] [ 2016-12-11 17:56:47.110 IST ] [RuntimeExec.runCommand:77] /usr/bin/ssh
[main] [ 2016-12-11 17:56:47.110 IST ] [RuntimeExec.runCommand:77] -o
[main] [ 2016-12-11 17:56:47.110 IST ] [RuntimeExec.runCommand:77]
FallBackToRsh=no
[main] [ 2016-12-11 17:56:47.110 IST ] [RuntimeExec.runCommand:77] -o
[main] [ 2016-12-11 17:56:47.111 IST ] [RuntimeExec.runCommand:77]
PasswordAuthentication=no
[main] [ 2016-12-11 17:56:47.111 IST ] [RuntimeExec.runCommand:77] -o
[main] [ 2016-12-11 17:56:47.111 IST ] [RuntimeExec.runCommand:77]
StrictHostKeyChecking=yes
[main] [ 2016-12-11 17:56:47.111 IST ] [RuntimeExec.runCommand:77] -o
[main] [ 2016-12-11 17:56:47.111 IST ] [RuntimeExec.runCommand:77]
NumberOfPasswordPrompts=0
[main] [ 2016-12-11 17:56:47.111 IST ] [RuntimeExec.runCommand:77] paw-racnode1
[main] [ 2016-12-11 17:56:47.112 IST ] [RuntimeExec.runCommand:77] /bin/true
[Thread-13] [ 2016-12-11 17:56:47.117 IST ] [StreamReader.run:61] In
StreamReader.run
[main] [ 2016-12-11 17:56:47.118 IST ] [RuntimeExec.runCommand:142] runCommand:
Waiting for the process
[Thread-12] [ 2016-12-11 17:56:47.118 IST ] [StreamReader.run:61] In
StreamReader.run
[main] [ 2016-12-11 17:56:47.976 IST ] [RuntimeExec.runCommand:144] runCommand:
process returns 0
[main] [ 2016-12-11 17:56:47.976 IST ] [RuntimeExec.runCommand:161] RunTimeExec:
output>
[main] [ 2016-12-11 17:56:47.976 IST ] [RuntimeExec.runCommand:170] RunTimeExec:
error>
[main] [ 2016-12-11 17:56:47.976 IST ] [RuntimeExec.runCommand:192] Returning from
RunTimeExec.runCommand
[main] [ 2016-12-11 17:56:47.985 IST ] [UnixSystem.checkRemoteExecutionSetup:2218]
Using Remote Shell Command: '/usr/bin/ssh -o FallBackToRsh=no -o
PasswordAuthentication=no -o StrictHostKeyChecking=yes -o
```

```
NumberOfPasswordPrompts=0 '
[main] [ 2016-12-11 17:56:47.986 IST ] [UnixSystem.checkRemoteExecutionSetup:2219]
Using Remote Copy Command: '/usr/bin/scp'
[main] [ 2016-12-11 17:56:47.986 IST ] [UnixSystem.isNodeAccessible:973]
isNodeAccessible:: Running Unix command: /usr/bin/ssh -o FallBackToRsh=no -o
PasswordAuthentication=no -o StrictHostKeyChecking=yes -o
NumberOfPasswordPrompts=0 paw-racnode1 -n /bin/true
[main] [ 2016-12-11 17:56:47.986 IST ] [RuntimeExec.runCommand:75] Calling
Runtime.exec() with the command
[main] [ 2016-12-11 17:56:47.986 IST ] [RuntimeExec.runCommand:77] /usr/bin/ssh
[main] [ 2016-12-11 17:56:47.986 IST ] [RuntimeExec.runCommand:77] -o
[main] [ 2016-12-11 17:56:47.987 IST ] [RuntimeExec.runCommand:77]
FallBackToRsh=no
[main] [ 2016-12-11 17:56:47.996 IST ] [RuntimeExec.runCommand:77] -o
[main] [ 2016-12-11 17:56:47.997 IST ] [RuntimeExec.runCommand:77]
PasswordAuthentication=no
[main] [ 2016-12-11 17:56:47.997 IST ] [RuntimeExec.runCommand:77] -o
[main] [ 2016-12-11 17:56:47.997 IST ] [RuntimeExec.runCommand:77]
StrictHostKeyChecking=yes
[main] [ 2016-12-11 17:56:47.998 IST ] [RuntimeExec.runCommand:77] -o
[main] [ 2016-12-11 17:56:47.998 IST ] [RuntimeExec.runCommand:77]
NumberOfPasswordPrompts=0
[main] [ 2016-12-11 17:56:47.998 IST ] [RuntimeExec.runCommand:77] paw-racnode1
[main] [ 2016-12-11 17:56:47.998 IST ] [RuntimeExec.runCommand:77] -n
[main] [ 2016-12-11 17:56:47.998 IST ] [RuntimeExec.runCommand:77] /bin/true
[Thread-15] [ 2016-12-11 17:56:48.007 IST ] [StreamReader.run:61] In
StreamReader.run
[main] [ 2016-12-11 17:56:48.007 IST ] [RuntimeExec.runCommand:142] runCommand:
Waiting for the process
[Thread-14] [ 2016-12-11 17:56:48.008 IST ] [StreamReader.run:61] In
StreamReader.run
[main] [ 2016-12-11 17:56:48.191 IST ] [RuntimeExec.runCommand:144] runCommand:
process returns 0
[main] [ 2016-12-11 17:56:48.192 IST ] [RuntimeExec.runCommand:161] RunTimeExec:
output>
[main] [ 2016-12-11 17:56:48.192 IST ] [RuntimeExec.runCommand:170] RunTimeExec:
error>
[main] [ 2016-12-11 17:56:48.192 IST ] [RuntimeExec.runCommand:192] Returning
from RunTimeExec.runCommand
[main] [ 2016-12-11 17:56:48.192 IST ] [NativeResult.<init>:91] NativeResult: The
String obtained is|
[main] [ 2016-12-11 17:56:48.192 IST ] [NativeResult.<init>:99] The status string
is: 1
[main] [ 2016-12-11 17:56:48.193 IST ] [UnixSystem.isNodeAccessible:967] Checking
accessibility of node: paw-racnode2
[main] [ 2016-12-11 17:56:48.193 IST ] [UnixSystem.isNodeAccessible:973]
isNodeAccessible:: Running Unix command: /usr/bin/ssh -o FallBackToRsh=no -o
PasswordAuthentication=no -o StrictHostKeyChecking=yes -o
NumberOfPasswordPrompts=0 paw-racnode2 -n /bin/true
[main] [ 2016-12-11 17:56:48.193 IST ] [RuntimeExec.runCommand:75] Calling
Runtime.exec() with the command
[main] [ 2016-12-11 17:56:48.193 IST ] [RuntimeExec.runCommand:77] /usr/bin/ssh
[main] [ 2016-12-11 17:56:48.193 IST ] [RuntimeExec.runCommand:77] -o
[main] [ 2016-12-11 17:56:48.194 IST ] [RuntimeExec.runCommand:77]
FallBackToRsh=no
[main] [ 2016-12-11 17:56:48.194 IST ] [RuntimeExec.runCommand:77] -o
[main] [ 2016-12-11 17:56:48.194 IST ] [RuntimeExec.runCommand:77]
PasswordAuthentication=no
[main] [ 2016-12-11 17:56:48.194 IST ] [RuntimeExec.runCommand:77] -o
```



```
[main] [ 2016-12-11 17:56:48.194 IST ] [RuntimeExec.runCommand:77]
StrictHostKeyChecking=yes
[main] [ 2016-12-11 17:56:48.194 IST ] [RuntimeExec.runCommand:77] -o
[main] [ 2016-12-11 17:56:48.195 IST ] [RuntimeExec.runCommand:77]
NumberOfPasswordPrompts=0
[main] [ 2016-12-11 17:56:48.196 IST ] [RuntimeExec.runCommand:77] paw-racnode2
[main] [ 2016-12-11 17:56:48.196 IST ] [RuntimeExec.runCommand:77] -n
[main] [ 2016-12-11 17:56:48.196 IST ] [RuntimeExec.runCommand:77] /bin/true
[Thread-17] [ 2016-12-11 17:56:48.206 IST ] [StreamReader.run:61] In
StreamReader.run
[main] [ 2016-12-11 17:56:48.207 IST ] [RuntimeExec.runCommand:142] runCommand:
Waiting for the process
[Thread-16] [ 2016-12-11 17:56:48.207 IST ] [StreamReader.run:61] In
StreamReader.run
[main] [ 2016-12-11 17:56:48.433 IST ] [RuntimeExec.runCommand:144] runCommand:
process returns 0
[main] [ 2016-12-11 17:56:48.433 IST ] [RuntimeExec.runCommand:161] RunTimeExec:
output>
[main] [ 2016-12-11 17:56:48.433 IST ] [RuntimeExec.runCommand:170] RunTimeExec:
error>
[main] [ 2016-12-11 17:56:48.434 IST ] [RuntimeExec.runCommand:192] Returning from
RunTimeExec.runCommand
[main] [ 2016-12-11 17:56:48.434 IST ] [NativeResult.<init>:91] NativeResult: The
String obtained is|
[main] [ 2016-12-11 17:56:48.434 IST ] [NativeResult.<init>:99] The status string
is: 1
[main] [ 2016-12-11 17:56:48.483 IST ] [ClusterConfig.<init>:228]
ClusterConfig:Number of workers = 0
[main] [ 2016-12-11 17:56:48.492 IST ] [ClusterConfig.createWorkers:313] Started
worker threads count=2
[main] [ 2016-12-11 17:56:48.493 IST ] [ClusterConfig.isClusterInstalled:361]
hasJarPresent=true
[main] [ 2016-12-11 17:56:48.493 IST ] [Version.isPre:274] version to be checked
11.2.0.1.0 major version to check against10
[main] [ 2016-12-11 17:56:48.494 IST ] [Version.isPre:285] isPre.java: Returning
FALSE
[main] [ 2016-12-11 17:56:48.494 IST ] [OCR.loadLibrary:308]
Inside constructor of OCR
[main] [ 2016-12-11 17:56:48.494 IST ] [OCR.isCluster:939] Calling OCRNative for
isCluster()
[main] [ 2016-12-11 17:56:48.495 IST ] [nativesystem.OCRNative.Native] JNI:
isCluster() Successfully initialized meta context
[main] [ 2016-12-11 17:56:48.495 IST ] [nativesystem.OCRNative.Native] JNI:
procr_get_conf() retValue = 0
[main] [ 2016-12-11 17:56:48.496 IST ] [nativesystem.OCRNative.Native] The OCR
file is configured & local_only=false

[main] [ 2016-12-11 17:56:48.496 IST ] [OCR.isCluster:943] OCR Result status =
true
[main] [ 2016-12-11 17:56:48.496 IST ] [OCR.isCluster:955] Boolean result = true
[main] [ 2016-12-11 17:56:48.497 IST ] [GetActiveNodes.create:226] Returning an
existing instance of GetActiveNodes
[main] [ 2016-12-11 17:56:48.497 IST ] [ClusterConfig.init:421] Returning same
instance to clientmain
[main] [ 2016-12-11 17:56:48.499 IST ] [ClusterConfig.submit:486] Entering submit,
cmdCount=2
[main] [ 2016-12-11 17:56:48.500 IST ] [Semaphore.acquire:109]
SyncBufferEmpty:Acquire called by thread main m_count=2
[Worker 0] [ 2016-12-11 17:56:48.500 IST ] [Semaphore.acquire:109]
```

```
SyncBufferFull:Acquire called by thread Worker 0 m_count=0
[main] [ 2016-12-11 17:56:48.500 IST ] [Semaphore.release:85]
SyncBufferFull:Release called by thread main m_count=1
[main] [ 2016-12-11 17:56:48.501 IST ] [Semaphore.acquire:109]
SyncBufferEmpty:Acquire called by thread main m_count=1
[main] [ 2016-12-11 17:56:48.501 IST ] [Semaphore.release:85]
SyncBufferFull:Release called by thread main m_count=2
[main] [ 2016-12-11 17:56:48.502 IST ] [ClusterConfig.submit:521] submitted
commands=2
[main] [ 2016-12-11 17:56:48.502 IST ] [ClusterConfig.block:594] block called by
thread main commandNum 2
[main] [ 2016-12-11 17:56:48.502 IST ] [Semaphore.acquire:109] ClientResource
Constructor:Blocking Semaphore owned by main:Acquire called by thread main
m_count=0
[Worker 1] [ 2016-12-11 17:56:48.503 IST ] [Semaphore.acquire:109]
SyncBufferFull:Acquire called by thread Worker 1 m_count=2
[Worker 1] [ 2016-12-11 17:56:48.503 IST ] [Semaphore.release:85]
SyncBufferEmpty:Release called by thread Worker 1 m_count=1
[Worker 1] [ 2016-12-11 17:56:48.503 IST ] [UnixSystem.isNodeAccessible:967]
Checking accessibility of node: paw-racnode1
[Worker 1] [ 2016-12-11 17:56:48.504 IST ] [UnixSystem.isNodeAccessible:973]
isNodeAccessible:: Running Unix command: /usr/bin/ssh -o FallBackToRsh=no -o
PasswordAuthentication=no -o StrictHostKeyChecking=yes -o
NumberOfPasswordPrompts=0 paw-racnode1 -n /bin/true
[Worker 1] [ 2016-12-11 17:56:48.504 IST ] [RuntimeExec.runCommand:75] Calling
Runtime.exec() with the command
[Worker 1] [ 2016-12-11 17:56:48.504 IST ] [RuntimeExec.runCommand:77]
/usr/bin/ssh
[Worker 1] [ 2016-12-11 17:56:48.504 IST ] [RuntimeExec.runCommand:77] -o
[Worker 1] [ 2016-12-11 17:56:48.505 IST ] [RuntimeExec.runCommand:77]
FallBackToRsh=no
[Worker 1] [ 2016-12-11 17:56:48.505 IST ] [RuntimeExec.runCommand:77] -o
[Worker 1] [ 2016-12-11 17:56:48.505 IST ] [RuntimeExec.runCommand:77]
PasswordAuthentication=no
[Worker 1] [ 2016-12-11 17:56:48.506 IST ] [RuntimeExec.runCommand:77] -o
[Worker 1] [ 2016-12-11 17:56:48.506 IST ] [RuntimeExec.runCommand:77]
StrictHostKeyChecking=yes
[Worker 1] [ 2016-12-11 17:56:48.506 IST ] [RuntimeExec.runCommand:77] -o
[Worker 1] [ 2016-12-11 17:56:48.507 IST ] [RuntimeExec.runCommand:77]
NumberOfPasswordPrompts=0
[Worker 1] [ 2016-12-11 17:56:48.507 IST ] [RuntimeExec.runCommand:77] paw-
racnode1
[Worker 1] [ 2016-12-11 17:56:48.507 IST ] [RuntimeExec.runCommand:77] -n
[Worker 1] [ 2016-12-11 17:56:48.508 IST ] [RuntimeExec.runCommand:77] /bin/true
[Worker 0] [ 2016-12-11 17:56:48.508 IST ] [Semaphore.release:85]
SyncBufferEmpty:Release called by thread Worker 0 m_count=2
[Worker 0] [ 2016-12-11 17:56:48.508 IST ] [UnixSystem.isNodeAccessible:967]
Checking accessibility of node: paw-racnode2
[Worker 0] [ 2016-12-11 17:56:48.509 IST ] [UnixSystem.isNodeAccessible:973]
isNodeAccessible:: Running Unix command: /usr/bin/ssh -o FallBackToRsh=no -o
PasswordAuthentication=no -o StrictHostKeyChecking=yes -o
NumberOfPasswordPrompts=0 paw-racnode2 -n /bin/true
[Worker 0] [ 2016-12-11 17:56:48.509 IST ] [RuntimeExec.runCommand:75] Calling
Runtime.exec() with the command
[Worker 0] [ 2016-12-11 17:56:48.509 IST ] [RuntimeExec.runCommand:77]
/usr/bin/ssh
[Worker 0] [ 2016-12-11 17:56:48.510 IST ] [RuntimeExec.runCommand:77] -o
[Worker 0] [ 2016-12-11 17:56:48.510 IST ] [RuntimeExec.runCommand:77]
FallBackToRsh=no
```

```
[Worker 0] [ 2016-12-11 17:56:48.510 IST ] [RuntimeExec.runCommand:77] -o
[Worker 0] [ 2016-12-11 17:56:48.510 IST ] [RuntimeExec.runCommand:77]
PasswordAuthentication=no
[Worker 0] [ 2016-12-11 17:56:48.511 IST ] [RuntimeExec.runCommand:77] -o
[Worker 0] [ 2016-12-11 17:56:48.511 IST ] [RuntimeExec.runCommand:77]
StrictHostKeyChecking=yes
[Worker 0] [ 2016-12-11 17:56:48.512 IST ] [RuntimeExec.runCommand:77] -o
[Worker 0] [ 2016-12-11 17:56:48.512 IST ] [RuntimeExec.runCommand:77]
NumberOfPasswordPrompts=0
[Worker 0] [ 2016-12-11 17:56:48.512 IST ] [RuntimeExec.runCommand:77] paw-
racnode2
[Worker 0] [ 2016-12-11 17:56:48.513 IST ] [RuntimeExec.runCommand:77] -n
[Worker 0] [ 2016-12-11 17:56:48.513 IST ] [RuntimeExec.runCommand:77] /bin/true
[Thread-20] [ 2016-12-11 17:56:48.530 IST ] [StreamReader.run:61] In
StreamReader.run
[Thread-22] [ 2016-12-11 17:56:48.531 IST ] [StreamReader.run:61] In
StreamReader.run
[Worker 1] [ 2016-12-11 17:56:48.531 IST ] [RuntimeExec.runCommand:142]
runCommand: Waiting for the process
[Thread-19] [ 2016-12-11 17:56:48.531 IST ] [StreamReader.run:61] In
StreamReader.run
[Worker 0] [ 2016-12-11 17:56:48.532 IST ] [RuntimeExec.runCommand:142]
runCommand: Waiting for the process
[Thread-21] [ 2016-12-11 17:56:48.532 IST ] [StreamReader.run:61] In
StreamReader.run
[Worker 0] [ 2016-12-11 17:56:48.710 IST ] [RuntimeExec.runCommand:144]
runCommand: process returns 0
[Worker 0] [ 2016-12-11 17:56:48.711 IST ] [RuntimeExec.runCommand:161]
RunTimeExec: output>
[Worker 0] [ 2016-12-11 17:56:48.711 IST ] [RuntimeExec.runCommand:170]
RunTimeExec: error>
[Worker 0] [ 2016-12-11 17:56:48.711 IST ] [RuntimeExec.runCommand:192] Returning
from RunTimeExec.runCommand
[Worker 0] [ 2016-12-11 17:56:48.711 IST ] [NativeResult.<init>:91] NativeResult:
The String obtained is1|
[Worker 0] [ 2016-12-11 17:56:48.712 IST ] [NativeResult.<init>:99] The status
string is: 1
[Worker 0] [ 2016-12-11 17:56:48.712 IST ]
[ClusterConfig$ExecuteCommand.returnCommandToClient:2939] returnCommandToClient;
fillCount=0 is full=false
[Worker 0] [ 2016-12-11 17:56:48.712 IST ] [Semaphore.acquire:109]
SyncBufferEmpty:Acquire called
by thread Worker 0 m_count=100
[Worker 0] [ 2016-12-11 17:56:48.712 IST ] [Semaphore.release:85]
SyncBufferFull:Release called by thread Worker 0 m_count=1
[Worker 0] [ 2016-12-11 17:56:48.713 IST ] [ClientResource.getListener:157]
Calling getListener
[Worker 0] [ 2016-12-11 17:56:48.713 IST ] [ClusterConfig$ExecuteCommand.run:3034]
Owner Thread name of the blocking Semaphore main
[Worker 0] [ 2016-12-11 17:56:48.713 IST ] [ClusterConfig$ExecuteCommand.run:3042]
Obtained Semaphore
[Worker 0] [ 2016-12-11 17:56:48.713 IST ] [Semaphore.release:85] ClientResource
Constructor:Blocking Semaphore owned by main:Release called by thread Worker 0
m_count=1
[main] [ 2016-12-11 17:56:48.720 IST ] [ClusterConfig.block:606] block acquired
semnum=0
[main] [ 2016-12-11 17:56:48.720 IST ] [Semaphore.acquire:109] ClientResource
Constructor:Blocking Semaphore owned by main:Acquire called by thread main
m_count=0
```

```
[Worker 0] [ 2016-12-11 17:56:48.720 IST ] [ClusterConfig$ExecuteCommand.run:3057]
Released Semaphore by worker=Worker 0
[Worker 0] [ 2016-12-11 17:56:48.721 IST ] [Semaphore.acquire:109]
SyncBufferFull:Acquire called by thread Worker 0 m_count=0
[Worker 1] [ 2016-12-11 17:56:48.725 IST ] [RuntimeExec.runCommand:144]
runCommand: process returns 0
[Worker 1] [ 2016-12-11 17:56:48.725 IST ] [RuntimeExec.runCommand:161]
RunTimeExec: output>
[Worker 1] [ 2016-12-11 17:56:48.725 IST ] [RuntimeExec.runCommand:170]
RunTimeExec: error>
[Worker 1] [ 2016-12-11 17:56:48.726 IST ] [RuntimeExec.runCommand:192] Returning
from RunTimeExec.runCommand
[Worker 1] [ 2016-12-11 17:56:48.726 IST ] [NativeResult.<init>:91] NativeResult:
The String obtained is|
[Worker 1] [ 2016-12-11 17:56:48.726 IST ] [NativeResult.<init>:99] The status
string is: 1
[Worker 1] [ 2016-12-11 17:56:48.726 IST ]
[ClusterConfig$ExecuteCommand.returnCommandToClient:2939] returnCommandToClient;
fillCount=1 is full=false
[Worker 1] [ 2016-12-11 17:56:48.726 IST ] [Semaphore.acquire:109]
SyncBufferEmpty:Acquire called by thread Worker 1 m_count=99
[Worker 1] [ 2016-12-11 17:56:48.726 IST ] [Semaphore.release:85]
SyncBufferFull:Release called by thread Worker 1 m_count=2
[Worker 1] [ 2016-12-11 17:56:48.727 IST ] [ClientResource.getListener:157]
Calling getListener
[Worker 1] [ 2016-12-11 17:56:48.727 IST ] [ClusterConfig$ExecuteCommand.run:3034]
Owner Thread name of the blocking Semaphore main
[Worker 1] [ 2016-12-11 17:56:48.727 IST ] [ClusterConfig$ExecuteCommand.run:3042]
Obtained Semaphore
[Worker 1] [ 2016-12-11 17:56:48.727 IST ] [Semaphore.release:85] ClientResource
Constructor:Blocking Semaphore owned by main:Release called by thread Worker 1
m_count=1
[main] [ 2016-12-11 17:56:48.727 IST ] [ClusterConfig.block:606] block acquired
semnum=1
[main] [ 2016-12-11 17:56:48.727 IST ] [ClusterConfig.submit:555] Out of block
[main] [ 2016-12-11 17:56:48.728 IST ] [ClusterConfig.submit:572] status=true
[main] [ 2016-12-11 17:56:48.728 IST ] [ClusterConfig.destroy:450] destroying
resources for client thread Thread[main,5,main]
[main] [ 2016-12-11 17:56:48.729 IST ] [ClusterUtils.areSharedPaths:552] 1.
path=/u01/app/oracle/product/11.2.0/db_1
[main] [ 2016-12-11 17:56:48.730 IST ] [ClusterUtils.areSharedPaths:573] 2.
path=/u01/app/oracle/product/11.2.0/db_1
[main] [ 2016-12-11 17:56:48.730 IST ] [ClusterUtils.areSharedPaths:578] hashKey =
[paw-racnode1, paw-racnode2]/u01/app/oracle/product/11.2.0/db_1
[main] [ 2016-12-11 17:56:48.730 IST ] [GetActiveNodes.create:226] Returning an
existing instance of GetActiveNodes
[main] [ 2016-12-11 17:56:48.730 IST ] [Cluster.verifyNodeList:1147]
clusterNodes[0]=paw-racnode1
[main] [ 2016-12-11 17:56:48.730 IST ] [Cluster.verifyNodeList:1147]
clusterNodes[1]=paw-racnode2
[main] [ 2016-12-11 17:56:48.731 IST ] [Cluster.verifyNodeList:1152]
nodeList[0]=paw-racnode1
[main] [ 2016-12-11 17:56:48.731 IST ] [Cluster.verifyNodeList:1152]
nodeList[1]=paw-racnode2
[main] [ 2016-12-11 17:56:48.731 IST ] [GetActiveNodes.create:226] Returning an
existing instance of GetActiveNodes
[main] [ 2016-12-11 17:56:48.731 IST ] [Cluster.isSharedPath:1071] NodeList=[paw-
racnode1, paw-racnode2]
[main] [ 2016-12-11 17:56:48.731 IST ] [Cluster.isSharedPath:1107]
```

```
pathName=/u01/app/oracle/product/11.2.0/db_1/ dirPath =
/u01/app/oracle/product/11.2.0/db_1
[main] [ 2016-12-11 17:56:48.732 IST ] [UnixSystem.isSharedPath:1532]
dirPath=/u01/app/oracle/product/11.2.0/db_1
[Worker 1] [ 2016-12-11 17:56:48.737 IST ] [ClusterConfig$ExecuteCommand.run:3057]
Released Semaphore by worker=Worker 1
[Worker 1] [ 2016-12-11 17:56:48.737 IST ] [Semaphore.acquire:109]
SyncBufferFull:Acquire called by thread Worker 1 m_count=0
[main] [ 2016-12-11 17:56:48.767 IST ] [UnixSystem.isSharedPath:1537]
UnixSystem.isShared: pathName=/u01/app/oracle/product/11.2.0/db_1
tempFile=CFSFileName14814592087323193104236409404323.tmp
[main] [ 2016-12-11 17:56:48.767 IST ] [UnixSystem.isSharedPath:1542]
UnixSystem.isShared: dirPathName is
/u01/app/oracle/product/11.2.0/db_1/CFSFileName14814592087323193104236409404323.tmp
[main] [ 2016-12-11 17:56:48.767 IST ] [UnixSystem.isSharedPath:1546]
UnixSystem.isShared: removing file
/u01/app/oracle/product/11.2.0/db_1/CFSFileName14814592087323193104236409404323.tmp
on paw-racnode2
[main] [ 2016-12-11 17:56:48.800 IST ] [Utils.getLocalHost:356] Hostname
retrieved: paw-racnode1.airydba.com, returned: paw-racnode1
[main] [ 2016-12-11 17:56:48.800 IST ] [RuntimeExec.runCommand:75] Calling
Runtime.exec() with the command
[main] [ 2016-12-11 17:56:48.800 IST ] [RuntimeExec.runCommand:77] /usr/bin/ssh
[main] [ 2016-12-11 17:56:48.801 IST ] [RuntimeExec.runCommand:77] -o
[main] [ 2016-12-11 17:56:48.801 IST ] [RuntimeExec.runCommand:77]
FallBackToRsh=no
[main] [ 2016-12-11 17:56:48.801 IST ] [RuntimeExec.runCommand:77] -o
[main] [ 2016-12-11 17:56:48.801 IST ] [RuntimeExec.runCommand:77]
PasswordAuthentication=no
[main] [ 2016-12-11 17:56:48.801 IST ] [RuntimeExec.runCommand:77] -o
[main] [ 2016-12-11 17:56:48.801 IST ] [RuntimeExec.runCommand:77]
StrictHostKeyChecking=yes
[main] [ 2016-12-11 17:56:48.802 IST ] [RuntimeExec.runCommand:77] -o
[main] [ 2016-12-11 17:56:48.802 IST ] [RuntimeExec.runCommand:77]
NumberOfPasswordPrompts=0
[main] [ 2016-12-11 17:56:48.802 IST ] [RuntimeExec.runCommand:77] paw-racnode2
[main] [ 2016-12-11 17:56:48.802 IST ] [RuntimeExec.runCommand:77] -n
[main] [ 2016-12-11 17:56:48.802 IST ] [RuntimeExec.runCommand:77] /bin/rm
[main] [ 2016-12-11 17:56:48.803 IST ] [RuntimeExec.runCommand:77] -f
[main] [ 2016-12-11 17:56:48.803 IST ] [RuntimeExec.runCommand:77]
/u01/app/oracle/product/11.2.0/db_1/CFSFileName14814592087323193104236409404323.tmp

[Thread-24] [ 2016-12-11 17:56:48.811 IST ] [StreamReader.run:61] In
StreamReader.run
[main] [ 2016-12-11 17:56:48.811 IST ] [RuntimeExec.runCommand:142] runCommand:
Waiting for the process
[Thread-23] [ 2016-12-11 17:56:48.812 IST ] [StreamReader.run:61] In
StreamReader.run
[main] [ 2016-12-11 17:56:48.955 IST ] [RuntimeExec.runCommand:144] runCommand:
process returns 0
[main] [ 2016-12-11 17:56:48.956 IST ] [RuntimeExec.runCommand:161] RunTimeExec:
output>
[main] [ 2016-12-11 17:56:48.957 IST ] [RuntimeExec.runCommand:170] RunTimeExec:
error>
[main] [ 2016-12-11 17:56:48.957 IST ] [RuntimeExec.runCommand:192] Returning from
RunTimeExec.runCommand
[main] [ 2016-12-11 17:56:48.958 IST ] [NativeSystem.isCmdScv:471] isCmdScv:
cmd=[/usr/bin/ssh -o FallBackToRsh=no -o PasswordAuthentication=no -o
StrictHostKeyChecking=yes -o NumberOfPasswordPrompts=0 paw-racnode2 -n /bin/rm
```

```

-f
/u01/app/oracle/product/11.2.0/db_1/CFSFileName14814592087323193104236409404323.tmp
]
[main] [ 2016-12-11 17:56:48.960 IST ] [NativeSystem.isCmdScv:521] isCmdScv:
/usr/bin/ssh is present.
[main] [ 2016-12-11 17:56:48.961 IST ] [NativeSystem.isCmdScv:523] isCmdScv:
/usr/bin/ssh is a file.
[main] [ 2016-12-11 17:56:48.961 IST ] [NativeSystem.isCmdScv:540] isCmdScv:
returned true
[main] [ 2016-12-11 17:56:48.962 IST ] [NativeSystem.rununixcmd:1058]
NativeSystem.rununixcmd: RetString 1| :successful
[main] [ 2016-12-11 17:56:48.962 IST ] [UnixSystem.isSharedPath:1546]
UnixSystem.isShared: removing file
/u01/app/oracle/product/11.2.0/db_1/CFSFileName14814592087323193104236409404323.tmp
on paw-racnode1
[main] [ 2016-12-11 17:56:48.962 IST ] [RuntimeExec.runCommand:75] Calling
Runtime.exec() with the command
[main] [ 2016-12-11 17:56:48.963 IST ] [RuntimeExec.runCommand:77] /bin/rm
[main] [ 2016-12-11 17:56:48.963 IST ] [RuntimeExec.runCommand:77] -f
[main] [ 2016-12-11 17:56:48.964 IST ] [RuntimeExec.runCommand:77]
/u01/app/oracle/product/11.2.0/db_1/CFSFileName14814592087323193104236409404323.tmp

[Thread-26] [ 2016-12-11 17:56:48.971 IST ] [StreamReader.run:61] In
StreamReader.run
[main] [ 2016-12-11 17:56:48.971 IST ] [RuntimeExec.runCommand:142] runCommand:
Waiting for the process
[Thread-25] [ 2016-12-11 17:56:48.972 IST ] [StreamReader.run:61] In
StreamReader.run
[main] [ 2016-12-11 17:56:49.008 IST ] [RuntimeExec.runCommand:144] runCommand:
process returns 0
[main] [ 2016-12-11 17:56:49.008 IST ] [RuntimeExec.runCommand:161] RunTimeExec:
output>
[main] [ 2016-12-11 17:56:49.008 IST ] [RuntimeExec.runCommand:170] RunTimeExec:
error>
[main] [ 2016-12-11 17:56:49.008 IST ] [RuntimeExec.runCommand:192] Returning from
RunTimeExec.runCommand
[main] [ 2016-12-11 17:56:49.009 IST ] [NativeSystem.isCmdScv:471] isCmdScv:
cmd=/bin/rm -f
/u01/app/oracle/product/11.2.0/db_1/CFSFileName14814592087323193104236409404323.tmp
]
[main] [ 2016-12-11 17:56:49.010 IST ] [NativeSystem.isCmdScv:540] isCmdScv:
returned false
[main] [ 2016-12-11 17:56:49.010 IST ] [NativeSystem.rununixcmd:1058]
NativeSystem.rununixcmd: RetString 1| :successful
[main] [ 2016-12-11 17:56:49.010 IST ] [UnixSystem.isSharedPath:1551]
UnixSystem.isShared: creating file

/u01/app/oracle/product/11.2.0/db_1/CFSFileName14814592087323193104236409404323.tmp
[main] [ 2016-12-11 17:56:49.028 IST ] [UnixSystem.testCFSFile:1646] The unix
command is /usr/bin/ssh -o FallBackToRsh=no -o PasswordAuthentication=no -o
StrictHostKeyChecking=yes -o NumberOfPasswordPrompts=0 paw-racnode2 -n /bin/sh -c
"/bin/ls /u01/app/oracle/product/11.2.0/db_1 > /dev/null 2>&1 && /bin/cat
/u01/app/oracle/product/11.2.0/db_1/CFSFileName14814592087323193104236409404323.tmp
"
[main] [ 2016-12-11 17:56:49.029 IST ] [RuntimeExec.runCommand:75] Calling
Runtime.exec() with the command
[main] [ 2016-12-11 17:56:49.029 IST ] [RuntimeExec.runCommand:77] /usr/bin/ssh
[main] [ 2016-12-11 17:56:49.030 IST ] [RuntimeExec.runCommand:77] -o
[main] [ 2016-12-11 17:56:49.030 IST ] [RuntimeExec.runCommand:77]

```

```

FallBackToRsh=no
[main] [ 2016-12-11 17:56:49.030 IST ] [RuntimeExec.runCommand:77] -o
[main] [ 2016-12-11 17:56:49.031 IST ] [RuntimeExec.runCommand:77]
PasswordAuthentication=no
[main] [ 2016-12-11 17:56:49.031 IST ] [RuntimeExec.runCommand:77] -o
[main] [ 2016-12-11 17:56:49.031 IST ] [RuntimeExec.runCommand:77]
StrictHostKeyChecking=yes
[main] [ 2016-12-11 17:56:49.032 IST ] [RuntimeExec.runCommand:77] -o
[main] [ 2016-12-11 17:56:49.032 IST ] [RuntimeExec.runCommand:77]
NumberOfPasswordPrompts=0
[main] [ 2016-12-11 17:56:49.033 IST ] [RuntimeExec.runCommand:77] paw-racnode2
[main] [ 2016-12-11 17:56:49.033 IST ] [RuntimeExec.runCommand:77] -n
[main] [ 2016-12-11 17:56:49.033 IST ] [RuntimeExec.runCommand:77] /bin/sh
[main] [ 2016-12-11 17:56:49.034 IST ] [RuntimeExec.runCommand:77] -c
[main] [ 2016-12-11 17:56:49.034 IST ] [RuntimeExec.runCommand:77] "/bin/ls
[main] [ 2016-12-11 17:56:49.035 IST ] [RuntimeExec.runCommand:77]
/u01/app/oracle/product/11.2.0/db_1
[main] [ 2016-12-11 17:56:49.035 IST ] [RuntimeExec.runCommand:77] >
[main] [ 2016-12-11 17:56:49.035 IST ] [RuntimeExec.runCommand:77] /dev/null
[main] [ 2016-12-11 17:56:49.036 IST ] [RuntimeExec.runCommand:77] 2>&1
[main] [ 2016-12-11 17:56:49.036 IST ] [RuntimeExec.runCommand:77] &&
[main] [ 2016-12-11 17:56:49.037 IST ] [RuntimeExec.runCommand:77] /bin/cat
[main] [ 2016-12-11 17:56:49.037 IST ] [RuntimeExec.runCommand:77]
/u01/app/oracle/product/11.2.0/db_1/CFSFileName14814592087323193104236409404323.tmp
"
[Thread-28] [ 2016-12-11 17:56:49.049 IST ] [StreamReader.run:61] In
StreamReader.run
[main] [ 2016-12-11 17:56:49.050 IST ] [RuntimeExec.runCommand:142] runCommand:
Waiting for the process
[Thread-27] [ 2016-12-11 17:56:49.050 IST ] [StreamReader.run:61] In
StreamReader.run
[Thread-28] [ 2016-12-11 17:56:49.201 IST ] [StreamReader.run:65]
ERROR>/bin/cat:
/u01/app/oracle/product/11.2.0/db_1/CFSFileName14814592087323193104236409404323.tmp
: No such file or directory
[main] [ 2016-12-11 17:56:49.203 IST ] [RuntimeExec.runCommand:144] runCommand:
process returns 1
[main] [ 2016-12-11 17:56:49.203 IST ] [RuntimeExec.runCommand:161] RunTimeExec:
output>
[main] [ 2016-12-11 17:56:49.205 IST ] [RuntimeExec.runCommand:170] RunTimeExec:
error>
[main] [ 2016-12-11 17:56:49.206 IST ] [RuntimeExec.runCommand:173] /bin/cat:
/u01/app/oracle/product/11.2.0/db_1/CFSFileName14814592087323193104236409404323.tmp
: No such file or directory
[main] [ 2016-12-11 17:56:49.206 IST ] [RuntimeExec.runCommand:192] Returning from
RunTimeExec.runCommand
[main] [ 2016-12-11 17:56:49.206 IST ] [UnixSystem.testCFSFile:1658] Command
output is empty
[main] [ 2016-12-11 17:56:49.207 IST ] [UnixSystem.testCFSFile:1659] ERROR:
/bin/cat:
/u01/app/oracle/product/11.2.0/db_1/CFSFileName14814592087323193104236409404323.tmp
: No such file or directory from node paw-racnode2
[main] [ 2016-12-11 17:56:49.208 IST ] [ClusterUtils.areSharedPaths:587] Got
shared=false from SRVM call
[main] [ 2016-12-11 17:56:49.220 IST ] [ClusterCheck.checkOratabPermission:291]
verifying permission on node =paw-racnode1
[main] [ 2016-12-11 17:56:49.221 IST ] [Oratab.getTempFile:803] Temp oratab:
/tmp/oratab
[main] [ 2016-12-11 17:56:49.221 IST ] [OratabOPS.checkWritePermission:619]

```

```
tempOratabFileName=/tmp/oratab.paw-racnode1
[main] [ 2016-12-11 17:56:49.223 IST ] [ClusterConfig.isClusterInstalled:361]
hasJarPresent=true
[main] [ 2016-12-11 17:56:49.223 IST ] [Version.isPre:274] version to be checked
11.2.0.1.0 major version to check against10
[main] [ 2016-12-11 17:56:49.223 IST ] [Version.isPre:285] isPre.java: Returning
FALSE
[main] [ 2016-12-11 17:56:49.226 IST ] [OCR.loadLibrary:308]
Inside constructor of OCR
[main] [ 2016-12-11 17:56:49.226 IST ] [OCR.isCluster:939] Calling OCRNative for
isCluster()
[main] [ 2016-12-11 17:56:49.227 IST ] [nativesystem.OCRNative.Native] JNI:
isCluster() Successfully initialized meta context
[main] [ 2016-12-11 17:56:49.227 IST ] [nativesystem.OCRNative.Native] JNI:
procr_get_conf() retValue = 0
[main] [ 2016-12-11 17:56:49.227 IST ] [nativesystem.OCRNative.Native] The OCR
file is configured & local_only=false

[main] [ 2016-12-11 17:56:49.227 IST ] [OCR.isCluster:943] OCR Result status =
true
[main] [ 2016-12-11 17:56:49.227 IST ] [OCR.isCluster:955] Boolean result = true
[main] [ 2016-12-11 17:56:49.228 IST ] [ClusterConfig.isClusterInstalled:361]
hasJarPresent=true
[main] [ 2016-12-11 17:56:49.228 IST ] [Version.isPre:274] version to be checked
11.2.0.1.0 major version to check against10
[main] [ 2016-12-11 17:56:49.228 IST ] [Version.isPre:285] isPre.java: Returning
FALSE
[main] [ 2016-12-11 17:56:49.228 IST ] [OCR.loadLibrary:308]
Inside constructor of OCR
[main] [ 2016-12-11 17:56:49.228 IST ] [OCR.isCluster:939] Calling OCRNative for
isCluster()
[main] [ 2016-12-11 17:56:49.228 IST ] [nativesystem.OCRNative.Native] JNI:
isCluster() Successfully initialized meta context
[main] [ 2016-12-11 17:56:49.229 IST ] [nativesystem.OCRNative.Native] JNI:
procr_get_conf() retValue = 0
[main] [ 2016-12-11 17:56:49.229 IST ] [nativesystem.OCRNative.Native] The OCR
file is configured & local_only=false

[main] [ 2016-12-11 17:56:49.229 IST ] [OCR.isCluster:943] OCR Result status =
true
[main] [ 2016-12-11 17:56:49.229 IST ] [OCR.isCluster:955] Boolean result = true
[main] [ 2016-12-11 17:56:49.229 IST ] [GetActiveNodes.create:226] Returning an
existing instance of GetActiveNodes
[main] [ 2016-12-11 17:56:49.230 IST ] [UnixSystem.copyFile:614] Copy file
localnode:/etc/oratab to localnode:/tmp/oratab.paw-racnode1
[main] [ 2016-12-11 17:56:49.230 IST ] [UnixSystem.copyFile:640] UnixSystem:
/bin/cp -p /etc/oratab /tmp/oratab.paw-racnode1
[main] [ 2016-12-11 17:56:49.230 IST ] [RuntimeExec.runCommand:75] Calling
Runtime.exec() with the command
[main] [ 2016-12-11 17:56:49.230 IST ] [RuntimeExec.runCommand:77] /bin/cp
[main] [ 2016-12-11 17:56:49.231 IST ] [RuntimeExec.runCommand:77] -p
[main] [ 2016-12-11 17:56:49.231 IST ] [RuntimeExec.runCommand:77] /etc/oratab
[main] [ 2016-12-11 17:56:49.231 IST ] [RuntimeExec.runCommand:77]
/tmp/oratab.paw-racnode1
[Thread-30] [ 2016-12-11 17:56:49.236 IST ] [StreamReader.run:61] In
StreamReader.run
[main] [ 2016-12-11 17:56:49.237 IST ] [RuntimeExec.runCommand:142] runCommand:
Waiting for the process
[Thread-29] [ 2016-12-11 17:56:49.237 IST ] [StreamReader.run:61] In
```



```
StreamReader.run
[main] [ 2016-12-11 17:56:49.249 IST ] [RuntimeExec.runCommand:144] runCommand:
process returns 0
[main] [ 2016-12-11 17:56:49.249 IST ] [RuntimeExec.runCommand:161] RunTimeExec:
output>
[main] [ 2016-12-11 17:56:49.249 IST ] [RuntimeExec.runCommand:170] RunTimeExec:
error>
[main] [ 2016-12-11 17:56:49.249 IST ] [RuntimeExec.runCommand:192] Returning from
RunTimeExec.runCommand
[main] [ 2016-12-11 17:56:49.249 IST ] [NativeSystem.isCmdScv:471] isCmdScv:
cmd=[/bin/cp -p /etc/oratab /tmp/oratab.paw-racnode1]
[main] [ 2016-12-11 17:56:49.250 IST ] [NativeSystem.isCmdScv:540] isCmdScv:
returned false
[main] [ 2016-12-11 17:56:49.250 IST ] [NativeSystem.rununixcmd:1058]
NativeSystem.rununixcmd: RetString 1| :successful
[main] [ 2016-12-11 17:56:49.257 IST ] [CopyCommand.execute:79]
CopyCommand.execute: native copyFile returns `1| :successful'
[main] [ 2016-12-11 17:56:49.257 IST ] [NativeResult.<init>:91] NativeResult: The
String obtained is1| :successful
[main] [ 2016-12-11 17:56:49.257 IST ] [NativeResult.<init>:99] The status string
is: 1
[main] [ 2016-12-11 17:56:49.257 IST ] [NativeResult.<init>:112] The result string
is: :successful 1
[main] [ 2016-12-11 17:56:49.258 IST ] [ClusterConfig.isClusterInstalled:361]
hasJarPresent=true
[main] [ 2016-12-11 17:56:49.258 IST ] [Version.isPre:274] version to be checked
11.2.0.1.0 major version to check against10
[main] [ 2016-12-11 17:56:49.258 IST ] [Version.isPre:285] isPre.java: Returning
FALSE
[main] [ 2016-12-11 17:56:49.258 IST ] [OCR.loadLibrary:308]
Inside constructor of OCR
[main] [ 2016-12-11 17:56:49.258 IST ] [OCR.isCluster:939] Calling OCRNative for
isCluster()
[main] [ 2016-12-11 17:56:49.258 IST ] [nativesystem.OCRNative.Native] JNI:
isCluster() Successfully initialized meta context
[main] [ 2016-12-11 17:56:49.259 IST ] [nativesystem.OCRNative.Native] JNI:
procr_get_conf() retValue = 0
[main] [ 2016-12-11 17:56:49.259 IST ] [nativesystem.OCRNative.Native] The OCR
file is configured & local_only=false

[main] [ 2016-12-11 17:56:49.259 IST ] [OCR.isCluster:943] OCR Result status =
true
[main] [ 2016-12-11 17:56:49.259 IST ] [OCR.isCluster:955] Boolean result = true
[main] [ 2016-12-11 17:56:49.260 IST ] [ClusterConfig.isClusterInstalled:361]
hasJarPresent=true
[main] [ 2016-12-11 17:56:49.261 IST ] [Version.isPre:274] version to be checked
11.2.0.1.0 major version to check against10
[main] [ 2016-12-11 17:56:49.262 IST ] [Version.isPre:285] isPre.java: Returning
FALSE
[main] [ 2016-12-11 17:56:49.262 IST ] [OCR.loadLibrary:308]
Inside constructor of OCR
[main] [ 2016-12-11 17:56:49.262 IST
] [OCR.isCluster:939] Calling OCRNative for isCluster()
[main] [ 2016-12-11 17:56:49.262 IST ] [nativesystem.OCRNative.Native] JNI:
isCluster() Successfully initialized meta context
[main] [ 2016-12-11 17:56:49.262 IST ] [nativesystem.OCRNative.Native] JNI:
procr_get_conf() retValue = 0
[main] [ 2016-12-11 17:56:49.262 IST ] [nativesystem.OCRNative.Native] The OCR
file is configured & local_only=false
```

```
[main] [ 2016-12-11 17:56:49.263 IST ] [OCR.isCluster:943] OCR Result status = true
[main] [ 2016-12-11 17:56:49.263 IST ] [OCR.isCluster:955] Boolean result = true
[main] [ 2016-12-11 17:56:49.263 IST ] [GetActiveNodes.create:226] Returning an existing instance of GetActiveNodes
[main] [ 2016-12-11 17:56:49.263 IST ] [UnixSystem.copyFile:614] Copy file localnode:/tmp/oratab.paw-racnode1 to localnode:/etc/oratab
[main] [ 2016-12-11 17:56:49.263 IST ] [UnixSystem.copyFile:640] UnixSystem: /bin/cp -p /tmp/oratab.paw-racnode1 /etc/oratab
[main] [ 2016-12-11 17:56:49.264 IST ] [RuntimeExec.runCommand:75] Calling Runtime.exec() with the command
[main] [ 2016-12-11 17:56:49.264 IST ] [RuntimeExec.runCommand:77] /bin/cp
[main] [ 2016-12-11 17:56:49.264 IST ] [RuntimeExec.runCommand:77] -p
[main] [ 2016-12-11 17:56:49.264 IST ] [RuntimeExec.runCommand:77] /tmp/oratab.paw-racnode1
[main] [ 2016-12-11 17:56:49.264 IST ] [RuntimeExec.runCommand:77] /etc/oratab
[Thread-32] [ 2016-12-11 17:56:49.448 IST ] [StreamReader.run:61] In StreamReader.run
[main] [ 2016-12-11 17:56:49.448 IST ] [RuntimeExec.runCommand:142] runCommand: Waiting for the process
[main] [ 2016-12-11 17:56:49.449 IST ] [RuntimeExec.runCommand:144] runCommand: process returns 0
[Thread-31] [ 2016-12-11 17:56:49.449 IST ] [StreamReader.run:61] In StreamReader.run
[main] [ 2016-12-11 17:56:49.449 IST ] [RuntimeExec.runCommand:161] RunTimeExec: output>
[main] [ 2016-12-11 17:56:49.449 IST ] [RuntimeExec.runCommand:170] RunTimeExec: error>
[main] [ 2016-12-11 17:56:49.449 IST ] [RuntimeExec.runCommand:192] Returning from RunTimeExec.runCommand
[main] [ 2016-12-11 17:56:49.450 IST ] [NativeSystem.isCmdScv:471] isCmdScv: cmd=[/bin/cp -p /tmp/oratab.paw-racnode1 /etc/oratab]
[main] [ 2016-12-11 17:56:49.450 IST ] [NativeSystem.isCmdScv:540] isCmdScv: returned false
[main] [ 2016-12-11 17:56:49.450 IST ] [NativeSystem.rununixcmd:1058] NativeSystem.rununixcmd: RetString 1| :successful
[main] [ 2016-12-11 17:56:49.450 IST ] [CopyCommand.execute:79] CopyCommand.execute: native copyFile returns `1| :successful'
[main] [ 2016-12-11 17:56:49.450 IST ] [NativeResult.<init>:91] NativeResult: The String obtained is1| :successful
[main] [ 2016-12-11 17:56:49.450 IST ] [NativeResult.<init>:99] The status string is: 1
[main] [ 2016-12-11 17:56:49.451 IST ] [NativeResult.<init>:112] The result string is: :successful 1
[main] [ 2016-12-11 17:56:49.451 IST ] [ClusterCheck.checkOratabPermission:291] verifying permission on node =paw-racnode2
[main] [ 2016-12-11 17:56:49.451 IST ] [Oratab.getTempFile:803] Temp oratab: /tmp/oratab
[main] [ 2016-12-11 17:56:49.451 IST ] [OratabOPS.checkWritePermission:619] tempOratabFileName=/tmp/oratab.paw-racnode2
[main] [ 2016-12-11 17:56:49.451 IST ] [ClusterConfig.isClusterInstalled:361] hasJarPresent=true
[main] [ 2016-12-11 17:56:49.452 IST ] [Version.isPre:274] version to be checked 11.2.0.1.0 major version to check against10
[main] [ 2016-12-11 17:56:49.452 IST ] [Version.isPre:285] isPre.java: Returning FALSE
[main] [ 2016-12-11 17:56:49.452 IST ] [OCR.loadLibrary:308]
  Inside constructor of OCR
```

```
[main] [ 2016-12-11 17:56:49.452 IST ] [OCR.isCluster:939] Calling OCRNative for
isCluster()
[main] [ 2016-12-11 17:56:49.452 IST ] [nativesystem.OCRNative.Native] JNI:
isCluster() Successfully initialized meta context
[main] [ 2016-12-11 17:56:49.453 IST ] [nativesystem.OCRNative.Native] JNI:
procr_get_conf() retValue = 0
[main] [ 2016-12-11 17:56:49.453 IST ] [nativesystem.OCRNative.Native] The OCR
file is configured & local_only=false

[main] [ 2016-12-11 17:56:49.453 IST ] [OCR.isCluster:943] OCR Result status =
true
[main] [ 2016-12-11 17:56:49.453 IST ] [OCR.isCluster:955] Boolean result = true
[main] [ 2016-12-11 17:56:49.453 IST ] [ClusterConfig.isClusterInstalled:361]
hasJarPresent=true
[main] [ 2016-12-11 17:56:49.454 IST ] [Version.isPre:274] version to be checked
11.2.0.1.0 major version to check against10
[main] [ 2016-12-11 17:56:49.454 IST ] [Version.isPre:285] isPre.java: Returning
FALSE
[main] [ 2016-12-11 17:56:49.454 IST ] [OCR.loadLibrary:308]
Inside constructor of OCR
[main] [ 2016-12-11 17:56:49.454 IST ] [OCR.isCluster:939] Calling OCRNative for
isCluster()
[main] [ 2016-12-11 17:56:49.454 IST ] [nativesystem.OCRNative.Native] JNI:
isCluster() Successfully initialized meta context
[main] [ 2016-12-11 17:56:49.454 IST ] [nativesystem.OCRNative.Native] JNI:
procr_get_conf() retValue = 0
[main] [ 2016-12-11 17:56:49.455 IST ] [nativesystem.OCRNative.Native] The OCR
file is configured & local_only=false

[main] [ 2016-12-11 17:56:49.455 IST ] [OCR.isCluster:943] OCR Result status =
true
[main] [ 2016-12-11 17:56:49.455 IST ] [OCR.isCluster:955] Boolean result = true
[main] [ 2016-12-11 17:56:49.455 IST ] [GetActiveNodes.create:226] Returning an
existing instance of GetActiveNodes
[main] [ 2016-12-11 17:56:49.455 IST ] [UnixSystem.copyFile:614] Copy file paw-
racnode2:/etc/oratab to localnode:/tmp/oratab.paw-racnode2
[main] [ 2016-12-11 17:56:49.456 IST ] [Utils.getLocalHost:356] Hostname
retrieved: paw-racnode1.airydba.com, returned: paw-racnode1
[main] [ 2016-12-11 17:56:49.457 IST ] [UnixSystem.remoteCopyFile:591] Copying
files paw-racnode2/etc/oratab localnode/tmp/oratab.paw-racnode2
[main] [ 2016-12-11 17:56:49.457 IST ] [Utils.getLocalHost:356] Hostname
retrieved: paw-racnode1.airydba.com, returned: paw-racnode1
[main] [ 2016-12-11 17:56:49.458 IST ] [Utils.getLocalHost:356] Hostname
retrieved: paw-racnode1.airydba.com, returned: paw-racnode1
[main] [ 2016-12-11 17:56:49.458 IST ] [UnixSystem.remoteCopyFile:608] UnixSystem:
/usr/bin/scp -p paw-racnode2:'/etc/oratab' /tmp/oratab.paw-racnode2
[main] [ 2016-12-11 17:56:49.458 IST ] [RuntimeExec.runCommand:75] Calling
Runtime.exec() with the command
[main] [ 2016-12-11 17:56:49.458 IST ] [RuntimeExec.runCommand:77] /usr/bin/scp
[main] [ 2016-12-11 17:56:49.459 IST ] [RuntimeExec.runCommand:77] -p
[main] [ 2016-12-11 17:56:49.459 IST ] [RuntimeExec.runCommand:77] paw-
racnode2:'/etc/oratab'
[main] [ 2016-12-11 17:56:49.459 IST ] [RuntimeExec.runCommand:77]
/tmp/oratab.paw-racnode2
[Thread-34] [ 2016-12-11 17:56:49.465 IST ] [StreamReader.run:61] In
StreamReader.run
[main] [ 2016-12-11 17:56:49.465 IST ] [RuntimeExec.runCommand:142] runCommand:
Waiting for the process
[Thread-33] [ 2016-12-11 17:56:49.465 IST ] [StreamReader.run:61] In
```

```
StreamReader.run
[main] [ 2016-12-11 17:56:49.687 IST ] [RuntimeExec.runCommand:144] runCommand:
process returns 0
[main] [ 2016-12-11 17:56:49.688 IST ] [RuntimeExec.runCommand:161] RunTimeExec:
output>
[main] [ 2016-12-11 17:56:49.688 IST ] [RuntimeExec.runCommand:170] RunTimeExec:
error>
[main] [ 2016-12-11 17:56:49.689 IST ] [RuntimeExec.runCommand:192] Returning from
RunTimeExec.runCommand
[main] [ 2016-12-11 17:56:49.689 IST ] [NativeSystem.isCmdScv:471] isCmdScv:
cmd=[/usr/bin/scp -p paw-racnode2:'/etc/oratab' /tmp/oratab.paw-racnode2]
[main] [ 2016-12-11 17:56:49.690 IST ] [NativeSystem.isCmdScv:521] isCmdScv:
/usr/bin/scp is present.
[main] [ 2016-12-11 17:56:49.690 IST ] [NativeSystem.isCmdScv:523] isCmdScv:
/usr/bin/scp is a file.
[main] [ 2016-12-11 17:56:49.691 IST ] [NativeSystem.isCmdScv:540] isCmdScv:
returned true
[main] [ 2016-12-11 17:56:49.691 IST ] [NativeSystem.rununixcmd:1058]
NativeSystem.rununixcmd: RetString 1| :successful
[main] [ 2016-12-11 17:56:49.692 IST ] [CopyCommand.execute:79]
CopyCommand.execute: native copyFile returns `1| :successful'
[main] [ 2016-12-11 17:56:49.692 IST ] [NativeResult.<init>:91] NativeResult: The
String obtained is1| :successful
[main] [ 2016-12-11 17:56:49.692 IST ] [NativeResult.<init>:99] The status string
is: 1
[main] [ 2016-12-11 17:56:49.693 IST ] [NativeResult.<init>:112] The result string
is: :successful 1
[main] [ 2016-12-11 17:56:49.693 IST ] [ClusterConfig.isClusterInstalled:361]
hasJarPresent=true
[main] [ 2016-12-11 17:56:49.693 IST ] [Version.isPre:274] version to be checked
11.2.0.1.0 major version to check against10
[main] [ 2016-12-11 17:56:49.694 IST ] [Version.isPre:285] isPre.java: Returning
FALSE
[main] [ 2016-12-11 17:56:49.694 IST ] [OCR.loadLibrary:308]
Inside constructor of OCR
[main] [ 2016-12-11 17:56:49.694 IST ] [OCR.isCluster:939] Calling OCRNative for
isCluster()
[main] [ 2016-12-11 17:56:49.695 IST ] [nativesystem.OCRNative.Native] JNI:
isCluster() Successfully initialized meta context
[main] [ 2016-12-11 17:56:49.696 IST ] [nativesystem.OCRNative.Native] JNI:
procr_get_conf() retValue = 0
[main] [ 2016-12-11 17:56:49.696 IST ] [nativesystem.OCRNative.Native] The OCR
file is configured & local_only=false

[main] [ 2016-12-11 17:56:49.696 IST ] [OCR.isCluster:943] OCR Result status =
true
[main] [ 2016-12-11 17:56:49.697 IST ] [OCR.isCluster:955] Boolean result = true
[main] [ 2016-12-11 17:56:49.697 IST ] [ClusterConfig.isClusterInstalled:361]
hasJarPresent=true
[main] [ 2016-12-11 17:56:49.697 IST ] [Version.isPre:274] version to be checked
11.2.0.1.0 major version to check against10
[main] [ 2016-12-11 17:56:49.698 IST ] [Version.isPre:285] isPre.java: Returning
FALSE
[main] [ 2016-12-11 17:56:49.698 IST ] [OCR.loadLibrary:308]
Inside constructor of OCR
[main] [ 2016-12-11 17:56:49.698 IST ] [OCR.isCluster:939] Calling OCRNative for
isCluster()
[main] [ 2016-12-11 17:56:49.699 IST ] [nativesystem.OCRNative.Native] JNI:
isCluster() Successfully initialized
```

```
meta context
[main] [ 2016-12-11 17:56:49.699 IST ] [nativesystem.OCRNative.Native] JNI:
procr_get_conf() retValue = 0
[main] [ 2016-12-11 17:56:49.699 IST ] [nativesystem.OCRNative.Native] The OCR
file is configured & local_only=false

[main] [ 2016-12-11 17:56:49.699 IST ] [OCR.isCluster:943] OCR Result status =
true
[main] [ 2016-12-11 17:56:49.700 IST ] [OCR.isCluster:955] Boolean result = true
[main] [ 2016-12-11 17:56:49.700 IST ] [GetActiveNodes.create:226] Returning an
existing instance of GetActiveNodes
[main] [ 2016-12-11 17:56:49.700 IST ] [UnixSystem.copyFile:614] Copy file
localnode:/tmp/oratab.paw-racnode2 to paw-racnode2:/etc/oratab
[main] [ 2016-12-11 17:56:49.702 IST ] [Utils.getLocalHost:356] Hostname
retrieved: paw-racnode1.airydba.com, returned: paw-racnode1
[main] [ 2016-12-11 17:56:49.702 IST ] [UnixSystem.remoteCopyFile:591] Copying
files localnode/tmp/oratab.paw-racnode2 paw-racnode2/etc/oratab
[main] [ 2016-12-11 17:56:49.703 IST ] [Utils.getLocalHost:356] Hostname
retrieved: paw-racnode1.airydba.com, returned: paw-racnode1
[main] [ 2016-12-11 17:56:49.703 IST ] [UnixSystem.remoteCopyFile:608] UnixSystem:
/usr/bin/scp -p /tmp/oratab.paw-racnode2 paw-racnode2:'/etc/oratab'
[main] [ 2016-12-11 17:56:49.703 IST ] [RuntimeExec.runCommand:75] Calling
Runtime.exec() with the command
[main] [ 2016-12-11 17:56:49.704 IST ] [RuntimeExec.runCommand:77] /usr/bin/scp
[main] [ 2016-12-11 17:56:49.704 IST ] [RuntimeExec.runCommand:77] -p
[main] [ 2016-12-11 17:56:49.704 IST ] [RuntimeExec.runCommand:77]
/tmp/oratab.paw-racnode2
[main] [ 2016-12-11 17:56:49.704 IST ] [RuntimeExec.runCommand:77] paw-
racnode2:'/etc/oratab'
[Thread-36] [ 2016-12-11 17:56:49.717 IST ] [StreamReader.run:61] In
StreamReader.run
[main] [ 2016-12-11 17:56:49.717 IST ] [RuntimeExec.runCommand:142] runCommand:
Waiting for the process
[Thread-35] [ 2016-12-11 17:56:49.717 IST ] [StreamReader.run:61] In
StreamReader.run
[main] [ 2016-12-11 17:56:49.875 IST ] [RuntimeExec.runCommand:144] runCommand:
process returns 0
[main] [ 2016-12-11 17:56:49.876 IST ] [RuntimeExec.runCommand:161] RunTimeExec:
output>
[main] [ 2016-12-11 17:56:49.878 IST ] [RuntimeExec.runCommand:170] RunTimeExec:
error>
[main] [ 2016-12-11 17:56:49.879 IST ] [RuntimeExec.runCommand:192] Returning from
RunTimeExec.runCommand
[main] [ 2016-12-11 17:56:49.879 IST ] [NativeSystem.isCmdScv:471] isCmdScv:
cmd=[/usr/bin/scp -p /tmp/oratab.paw-racnode2 paw-racnode2:'/etc/oratab']
[main] [ 2016-12-11 17:56:49.880 IST ] [NativeSystem.isCmdScv:521] isCmdScv:
/usr/bin/scp is present.
[main] [ 2016-12-11 17:56:49.880 IST ] [NativeSystem.isCmdScv:523] isCmdScv:
/usr/bin/scp is a file.
[main] [ 2016-12-11 17:56:49.880 IST ] [NativeSystem.isCmdScv:540] isCmdScv:
returned true
[main] [ 2016-12-11 17:56:49.880 IST ] [NativeSystem.rununixcmd:1058]
NativeSystem.rununixcmd: RetString 1| :successful
[main] [ 2016-12-11 17:56:49.880 IST ] [CopyCommand.execute:79]
CopyCommand.execute: native copyFile returns `1| :successful'
[main] [ 2016-12-11 17:56:49.881 IST ] [NativeResult.<init>:91] NativeResult: The
String obtained is1| :successful
[main] [ 2016-12-11 17:56:49.881 IST ] [NativeResult.<init>:99] The status string
is: 1
```

```
[main] [ 2016-12-11 17:56:49.881 IST ] [NativeResult.<init>:112] The result string
is: :successful 1
[main] [ 2016-12-11 17:56:50.144 IST ] [InventoryUtil.getOUIInvSession:347]
setting OUI READ level to ACCESSLEVEL_READ_LOCKLESS
[main] [ 2016-12-11 17:56:50.145 IST ] [HAUutils.<init>:188] oui location
/u01/app/oraInventory/ContentsXML
[main] [ 2016-12-11 17:56:50.145 IST ] [Version.isPre:274] version to be checked
11.2.0.1.0 major version to check against10
[main] [ 2016-12-11 17:56:50.145 IST ] [Version.isPre:285] isPre.java: Returning
FALSE
[main] [ 2016-12-11 17:56:50.145 IST ] [OCR.loadLibrary:308]
Inside constructor of OCR
[main] [ 2016-12-11 17:56:50.145 IST ] [OCR.isCluster:939] Calling OCRNative for
isCluster()
[main] [ 2016-12-11 17:56:50.146 IST ] [nativesystem.OCRNative.Native] JNI:
isCluster() Successfully initialized meta context
[main] [ 2016-12-11 17:56:50.146 IST ] [nativesystem.OCRNative.Native] JNI:
procr_get_conf() retValue = 0
[main] [ 2016-12-11 17:56:50.146 IST ] [nativesystem.OCRNative.Native] The OCR
file is configured & local_only=false

[main] [ 2016-12-11 17:56:50.146 IST ] [OCR.isCluster:943] OCR Result status =
true
[main] [ 2016-12-11 17:56:50.146 IST ] [OCR.isCluster:955] Boolean result = true
[main] [ 2016-12-11 17:56:50.147 IST ] [ClusterUtil.<init>:65] ClusterUtil
Instance created
[main] [ 2016-12-11 17:56:50.147 IST ] [ClusterUtil.<init>:68] ClusterUtil
m_bSKGXN=true
[main] [ 2016-12-11 17:56:50.168 IST ] [ScanFactoryImpl.getScanListeners:1184]
Calling searchResources to get the listeners
[main] [ 2016-12-11 17:56:50.174 IST ] [Version.isPre:274] version to be checked
11.2.0.1.0 major version to check against10
[main] [ 2016-12-11 17:56:50.175 IST ] [Version.isPre:285] isPre.java: Returning
FALSE
[main] [ 2016-12-11 17:56:50.175 IST ] [OCR.loadLibrary:308]
Inside constructor of OCR
[main] [ 2016-12-11 17:56:50.175 IST ] [OCR.isCluster:939] Calling OCRNative for
isCluster()
[main] [ 2016-12-11 17:56:50.186 IST ] [nativesystem.OCRNative.Native] JNI:
isCluster() Successfully initialized meta context
[main] [ 2016-12-11 17:56:50.186 IST ] [nativesystem.OCRNative.Native] JNI:
procr_get_conf() retValue = 0
[main] [ 2016-12-11 17:56:50.186 IST ] [nativesystem.OCRNative.Native] The OCR
file is configured & local_only=false

[main] [ 2016-12-11 17:56:50.186 IST ] [OCR.isCluster:943] OCR Result status =
true
[main] [ 2016-12-11 17:56:50.187 IST ] [OCR.isCluster:955] Boolean result = true
[main] [ 2016-12-11 17:56:50.193 IST ] [has.HASContextNative.Native] prsr_trace:
Native: allocHASContext

[main] [ 2016-12-11 17:56:50.193 IST ] [has.HASContextNative.Native]
allocHASContext: Came in
[main] [ 2016-12-11 17:56:50.193 IST ] [has.HASContextNative.Native]
allocHASContext: module_init = 64
[main] [ 2016-12-11 17:56:50.193 IST ] [has.HASContextNative.Native] prsr_trace:
Native: prsr_initCLSCRS

[main] [ 2016-12-11 17:56:50.193 IST ] [has.HASContextNative.Native] prsr_trace:
```

prsr_initCLSCRS: before calling prcr_init_crs

```
[main] [ 2016-12-11 17:56:50.194 IST ] [has.HASContextNative.Native]
  allocHASContext: CLSCRS context [1]
[main] [ 2016-12-11 17:56:50.195 IST ] [has.HASContextNative.Native]
  allocHASContext: retval [1]
[main] [ 2016-12-11 17:56:50.211 IST ] [CRSNative.internalQueryResources:1279]
About to doQueryResources: eType resource, nodeName null, filter (TYPE ==
ora.scan_listener.type)
[main] [ 2016-12-11 17:56:50.235 IST ] [CRSNative.internalQueryResources:1287]
found 3 resources
[main] [ 2016-12-11 17:56:50.235 IST ] [CRSNative.internalQueryResources:1289]
  ora.LISTENER_SCAN1.lsnr
[main] [ 2016-12-11 17:56:50.235 IST ] [CRSNative.internalQueryResources:1289]
  ora.LISTENER_SCAN2.lsnr
[main] [ 2016-12-11 17:56:50.236 IST ] [CRSNative.internalQueryResources:1289]
  ora.LISTENER_SCAN3.lsnr
[main] [ 2016-12-11 17:56:50.237 IST ] [ScanFactoryImpl.getScanListeners:1189] The
number of listeners is 3
[main] [ 2016-12-11 17:56:50.237 IST ] [ScanFactoryImpl.getScanListener:1158]
Calling new ScanListenerImpl for oracle.cluster.impl.crs.ResourceAttribute@3f9f3736
[main] [ 2016-12-11 17:56:50.240 IST ] [ScanListenerImpl.<init>:137] displayName
is LISTENER_SCAN1
[main] [ 2016-12-11 17:56:50.264 IST ] [CRSNative.isEntityRegistered:672] entity:
ora.LISTENER_SCAN1.lsnr, type: 1, registered: true
[main] [ 2016-12-11 17:56:50.265 IST ] [ScanFactoryImpl.getScanListener:1161]
Calling scanLsnr.crsResource()
[main] [ 2016-12-11 17:56:50.289 IST ] [CRSNative.isEntityRegistered:672] entity:
ora.LISTENER_SCAN1.lsnr, type: 1, registered: true
[main] [ 2016-12-11 17:56:50.289 IST ] [ScanFactoryImpl.getScanListener:1163]
Return from scanLsnr.crsResource()
[main] [ 2016-12-11 17:56:50.289 IST ] [ScanFactoryImpl.getScanListener:1158]
Calling new ScanListenerImpl for oracle.cluster.impl.crs.ResourceAttribute@7c5b0668
[main] [ 2016-12-11 17:56:50.289 IST ] [ScanListenerImpl.<init>:137] displayName
is LISTENER_SCAN2
[main] [ 2016-12-11 17:56:50.323 IST ] [CRSNative.isEntityRegistered:672] entity:
ora.LISTENER_SCAN2.lsnr, type: 1, registered: true
[main] [ 2016-12-11 17:56:50.324 IST ] [ScanFactoryImpl.getScanListener:1161]
Calling scanLsnr.crsResource()
[main] [ 2016-12-11 17:56:50.347 IST ] [CRSNative.isEntityRegistered:672] entity:
ora.LISTENER_SCAN2.lsnr, type: 1, registered: true
[main] [ 2016-12-11 17:56:50.348 IST ] [ScanFactoryImpl.getScanListener:1163]
Return from scanLsnr.crsResource()
[main] [ 2016-12-11 17:56:50.348 IST ] [ScanFactoryImpl.getScanListener:1158]
Calling new ScanListenerImpl for oracle.cluster.impl.crs.ResourceAttribute@1c701a27
[main] [ 2016-12-11 17:56:50.348 IST ] [ScanListenerImpl.<init>:137] displayName
is LISTENER_SCAN3
[main] [ 2016-12-11 17:56:50.370 IST ] [CRSNative.isEntityRegistered:672] entity:
ora.LISTENER_SCAN3.lsnr, type: 1, registered: true
[main] [ 2016-12-11 17:56:50.370 IST ] [ScanFactoryImpl.getScanListener:1161]
Calling scanLsnr.crsResource()
[main] [ 2016-12-11 17:56:50.430 IST ] [CRSNative.isEntityRegistered:672] entity:
ora.LISTENER_SCAN3.lsnr, type: 1, registered: true
[main] [ 2016-12-11 17:56:50.431 IST ] [ScanFactoryImpl.getScanListener:1163]
Return from scanLsnr.crsResource()
[main] [ 2016-12-11 17:56:50.431 IST ] [ScanFactoryImpl.getScanListeners:1184]
Calling searchResources to get the listeners
[main] [ 2016-12-11 17:56:50.431 IST ] [CRSNative.internalQueryResources:1279]
About to doQueryResources: eType resource, nodeName null, filter (TYPE ==
```

```
ora.scan_listener.type)
[main] [ 2016-12-11 17:56:50.449 IST ] [CRSNative.internalQueryResources:1287]
found 3 resources
[main] [ 2016-12-11 17:56:50.449 IST ] [CRSNative.internalQueryResources:1289]
ora.LISTENER_SCAN1.lsnr
[main] [ 2016-12-11 17:56:50.450 IST ] [CRSNative.internalQueryResources:1289]
ora.LISTENER_SCAN2.lsnr
[main] [ 2016-12-11 17:56:50.450 IST ] [CRSNative.internalQueryResources:1289]
ora.LISTENER_SCAN3.lsnr
[main] [ 2016-12-11 17:56:50.450 IST ] [ScanFactoryImpl.getScanListeners:1189] The
number of listeners is 3
[main] [ 2016-12-11 17:56:50.450 IST ] [ScanFactoryImpl.getScanListener:1158]
Calling new ScanListenerImpl for oracle.cluster.impl.crs.ResourceAttribute@14fdb00d
[main] [ 2016-12-11 17:56:50.450 IST ] [ScanListenerImpl.<init>:137] displayName
is LISTENER_SCAN1
[main] [ 2016-12-11 17:56:50.470 IST ] [CRSNative.isEntityRegistered:672] entity:
ora.LISTENER_SCAN1.lsnr, type: 1, registered: true
[main] [ 2016-12-11 17:56:50.470 IST ] [ScanFactoryImpl.getScanListener:1161]
Calling scanLsnr.crsResource()
[main] [ 2016-12-11 17:56:50.493 IST ] [CRSNative.isEntityRegistered:672] entity:
ora.LISTENER_SCAN1.lsnr, type: 1, registered: true
[main] [ 2016-12-11 17:56:50.493 IST ] [ScanFactoryImpl.getScanListener:1163]
Return from scanLsnr.crsResource()
[main] [ 2016-12-11 17:56:50.493 IST ] [ScanFactoryImpl.getScanListener:1158]
Calling new ScanListenerImpl for oracle.cluster.impl.crs.ResourceAttribute@3a56860b
[main] [ 2016-12-11 17:56:50.493 IST ] [ScanListenerImpl.<init>:137] displayName
is LISTENER_SCAN2
[main] [ 2016-12-11 17:56:50.528 IST ] [CRSNative.isEntityRegistered:672] entity:
ora.LISTENER_SCAN2.lsnr, type: 1, registered: true
[main] [ 2016-12-11 17:56:50.529 IST ] [ScanFactoryImpl.getScanListener:1161]
Calling scanLsnr.crsResource()
[main] [ 2016-12-11 17:56:50.551 IST ] [CRSNative.isEntityRegistered:672] entity:
ora.LISTENER_SCAN2.lsnr, type: 1, registered: true
[main] [ 2016-12-11 17:56:50.552 IST ] [ScanFactoryImpl.getScanListener:1163]
Return from scanLsnr.crsResource()
[main] [ 2016-12-11 17:56:50.552 IST ] [ScanFactoryImpl.getScanListener:1158]
Calling new ScanListenerImpl for oracle.cluster.impl.crs.ResourceAttribute@4ab122a1
[main] [ 2016-12-11 17:56:50.552 IST ] [ScanListenerImpl.<init>:137] displayName
is LISTENER_SCAN3
[main] [ 2016-12-11 17:56:50.574 IST ] [CRSNative.isEntityRegistered:672] entity:
ora.LISTENER_SCAN3.lsnr, type: 1, registered: true
[main] [ 2016-12-11 17:56:50.575 IST ] [ScanFactoryImpl.getScanListener:1161]
Calling scanLsnr.crsResource()
[main] [ 2016-12-11 17:56:50.599 IST ] [CRSNative.isEntityRegistered:672] entity:
ora.LISTENER_SCAN3.lsnr, type: 1, registered: true
[main] [ 2016-12-11 17:56:50.599 IST ] [ScanFactoryImpl.getScanListener:1163]
Return from scanLsnr.crsResource()
[main] [ 2016-12-11 17:56:50.599 IST ] [CRSNative.getStatus:763] Looking for
status: resource ora.LISTENER_SCAN1.lsnr
[main] [ 2016-12-11 17:56:50.623 IST ] [CRSNativeResult.addRIAttr:139] addRIAttr:
name 'ora.LISTENER_SCAN1.lsnr 1 1', 'STATE':'ONLINE'
[main] [ 2016-12-11 17:56:50.623 IST ] [CRSNativeResult.addRIAttr:139] addRIAttr:
name 'ora.LISTENER_SCAN1.lsnr 1 1', 'TARGET':'ONLINE'
[main] [ 2016-12-11 17:56:50.624 IST ] [CRSNative.searchEntities:857] found 1
ntities
[main] [ 2016-12-11 17:56:50.624 IST ] [CRSNative.getRIStatus:1374] RI:
'ora.LISTENER_SCAN1.lsnr 1 1', state: 'ONLINE', target: 'ONLINE'
[main] [ 2016-12-11 17:56:50.625 IST ] [CRSNative.getStatus:789] Resource:
ora.LISTENER_SCAN1.lsnr, status: ONLINE_ONLINE
```



```
[main] [ 2016-12-11 17:56:50.637 IST ] [Version.isPre:274] version to be checked
11.2.0.1.0 major version to check against10
[main] [ 2016-12-11 17:56:50.637 IST ] [Version.isPre:285] isPre.java: Returning
FALSE
[main] [ 2016-12-11 17:56:50.637 IST ] [OCR.loadLibrary:308]
  Inside constructor of OCR
[main] [ 2016-12-11 17:56:50.637 IST ] [OCR.isCluster:939] Calling OCRNative for
isCluster()
[main] [ 2016-12-11 17:56:50.637 IST ] [nativesystem.OCRNative.Native] JNI:
isCluster() Successfully initialized meta context
[main] [ 2016-12-11 17:56:50.638 IST ] [nativesystem.OCRNative.Native] JNI:
procr_get_conf() retValue = 0
[main] [ 2016-12-11 17:56:50.638 IST ] [nativesystem.OCRNative.Native] The OCR
file is configured & local_only=false

[main] [ 2016-12-11 17:56:50.638 IST ] [OCR.isCluster:943] OCR Result status =
true
[main] [ 2016-12-11 17:56:50.638 IST ] [OCR.isCluster:955] Boolean result = true
[main] [ 2016-12-11 17:56:50.655 IST ] [CRSNative.isEntityRegistered:672] entity:
ora.LISTENER.lsnr, type: 1, registered: true
[main] [ 2016-12-11 17:56:50.678 IST ] [CRSNative.isEntityRegistered:672] entity:
ora.LISTENER.lsnr, type: 1, registered: true
[main] [ 2016-12-11 17:56:50.678 IST ] [CRSNative.getStat:1153] About to call crs
stat: name: ora.LISTENER.lsnr, type: 1, node: null
[main] [ 2016-12-11 17:56:50.679 IST ] [CRSNative.getStat:1155] looking for
following attributes:
[main] [ 2016-12-11 17:56:50.679 IST ] [CRSNative.getStat:1157] 'TYPE'
[main] [ 2016-12-11 17:56:50.704 IST ] [CRSNative.getStat:1170] crs found 1
attributes
[main] [ 2016-12-11 17:56:50.704 IST ] [CRSNative.getStat:1180] Name:
'TYPE'; Value: 'ora.listener.type'
[main] [ 2016-12-11 17:56:50.705 IST ] [NodeAppsFactoryImpl.getListener:923]
Resource type is ora.listener.type
[main] [ 2016-12-11 17:56:50.705 IST ] [ListenerImpl.getOracleHome:560]
m_crsResource = oracle.cluster.impl.crs.CRSResourceImpl@474b5f4a
[main] [ 2016-12-11 17:56:50.706 IST ] [CRSNative.getStat:1153] About to call crs
stat: name: ora.LISTENER.lsnr, type: 1, node: null
[main] [ 2016-12-11 17:56:50.706 IST ] [CRSNative.getStat:1155] looking for
following attributes:
[main] [ 2016-12-11 17:56:50.707 IST ] [CRSNative.getStat:1157]
'ORACLE_HOME'
[main] [ 2016-12-11 17:56:50.728 IST ] [CRSNative.getStat:1170] crs found 1
attributes
[main] [ 2016-12-11 17:56:50.729 IST ] [CRSNative.getStat:1180] Name:
'ORACLE_HOME'; Value: '%CRS_HOME%'
[main] [ 2016-12-11 17:56:50.753 IST ] [CRSNative.isEntityRegistered:672] entity:
ora.LISTENER.lsnr, type: 1, registered: true
[main] [ 2016-12-11 17:56:50.775 IST ] [CRSNative.isEntityRegistered:672] entity:
ora.LISTENER.lsnr, type: 1, registered: true
[main] [ 2016-12-11 17:56:50.790 IST ] [CRSNative.getStat:1153] About to call crs
stat: name: ora.LISTENER.lsnr, type: 1, node: null
[main] [ 2016-12-11 17:56:50.791 IST ] [CRSNative.getStat:1155] looking for
following attributes:
[main] [ 2016-12-11 17:56:50.791 IST ] [CRSNative.getStat:1157] 'TYPE'
[main] [ 2016-12-11 17:56:50.816 IST ] [CRSNative.getStat:1170] crs found 1
attributes
[main] [ 2016-12-11 17:56:50.816 IST ] [CRSNative.getStat:1180] Name:
'TYPE'; Value: 'ora.listener.type'
[main] [ 2016-12-11 17:56:50.816 IST ] [NodeAppsFactoryImpl.getListener:923]
```

```
Resource type is ora.listener.type
[main] [ 2016-12-11 17:56:50.817 IST ] [CRSNative.getStatus:763] Looking for
status: resource ora.LISTENER.lsnr
[main] [ 2016-12-11 17:56:50.843 IST ] [CRSNativeResult.addRIAttr:139] addRIAttr:
name 'ora.LISTENER.lsnr paw-racnode1 1', 'STATE':'ONLINE'
[main] [ 2016-12-11 17:56:50.844 IST ] [CRSNativeResult.addRIAttr:139] addRIAttr:
name 'ora.LISTENER.lsnr paw-racnode1 1', 'TARGET':'ONLINE'
[main] [ 2016-12-11 17:56:50.844 IST ] [CRSNativeResult.addRIAttr:139] addRIAttr:
name 'ora.LISTENER.lsnr paw-racnode2 1', 'STATE':'ONLINE'
[main] [ 2016-12-11 17:56:50.844 IST ] [CRSNativeResult.addRIAttr:139] addRIAttr:
name 'ora.LISTENER.lsnr paw-racnode2 1', 'TARGET':'ONLINE'
[main] [ 2016-12-11 17:56:50.844 IST ] [CRSNative.searchEntities:857] found 2
entities
[main] [ 2016-12-11 17:56:50.845 IST ] [CRSNative.getRIStatus:1374] RI:
'ora.LISTENER.lsnr paw-racnode1 1', state: 'ONLINE', target: 'ONLINE'
[main] [ 2016-12-11 17:56:50.845 IST ] [CRSNative.getRIStatus:1374] RI:
'ora.LISTENER.lsnr paw-racnode2 1', state: 'ONLINE', target: 'ONLINE'
[main] [ 2016-12-11 17:56:50.845 IST ] [CRSNative.getStatus:789] Resource:
ora.LISTENER.lsnr, status: ONLINE_ONLINE
[main] [ 2016-12-11 17:56:50.853 IST ] [ServerPoolImpl.<init>:134] m_name =
Generic, m_displayName = Generic
[main] [ 2016-12-11 17:56:50.875 IST ] [CRSNative.isEntityRegistered:672] entity:
Generic, type: 3, registered: true
[main] [ 2016-12-11 17:56:50.875 IST ] [CRSNative.getStat:1153] About to call crs
stat: name: Generic, type: 3, node: null
[main] [ 2016-12-11 17:56:50.876 IST ] [CRSNative.getStat:1155] looking for
following attributes:
[main] [ 2016-12-11 17:56:50.876 IST ] [CRSNative.getStat:1157]
'ACTIVE_SERVERS'
[main] [ 2016-12-11 17:56:50.898 IST ] [CRSNative.getStat:1170] crs found 1
attributes
[main] [ 2016-12-11 17:56:50.898 IST ] [CRSNative.getStat:1180] Name:
'ACTIVE_SERVERS'; Value: 'paw-racnode1 paw-racnode2'
[main] [ 2016-12-11 17:56:50.898 IST ] [ServerPoolImpl.serversHelper2:628]
attrValue=paw-racnode1 paw-racnode2
[main] [ 2016-12-11 17:56:50.900 IST ] [ClusterUtil.<init>:65] ClusterUtil
Instance created
[main] [ 2016-12-11 17:56:50.900 IST ] [ClusterUtil.<init>:68] ClusterUtil
m_bSKGXN=true
[main] [ 2016-12-11 17:56:50.900 IST ] [has.ClusterUtilNative.Native] prsr_trace:
Native: getHostName

[main] [ 2016-12-11 17:56:50.901 IST ] [has.ClusterUtilNative.Native] prsr_trace:
Native: getHostName:hostname length: 256

[main] [ 2016-12-11 17:56:50.903 IST ] [has.ClusterUtilNative.Native] prsr_trace:
Native: getHostName:hostname: paw-racnode1

[main] [ 2016-12-11 17:56:50.903 IST ] [GetActiveNodes.getHostName:518] hostname =
paw-racnode1
[main] [ 2016-12-11 17:56:50.903 IST ] [Cluster.getHostName:1215] hostname = paw-
racnode1
[main] [ 2016-12-11 17:56:50.923 IST ] [CRSNativeResult.addRIAttr:139] addRIAttr:
name 'paw-racnode1', 'ACTIVE_POOLS':'Generic ora.orcl ora.racdb ora.pawdb'
[main] [ 2016-12-11 17:56:50.929 IST ] [CRSNativeResult.addRIAttr:139] addRIAttr:
name 'paw-racnode1', 'NAME':'paw-racnode1'
[main] [ 2016-12-11 17:56:50.929 IST ] [CRSNativeResult.addRIAttr:139] addRIAttr:
name 'paw-racnode1', 'STATE':'ONLINE'
[main] [ 2016-12-11 17:56:50.929 IST ] [CRSNativeResult.addRIAttr:139] addRIAttr:
```

```
name 'paw-racnode1', 'STATE_DETAILS':''
[main] [ 2016-12-11 17:56:50.930 IST ] [CRSNative.searchEntities:857] found 1
ntities
[main] [ 2016-12-11 17:56:50.930 IST ] [ClusterUtil.<init>:65] ClusterUtil
Instance created
[main] [ 2016-12-11 17:56:50.930 IST ] [ClusterUtil.<init>:68] ClusterUtil
m_bSKGXN=true
[main] [ 2016-12-11 17:56:50.930 IST ] [has.ClusterUtilNative.Native] prsr_trace:
Native: getHostName

[main] [ 2016-12-11 17:56:50.930 IST ] [has.ClusterUtilNative.Native] prsr_trace:
Native: getHostName:hostname length: 256

[main] [ 2016-12-11 17:56:50.932 IST ] [has.ClusterUtilNative.Native] prsr_trace:
Native: getHostName:hostname: paw-racnode2

[main] [ 2016-12-11 17:56:50.932 IST ] [GetActiveNodes.getHostName:518] hostname =
paw-racnode2
[main] [ 2016-12-11 17:56:50.933 IST ] [Cluster.getHostName:1215] hostname = paw-
racnode2
[main] [ 2016-12-11 17:56:50.957 IST ] [CRSNativeResult.addRIAttr:139] addRIAttr:
name 'paw-racnode2', 'ACTIVE_POOLS':'Generic ora.racdb'
[main] [ 2016-12-11 17:56:50.957 IST ] [CRSNativeResult.addRIAttr:139] addRIAttr:
name 'paw-racnode2', 'NAME':'paw-racnode2'
[main] [ 2016-12-11 17:56:50.958 IST ] [CRSNativeResult.addRIAttr:139] addRIAttr:
name 'paw-racnode2', 'STATE':'ONLINE'
[main] [ 2016-12-11 17:56:50.958 IST ] [CRSNativeResult.addRIAttr:139] addRIAttr:
name 'paw-racnode2', 'STATE_DETAILS':''
[main] [ 2016-12-11 17:56:50.958 IST ] [CRSNative.searchEntities:857] found 1
ntities
[main] [ 2016-12-11 17:56:50.959 IST ] [ServerPoolImpl.<init>:134] m_name = Free,
m_displayName = Free
[main] [ 2016-12-11 17:56:50.979 IST ] [CRSNative.isEntityRegistered:672] entity:
Free, type: 3, registered: true
[main] [ 2016-12-11 17:56:50.979 IST ] [CRSNative.getStat:1153] About to call crs
stat: name: Free, type: 3, node: null
[main] [ 2016-12-11 17:56:50.980 IST ] [CRSNative.getStat:1155] looking for
following attributes:
[main] [ 2016-12-11 17:56:50.980 IST ] [CRSNative.getStat:1157]
'ACTIVE_SERVERS'
[main] [ 2016-12-11 17:56:51.003 IST ] [CRSNative.getStat:1170] crs found 1
attributes
[main] [ 2016-12-11 17:56:51.004 IST ] [CRSNative.getStat:1180] Name:
'ACTIVE_SERVERS'; Value: ''
[main] [ 2016-12-11 17:56:51.004 IST ] [ServerPoolImpl.serversHelper2:628]
attrValue=
[main] [ 2016-12-11 17:56:51.005 IST ] [Environment.validateInstances:356] Is
Cluster Database=false
[main] [ 2016-12-11 17:56:51.005 IST ] [Environment.validateInstances:362]
startThreadNum=1
[main] [ 2016-12-11 17:56:51.005 IST ] [GetActiveNodes.create:226] Returning an
existing instance of GetActiveNodes
[main] [ 2016-12-11 17:56:51.009 IST ] [Operation.<init>:63] Setting to be a
synchronized operation
[main] [ 2016-12-11 17:56:51.010 IST ] [LocalCommand.execute:61]
LocalCommand.execute: Calling run method
[main] [ 2016-12-11 17:56:51.014 IST ] [RawDeviceConfig.init:149] RawDeviceConfig
instance is null
[main] [ 2016-12-11 17:56:51.014 IST ] [Version.equals:190] PRINTING FROM
```

```
VERSION11.2.0.1.0
[main] [ 2016-12-11 17:56:51.014 IST ] [Version.equals:191] 11.2.0.1.0
[main] [ 2016-12-11 17:56:51.015 IST ] [Version.equals:197] Version.java:
RETURNING TRUE
[main] [ 2016-12-11 17:56:51.015 IST ] [RawDeviceConfig.init:152] Creating a
RawDeviceConfigHA instance
[main] [ 2016-12-11 17:56:51.017 IST ] [RawDeviceConfig.<init>:118] initializing
RawDeviceConfig
[main] [ 2016-12-11 17:56:51.017 IST ] [OCRTree.init:188] in OCRTree.init, version
= 11.2.0.1.0
[main] [ 2016-12-11 17:56:51.017 IST ] [RawDeviceConfigHA.<init>:66] initializing
RawDeviceConfig
[main] [ 2016-12-11 17:56:51.018 IST ] [OCRTree.init:188] in OCRTree.init, version
= 11.2.0.1.0
[main] [ 2016-12-11 17:56:51.018 IST ] [OCRTree.listDatabases:600] Acquiring
shared CSS lock SRVM.DATABASE.DATABASES
[main] [ 2016-12-11 17:56:51.018 IST ] [has.ClusterLockNative.Native] prsr_trace:
Native: acquireShared

[main] [ 2016-12-11 17:56:51.020 IST ] [OCR.keyExists:688]
OCR.keyExists(DATABASE.DATABASES)
[main] [ 2016-12-11 17:56:51.021 IST ] [nativesystem.OCRNative.Native] keyExists:
calling procr_open_key(DATABASE.DATABASES)

[main] [ 2016-12-11 17:56:51.030 IST ] [nativesystem.OCRNative.Native] keyExists:
procr_open_key retval = 0

[main] [ 2016-12-11 17:56:51.031 IST ] [nativesystem.OCRNative.Native] keyExists:
procr_close_key retval = 0

[main] [ 2016-12-11 17:56:51.031 IST ] [OCR.listSubKeys:639]
OCR.listSubKeys(DATABASE.DATABASES)
[main] [ 2016-12-11 17:56:51.031 IST ] [nativesystem.OCRNative.Native]
listSubKeys: key_name=[DATABASE.DATABASES]

[main] [ 2016-12-11 17:56:51.031 IST ] [nativesystem.OCRNative.Native]
listSubKeys: open key retval = 0

[main] [ 2016-12-11 17:56:51.032 IST ] [nativesystem.OCRNative.Native]
listSubKeys: setting num_remaining_subkey to -1

[main] [ 2016-12-11 17:56:51.032 IST ] [nativesystem.OCRNative.Native]
listSubKeys: procr_enum_subkey retval = 16

[main] [ 2016-12-11 17:56:51.032 IST ] [nativesystem.OCRNative.Native]
listSubKeys: num of remaining subkeys is -1

[main] [ 2016-12-11 17:56:51.032 IST ] [OCR.listSubKeys:655] got null subKeys
[main] [ 2016-12-11 17:56:51.032 IST ] [OCRTree.listDatabases:615] Releasing
shared CSS lock SRVM.DATABASE.DATABASES
[main] [ 2016-12-11 17:56:51.033 IST ] [has.ClusterLockNative.Native] prsr_trace:
Native: unlock

[main] [ 2016-12-11 17:56:51.034 IST ] [LocalCommand.execute:63]
LocalCommand.execute: Returned from run method
[main] [ 2016-12-11 17:56:51.049 IST ] [Util.<init>:86] Util Instance created.
[main] [ 2016-12-11 17:56:51.050 IST ] [has.UtilNative.Native] prsr_trace: Native:
getCRSHome
```

```
[main] [ 2016-12-11 17:56:51.050 IST ] [has.UtilNative.Native] prsr_trace: Native:
getCRSHome crs_home=/u01/app/11.2.0/grid(**)

[main] [ 2016-12-11 17:56:51.050 IST ] [HASContext.getCRSHome:507]
/u01/app/11.2.0/grid
[main] [ 2016-12-11 17:56:51.050 IST ] [Util.getCRSHome:542] getCRSHome:
ret=/u01/app/11.2.0/grid
[main] [ 2016-12-11 17:56:51.050 IST ] [Storage.extractDiskGroup:402] index of /=-
1
[main] [ 2016-12-11 17:56:51.051 IST ] [Storage.extractDiskGroup:415] Extracted
Value=PAWDB_DATA
[main] [ 2016-12-11 17:56:51.053 IST ] [HAUtils.getCRSHome:495] Oracle home from
system properties: /u01/app/oracle/product/11.2.0/db_1
[main] [ 2016-12-11 17:56:51.053 IST ] [HAUtils.getCRSHome:540] Getting configured
CRS/HAS home for Oracle home ( /u01/app/oracle/product/11.2.0/db_1 ) ...
[main] [ 2016-12-11 17:56:51.054 IST ] [GETCRSHOMEUtil.<init>:76] Toolname:
getcrshome --- Tool location:
/u01/app/oracle/product/11.2.0/db_1/srvm/adminTool dependencies:
[Ljava.lang.String;@8542529
[main] [ 2016-12-11 17:56:51.054 IST ] [NativeSystem.isCmdScv:471] isCmdScv:
cmd=[]
[main] [ 2016-12-11 17:56:51.055 IST ] [RuntimeExec.runCommand:75] Calling
Runtime.exec() with the command
[main] [ 2016-12-11 17:56:51.055 IST ] [RuntimeExec.runCommand:77] /bin/sh
[main] [ 2016-12-11 17:56:51.055 IST ] [RuntimeExec.runCommand:77] -c
[main] [ 2016-12-11 17:56:51.055 IST ] [RuntimeExec.runCommand:77]
/u01/app/oracle/product/11.2.0/db_1/srvm/admin/getcrshome
[Thread-38] [ 2016-12-11 17:56:51.066 IST ] [StreamReader.run:61] In
StreamReader.run
[main] [ 2016-12-11 17:56:51.066 IST ] [RuntimeExec.runCommand:142] runCommand:
Waiting for the process
[Thread-37] [ 2016-12-11 17:56:51.069 IST ] [StreamReader.run:61] In
StreamReader.run
[Thread-37] [ 2016-12-11 17:56:51.074 IST ] [StreamReader.run:65]
OUTPUT>/u01/app/11.2.0/grid
[main] [ 2016-12-11 17:56:51.074 IST ] [RuntimeExec.runCommand:144] runCommand:
process returns 0
[main] [ 2016-12-11 17:56:51.075 IST ] [RuntimeExec.runCommand:161] RunTimeExec:
output>
[main] [ 2016-12-11 17:56:51.075 IST ] [RuntimeExec.runCommand:164]
/u01/app/11.2.0/grid
[main] [ 2016-12-11 17:56:51.075 IST ] [RuntimeExec.runCommand:170] RunTimeExec:
error>
[main] [ 2016-12-11 17:56:51.075 IST ] [RuntimeExec.runCommand:192] Returning from
RunTimeExec.runCommand
[main] [ 2016-12-11 17:56:51.076 IST ] [HAUtils.getCRSHome:546] Configured CRS/HAS
home = /u01/app/11.2.0/grid
[main] [ 2016-12-11 17:56:51.076 IST ] [HAUtils.getCRSHome:524] returning CRS
Home: /u01/app/11.2.0/grid
[main] [ 2016-12-11 17:56:51.076 IST ] [ASMUtils.initialize:159] ASMHome:
/u01/app/11.2.0/grid
[main] [ 2016-12-11 17:56:51.080 IST ] [Version.isPre:274] version to be checked
11.2.0.1.0 major version to check against10
[main] [ 2016-12-11 17:56:51.080 IST ] [Version.isPre:285] isPre.java: Returning
FALSE
[main] [ 2016-12-11 17:56:51.080 IST ] [OCR.loadLibrary:308]
Inside constructor of OCR
[main] [ 2016-12-11 17:56:51.081 IST ] [OCR.isCluster:939] Calling OCRNative for
isCluster()
```

```
[main] [ 2016-12-11 17:56:51.081 IST ] [nativesystem.OCRNative.Native] JNI:
isCluster() Successfully initialized meta context
[main] [ 2016-12-11 17:56:51.081 IST ] [nativesystem.OCRNative.Native] JNI:
procr_get_conf() retValue = 0
[main] [ 2016-12-11 17:56:51.081 IST ] [nativesystem.OCRNative.Native] The OCR
file is configured & local_only=false

[main] [ 2016-12-11 17:56:51.081 IST ] [OCR.isCluster:943] OCR Result status =
true
[main] [ 2016-12-11 17:56:51.081 IST ] [OCR.isCluster:955] Boolean result = true
[main] [ 2016-12-11 17:56:51.111 IST ] [CRSNative.isEntityRegistered:672] entity:
ora.asm, type: 1, registered: true
[main] [ 2016-12-11 17:56:51.130 IST ] [CRSNative.isEntityRegistered:672] entity:
ora.asm, type: 1, registered: true
[main] [ 2016-12-11 17:56:51.160 IST ] [CRSNativeResult.addRIAttr:139] addRIAttr:
name 'ora.asm paw-racnode1 1', 'LAST_SERVER':'paw-racnode1'
[main] [ 2016-12-11 17:56:51.161 IST ] [CRSNativeResult.addRIAttr:139] addRIAttr:
name 'ora.asm paw-racnode1 1', 'USR_ORA_INST_NAME':'+ASM1'
[main] [ 2016-12-11 17:56:51.161 IST ] [CRSNativeResult.addRIAttr:139] addRIAttr:
name 'ora.asm paw-racnode2 1', 'LAST_SERVER':'paw-racnode2'
[main] [ 2016-12-11 17:56:51.161 IST ] [CRSNativeResult.addRIAttr:139] addRIAttr:
name 'ora.asm paw-racnode2 1', 'USR_ORA_INST_NAME':'+ASM2'
[main]
[ 2016-12-11 17:56:51.162 IST ] [CRSNative.searchEntities:857] found 2 nities
[main] [ 2016-12-11 17:56:51.164 IST ] [has.ClusterUtilNative.Native] prsr_trace:
Native: getLocalNodeName

[main] [ 2016-12-11 17:56:51.164 IST ] [has.ClusterUtilNative.Native] prsr_trace:
Native: getLocalNodeName:nodenummer: 1

[main] [ 2016-12-11 17:56:51.165 IST ] [has.ClusterUtilNative.Native] prsr_trace:
Native: getLocalNodeName:nodename: paw-racnode1

[main] [ 2016-12-11 17:56:51.166 IST ] [HAUtils.getLocalASMInstanceName:280]
localNodeName paw-racnode1
[main] [ 2016-12-11 17:56:51.166 IST ] [HAUtils.getLocalASMInstanceName:284]
nodeName paw-racnode1
[main] [ 2016-12-11 17:56:51.166 IST ] [HAUtils.getLocalASMInstanceName:288]
localInstName +ASM1
[main] [ 2016-12-11 17:56:51.166 IST ] [ASMUtils.initialize:162] ASM SID: +ASM1
[main] [ 2016-12-11 17:56:51.166 IST ] [HAUtils.getDefaultListenerProperties:1029]
Entering HAUtils.getDefaultListenerProperties
[main] [ 2016-12-11 17:56:51.190 IST ] [CRSNative.isEntityRegistered:672] entity:
ora.LISTENER.lsnr, type: 1, registered: true
[main] [ 2016-12-11 17:56:51.211 IST ] [CRSNative.isEntityRegistered:672] entity:
ora.LISTENER.lsnr, type: 1, registered: true
[main] [ 2016-12-11 17:56:51.212 IST ] [CRSNative.getStat:1153] About to call crs
stat: name: ora.LISTENER.lsnr, type: 1, node: null
[main] [ 2016-12-11 17:56:51.212 IST ] [CRSNative.getStat:1155] looking for
following attributes:
[main] [ 2016-12-11 17:56:51.214 IST ] [CRSNative.getStat:1157] 'TYPE'
[main] [ 2016-12-11 17:56:51.236 IST ] [CRSNative.getStat:1170] crs found 1
attributes
[main] [ 2016-12-11 17:56:51.236 IST ] [CRSNative.getStat:1180] Name:
'TYPE'; Value: 'ora.listener.type'
[main] [ 2016-12-11 17:56:51.236 IST ] [NodeAppsFactoryImpl.getListener:923]
Resource type is ora.listener.type
[main] [ 2016-12-11 17:56:51.237 IST ] [CRSNative.getStat:1153] About to call crs
stat: name: ora.LISTENER.lsnr, type: 1, node: null
```

```
[main] [ 2016-12-11 17:56:51.237 IST ] [CRSNative.getStat:1155] looking for
following attributes:
[main] [ 2016-12-11 17:56:51.237 IST ] [CRSNative.getStat:1157] 'PORT'
[main] [ 2016-12-11 17:56:51.259 IST ] [CRSNative.getStat:1170] crs found 1
attributes
[main] [ 2016-12-11 17:56:51.260 IST ] [CRSNative.getStat:1180] Name:
'PORT'; Value: '1521'
[main] [ 2016-12-11 17:56:51.260 IST ] [has.ClusterUtilNative.Native] prsr_trace:
Native: getLocalNodeName

[main] [ 2016-12-11 17:56:51.260 IST ] [has.ClusterUtilNative.Native] prsr_trace:
Native: getLocalNodeName:nodenum: 1

[main] [ 2016-12-11 17:56:51.261 IST ] [has.ClusterUtilNative.Native] prsr_trace:
Native: getLocalNodeName:node: paw-racnode1

[main] [ 2016-12-11 17:56:51.262 IST ] [ClusterUtil.<init>:65] ClusterUtil
Instance created
[main] [ 2016-12-11 17:56:51.262 IST ] [ClusterUtil.<init>:68] ClusterUtil
m_bSKGXN=true
[main] [ 2016-12-11 17:56:51.262 IST ] [has.ClusterUtilNative.Native] prsr_trace:
Native: getHostName

[main] [ 2016-12-11 17:56:51.262 IST ] [has.ClusterUtilNative.Native] prsr_trace:
Native: getHostName:hostname length: 256

[main] [ 2016-12-11 17:56:51.264 IST ] [has.ClusterUtilNative.Native] prsr_trace:
Native: getHostName:hostname: paw-racnode1

[main] [ 2016-12-11 17:56:51.264 IST ] [GetActiveNodes.getHostName:518] hostname =
paw-racnode1
[main] [ 2016-12-11 17:56:51.264 IST ] [Cluster.getHostName:1215] hostname = paw-
racnode1
[main] [ 2016-12-11 17:56:51.265 IST ] [CRSNative.getResourceInstancesID:1336]
Looking for RIs using filter: (NAME == ora.LISTENER.lsnr)
[main] [ 2016-12-11 17:56:51.287 IST ] [CRSNative.getResourceInstancesID:1344]
found 2 RIs
[main] [ 2016-12-11 17:56:51.287 IST ] [CRSNative.getResourceInstancesID:1346]
ora.LISTENER.lsnr paw-racnode1 1
[main] [ 2016-12-11 17:56:51.288 IST ] [CRSNative.getResourceInstancesID:1346]
ora.LISTENER.lsnr paw-racnode2 1
[main] [ 2016-12-11 17:56:51.293 IST ] [CRSNative.getResourceInstancesID:1336]
Looking for RIs using filter: ((NAME == ora.LISTENER.lsnr) && (LAST_SERVER == paw-
racnode1))
[main] [ 2016-12-11 17:56:51.321 IST ] [CRSNative.getResourceInstancesID:1344]
found 1 RIs
[main] [ 2016-12-11 17:56:51.321 IST ] [CRSNative.getResourceInstancesID:1346]
ora.LISTENER.lsnr paw-racnode1 1
[main] [ 2016-12-11 17:56:51.321 IST ] [CRSNative.getStat:1153] About to call crs
stat: name: ora.LISTENER.lsnr paw-racnode1 1, type: 5, node: paw-racnode1
[main] [ 2016-12-11 17:56:51.321 IST ] [CRSNative.getStat:1155] looking for
following attributes:
[main] [ 2016-12-11 17:56:51.322 IST ] [CRSNative.getStat:1157]
'ORACLE_HOME'
[main] [ 2016-12-11 17:56:51.343 IST ] [CRSNative.getStat:1170] crs found 1
attributes
[main] [ 2016-12-11 17:56:51.343 IST ] [CRSNative.getStat:1180] Name:
'ORACLE_HOME'; Value: '/u01/app/11.2.0/grid'
[main] [ 2016-12-11 17:56:51.343 IST ] [ASMUtils.initialize:170] ASM Listener
```

```
Port: 1521
[main] [ 2016-12-11 17:56:51.343 IST ] [has.ClusterUtilNative.Native] prsr_trace:
Native: getLocalNodeName

[main] [ 2016-12-11 17:56:51.344 IST ] [has.ClusterUtilNative.Native] prsr_trace:
Native: getLocalNodeName:nodenum: 1

[main] [ 2016-12-11 17:56:51.345 IST ] [has.ClusterUtilNative.Native] prsr_trace:
Native: getLocalNodeName:nodename: paw-racnode1

[main] [ 2016-12-11 17:56:51.345 IST ] [ASMUtils.initialize:180] ASM Local Node:
paw-racnode1
[main] [ 2016-12-11 17:56:51.345 IST ] [ASMUtils.loadDiskGroups:633] sql to be
executed:=select NAME||' '||round(TOTAL_MB)||' '||round(USABLE_FILE_MB)||' '||
nvl(TYPE, 'DBCA_NULL')||' '||STATE from v$asm_diskgroup order by NAME using
sqlengine
[main] [ 2016-12-11 17:56:51.345 IST ] [OracleHome.getVersion:877]
OracleHome.getVersion called. Current Version: null
[main] [ 2016-12-11 17:56:51.346 IST ] [InventoryUtil.getOUIInvSession:347]
setting OUI READ level to ACCESSLEVEL_READ_LOCKLESS
[main] [ 2016-12-11 17:56:51.346 IST ] [OracleHome.getVersion:896] Homeinfo
/u01/app/11.2.0/grid,1
[main] [ 2016-12-11 17:56:51.346 IST ] [Version.isPre:274] version to be checked
11.2.0.1.0 major version to check against10
[main] [ 2016-12-11 17:56:51.346 IST ] [Version.isPre:285] isPre.java: Returning
FALSE
[main] [ 2016-12-11 17:56:51.346 IST ] [OCR.loadLibrary:308]
Inside constructor of OCR
[main] [ 2016-12-11 17:56:51.346 IST ] [OCR.isCluster:939] Calling OCRNative for
isCluster()
[main] [ 2016-12-11 17:56:51.346 IST ] [nativesystem.OCRNative.Native] JNI:
isCluster() Successfully initialized meta context
[main] [ 2016-12-11 17:56:51.347 IST ] [nativesystem.OCRNative.Native] JNI:
procr_get_conf() retValue = 0
[main] [ 2016-12-11 17:56:51.347 IST ] [nativesystem.OCRNative.Native] The OCR
file is configured & local_only=false

[main] [ 2016-12-11 17:56:51.347 IST ] [OCR.isCluster:943] OCR Result status =
true
[main] [ 2016-12-11 17:56:51.347 IST ] [OCR.isCluster:955] Boolean result = true
[main] [ 2016-12-11 17:56:51.347 IST ] [Util.<init>:86] Util Instance created.
[main] [ 2016-12-11 17:56:51.347 IST ] [has.UtilNative.Native] prsr_trace: Native:
hasHAPrivilege

[main] [ 2016-12-11 17:56:51.348 IST ] [ClusterAlias.<init>:86] ClusterAlias
Instance created.
[main] [ 2016-12-11 17:56:51.348 IST ] [has.UtilNative.Native] prsr_trace: Native:
getCRSHome

[main] [ 2016-12-11 17:56:51.348 IST ] [has.UtilNative.Native] prsr_trace: Native:
getCRSHome crs_home=/u01/app/11.2.0/grid(**)

[main] [ 2016-12-11 17:56:51.348 IST ] [HASContext.getCRSHome:507]
/u01/app/11.2.0/grid
[main] [ 2016-12-11 17:56:51.348 IST ] [Util.getCRSHome:542] getCRSHome:
ret=/u01/app/11.2.0/grid
[main] [ 2016-12-11 17:56:51.353 IST ] [Version.isPre:274] version to be checked
11.2.0.1.0 major version to check against10
[main] [ 2016-12-11 17:56:51.353 IST ] [Version.isPre:285] isPre.java: Returning
```



```
FALSE
[main] [ 2016-12-11 17:56:51.353 IST ] [ClusterInfo.<init>:234]
m_olsnodesPath=/u01/app/11.2.0/grid/bin/olsnodes
[main] [ 2016-12-11 17:56:51.353 IST ] [RuntimeExec.runCommand:75] Calling
Runtime.exec() with the command
[main] [ 2016-12-11 17:56:51.353 IST ] [RuntimeExec.runCommand:77]
/u01/app/11.2.0/grid/bin/crsctl
[main] [ 2016-12-11 17:56:51.354 IST ] [RuntimeExec.runCommand:77] query
[main] [ 2016-12-11 17:56:51.354 IST ] [RuntimeExec.runCommand:77] crs
[main] [ 2016-12-11 17:56:51.354 IST ] [RuntimeExec.runCommand:77] activeversion
[Thread-40] [ 2016-12-11 17:56:51.375 IST ] [StreamReader.run:61] In
StreamReader.run
[main] [ 2016-12-11 17:56:51.375 IST ] [RuntimeExec.runCommand:142] runCommand:
Waiting for the process
[Thread-39] [ 2016-12-11 17:56:51.375 IST ] [StreamReader.run:61] In
StreamReader.run
[Thread-39] [ 2016-12-11 17:56:51.486 IST ] [StreamReader.run:65] OUTPUT>Oracle
Clusterware active version on the cluster is [11.2.0.1.0]
[main] [ 2016-12-11 17:56:51.487 IST ] [RuntimeExec.runCommand:144] runCommand:
process returns 0
[main] [ 2016-12-11 17:56:51.487 IST ] [RuntimeExec.runCommand:161] RunTimeExec:
output>
[main] [ 2016-12-11 17:56:51.488 IST ] [RuntimeExec.runCommand:164] Oracle
Clusterware active version on the cluster is [11.2.0.1.0]
[main] [ 2016-12-11 17:56:51.488 IST ] [RuntimeExec.runCommand:170] RunTimeExec:
error>
[main] [ 2016-12-11 17:56:51.488 IST ] [RuntimeExec.runCommand:192] Returning from
RunTimeExec.runCommand
[main] [ 2016-12-11 17:56:51.489 IST ] [ClusterInfo.getCRSActiveVersionString:1446]
output[0]=Oracle Clusterware active version on the cluster is [11.2.0.1.0]
[main] [ 2016-12-11 17:56:51.489 IST ] [ClusterInfo.getCRSActiveVersionString:1459]
Active version = 11.2.0.1.0]
[main] [ 2016-12-11 17:56:51.490 IST ] [OracleHome.getVersion:903]
OracleHome.CRSActiveVersion: 11.2.0.1.0
[main] [ 2016-12-11 17:56:51.490 IST ] [OracleHome.getVersion:943] Current Version
From Inventory: 11.2.0.1.0
[main] [ 2016-12-11 17:56:51.490 IST ] [OracleHome.getVersion:948] using
sqlplus: /u01/app/11.2.0/grid/bin/sqlplus
[main] [ 2016-12-11 17:56:51.491 IST ] [OracleHome.getVersion:877]
OracleHome.getVersion called. Current Version: 11.2.0.1.0
[main] [ 2016-12-11 17:56:51.491 IST ] [OracleHome.getVersion:943] Current Version
From Inventory: 11.2.0.1.0
[main] [ 2016-12-11 17:56:51.491 IST ] [OracleHome.getVersion:948] using
sqlplus: /u01/app/11.2.0/grid/bin/sqlplus
[main] [ 2016-12-11 17:56:51.492 IST ] [OracleHome.getVersion:877]
OracleHome.getVersion called. Current Version: 11.2.0.1.0
[main] [ 2016-12-11 17:56:51.492 IST ] [OracleHome.getVersion:943] Current Version
From Inventory: 11.2.0.1.0
[main] [ 2016-12-11 17:56:51.493 IST ] [OracleHome.getVersion:948] using
sqlplus: /u01/app/11.2.0/grid/bin/sqlplus
[main] [ 2016-12-11 17:56:51.493 IST ] [SQLPlusEngine.getCmmdParams:222] m_home
11.2.0.1.0
[main] [ 2016-12-11 17:56:51.493 IST ] [SQLPlusEngine.getCmmdParams:223] version >
112 true
[main] [ 2016-12-11 17:56:51.494 IST ] [SQLEngine.getEnvParams:547] Default
NLS_LANG: AMERICAN_AMERICA.AL32UTF8
[main] [ 2016-12-11 17:56:51.494 IST ] [SQLEngine.getEnvParams:557] NLS_LANG:
AMERICAN_AMERICA.AL32UTF8
[main] [ 2016-12-11 17:56:51.496 IST ] [SQLEngine.initialize:317] Execing
```

SQLPLUS/SVRMGR process...

```
[main] [ 2016-12-11 17:56:51.503 IST ] [SQLEngine.initialize:354]
m_bReaderStarted: false
[main] [ 2016-12-11 17:56:51.504 IST ] [SQLEngine.initialize:358] Starting Reader
Thread...
[main] [ 2016-12-11 17:56:52.018 IST ] [ASMUtils.loadDiskGroups:642] diskgroups
loaded using the sql
[main] [ 2016-12-11 17:56:52.018 IST ] [SQLEngine.done:2148] Done called
[main] [ 2016-12-11 17:56:52.018 IST ] [ASMUtils.loadDiskGroups:668] Loading the
diskgroups...
[main] [ 2016-12-11 17:56:52.018 IST ] [ASMUtils.loadDiskGroups:676] diskgroup:
DATA|10230|557|NORMAL|MOUNTED
[main] [ 2016-12-11 17:56:52.020 IST ] [ASMUtils.loadDiskGroups:676] diskgroup:
FRA|6138|4126|EXTERN|MOUNTED
[main] [ 2016-12-11 17:56:52.021 IST ] [ASMUtils.loadDiskGroups:676] diskgroup:
OCR_DG|4092|3727|EXTERN|MOUNTED
[main] [ 2016-12-11 17:56:52.021 IST ] [ASMUtils.loadDiskGroups:676] diskgroup:
PAWDB_DATA|8184|3995|NORMAL|MOUNTED
[main] [ 2016-12-11 17:56:52.021 IST ] [ASMUtils.setBestDiskGroup:846] sql to be
executed:=select name from v$asm_diskgroup where free_mb= (select max(free_mb) from
v$asm_diskgroup)
[main] [ 2016-12-11 17:56:52.021 IST ] [OracleHome.getVersion:877]
OracleHome.getVersion called. Current Version: null
[main] [ 2016-12-11 17:56:52.021 IST ] [InventoryUtil.getOUIInvSession:347]
setting OUI READ level to ACCESSLEVEL_READ_LOCKLESS
[main] [ 2016-12-11 17:56:52.022 IST ] [OracleHome.getVersion:896] Homeinfo
/u01/app/11.2.0/grid,1
[main] [ 2016-12-11 17:56:52.022 IST ] [Version.isPre:274] version to be checked
11.2.0.1.0 major version to check against10
[main] [ 2016-12-11 17:56:52.022 IST ] [Version.isPre:285] isPre.java: Returning
FALSE
[main] [ 2016-12-11 17:56:52.022 IST ] [OCR.loadLibrary:308]
Inside constructor of OCR
[main] [ 2016-12-11 17:56:52.022 IST ] [OCR.isCluster:939] Calling OCRNative for
isCluster()
[main] [ 2016-12-11 17:56:52.022 IST ] [nativesystem.OCRNative.Native] JNI:
isCluster() Successfully initialized meta context
[main] [ 2016-12-11 17:56:52.023 IST ] [nativesystem.OCRNative.Native] JNI:
procr_get_conf() retValue = 0
[main] [ 2016-12-11 17:56:52.023 IST ] [nativesystem.OCRNative.Native] The OCR
file is configured & local_only=false

[main] [ 2016-12-11 17:56:52.023 IST ] [OCR.isCluster:943] OCR Result status =
true
[main] [ 2016-12-11 17:56:52.024 IST ] [OCR.isCluster:955] Boolean result = true
[main] [ 2016-12-11 17:56:52.024 IST ] [Util.<init>:86] Util Instance created.
[main] [ 2016-12-11 17:56:52.024 IST ] [has.UtilNative.Native] prsr_trace: Native:
hasHAPrivilege

[main] [ 2016-12-11 17:56:52.024 IST ] [ClusterAlias.<init>:86] ClusterAlias
Instance created.
[main] [ 2016-12-11 17:56:52.024 IST ] [has.UtilNative.Native] prsr_trace: Native:
getCRSHome

[main] [ 2016-12-11 17:56:52.025 IST ] [has.UtilNative.Native] prsr_trace: Native:
getCRSHome crs_home=/u01/app/11.2.0/grid(**)

[main] [ 2016-12-11 17:56:52.026 IST ] [HASContext.getCRSHome:507]
/u01/app/11.2.0/grid
```

```
[main] [ 2016-12-11 17:56:52.026 IST ] [Util.getCRSHome:542] getCRSHome:
ret=/u01/app/11.2.0/grid
[main] [ 2016-12-11 17:56:52.026 IST ] [Version.isPre:274] version to be checked
11.2.0.1.0 major version to check against10
[main] [ 2016-12-11 17:56:52.026 IST ] [Version.isPre:285] isPre.java: Returning
FALSE
[main] [ 2016-12-11 17:56:52.026 IST ] [ClusterInfo.<init>:234]
m_olsnodesPath=/u01/app/11.2.0/grid/bin/olsnodes
[main] [ 2016-12-11 17:56:52.027 IST ] [RuntimeExec.runCommand:75] Calling
Runtime.exec() with the command
[main] [ 2016-12-11 17:56:52.027 IST ] [RuntimeExec.runCommand:77]
/u01/app/11.2.0/grid/bin/crsctl
[main] [ 2016-12-11 17:56:52.027 IST ] [RuntimeExec.runCommand:77] query
[main] [ 2016-12-11 17:56:52.027 IST ] [RuntimeExec.runCommand:77] crs
[main] [ 2016-12-11 17:56:52.027 IST ] [RuntimeExec.runCommand:77] activeversion
[Thread-44] [ 2016-12-11 17:56:52.052 IST ] [StreamReader.run:61] In
StreamReader.run
[main] [ 2016-12-11 17:56:52.053 IST ] [RuntimeExec.runCommand:142] runCommand:
Waiting for the process
[Thread-43] [ 2016-12-11 17:56:52.053 IST ] [StreamReader.run:61] In
StreamReader.run
[Thread-43] [ 2016-12-11 17:56:52.165 IST ] [StreamReader.run:65] OUTPUT>Oracle
Clusterware active version on the cluster is [11.2.0.1.0]
[main] [ 2016-12-11 17:56:52.166 IST ] [RuntimeExec.runCommand:144] runCommand:
process returns 0
[main] [ 2016-12-11 17:56:52.167 IST ] [RuntimeExec.runCommand:161] RunTimeExec:
output>
[main] [ 2016-12-11 17:56:52.167 IST ] [RuntimeExec.runCommand:164] Oracle
Clusterware active version on the cluster is [11.2.0.1.0]
[main] [ 2016-12-11 17:56:52.168 IST ] [RuntimeExec.runCommand:170] RunTimeExec:
error>
[main] [ 2016-12-11 17:56:52.168 IST ] [RuntimeExec.runCommand:192] Returning from
RunTimeExec.runCommand
[main] [ 2016-12-11 17:56:52.168 IST ] [ClusterInfo.getCRSActiveVersionString:1446]
output[0]=Oracle Clusterware active version on the cluster is [11.2.0.1.0]
[main] [ 2016-12-11 17:56:52.169 IST ] [ClusterInfo.getCRSActiveVersionString:1459]
Active version = 11.2.0.1.0]
[main] [ 2016-12-11 17:56:52.169 IST ] [OracleHome.getVersion:903]
OracleHome.CRSActiveVersion: 11.2.0.1.0
[main] [ 2016-12-11 17:56:52.169 IST ] [OracleHome.getVersion:943] Current Version
From Inventory: 11.2.0.1.0
[main] [ 2016-12-11 17:56:52.170 IST ] [OracleHome.getVersion:948] using
sqlplus: /u01/app/11.2.0/grid/bin/sqlplus
[main] [ 2016-12-11 17:56:52.174 IST ] [OracleHome.getVersion:877]
OracleHome.getVersion called. Current Version: 11.2.0.1.0
[main] [ 2016-12-11 17:56:52.175 IST ] [OracleHome.getVersion:943] Current Version
From Inventory: 11.2.0.1.0
[main] [ 2016-12-11 17:56:52.175 IST ] [OracleHome.getVersion:948] using
sqlplus: /u01/app/11.2.0/grid/bin/sqlplus
[main] [ 2016-12-11 17:56:52.175 IST ] [OracleHome.getVersion:877]
OracleHome.getVersion called. Current Version: 11.2.0.1.0
[main] [ 2016-12-11 17:56:52.176 IST ] [OracleHome.getVersion:943] Current Version
From Inventory: 11.2.0.1.0
[main] [ 2016-12-11 17:56:52.176 IST ] [OracleHome.getVersion:948] using
sqlplus: /u01/app/11.2.0/grid/bin/sqlplus
[main] [ 2016-12-11 17:56:52.176 IST ] [SQLPlusEngine.getCmmdParams:222] m_home
11.2.0.1.0
[main] [ 2016-12-11 17:56:52.177 IST ] [SQLPlusEngine.getCmmdParams:223] version >
112 true
```

```
[main] [ 2016-12-11 17:56:52.177 IST ] [SQLEngine.getEnvParams:547] Default
NLS_LANG: AMERICAN_AMERICA.AL32UTF8
[main] [ 2016-12-11 17:56:52.177 IST ] [SQLEngine.getEnvParams:557] NLS_LANG:
AMERICAN_AMERICA.AL32UTF8
[main] [ 2016-12-11 17:56:52.179 IST ] [SQLEngine.initialize:317] Execing
SQLPLUS/SVRMGR process...
[main] [ 2016-12-11 17:56:52.200 IST ] [SQLEngine.initialize:354]
m_bReaderStarted: false
[main] [ 2016-12-11 17:56:52.201 IST ] [SQLEngine.initialize:358] Starting Reader
Thread...
[main] [ 2016-12-11 17:56:52.429 IST ] [ASMUtils.setBestDiskGroup:855] diskgroups
loaded using the sql
[main] [ 2016-12-11 17:56:52.429 IST ] [SQLEngine.done:2148] Done called
[main] [ 2016-12-11 17:56:52.430 IST ] [ASMUtils.setBestDiskGroup:884] Setting
best diskgroup....
[main] [ 2016-12-11 17:56:52.430 IST ] [ASMUtils.setBestDiskGroup:888] Setting
best diskgroup....PAWDB_DATA
[main] [ 2016-12-11 17:56:52.430 IST ] [SQLEngine.doSQLSubstitution:2373] The
substituted sql statement:=select t1.name from v$asm_template t1, v$asm_diskgroup
t2 where t1.group_number=t2.group_number and t2.name='PAWDB_DATA'
[main] [ 2016-12-11 17:56:52.431 IST ] [ASMUtils.setTemplates:748] sql to be
executed:=select t1.name from v$asm_template t1, v$asm_diskgroup t2 where
t1.group_number=t2.group_number and t2.name='PAWDB_DATA'
[main] [ 2016-12-11 17:56:52.431 IST ] [OracleHome.getVersion:877]
OracleHome.getVersion called. Current Version: null
[main] [ 2016-12-11 17:56:52.431 IST ] [InventoryUtil.getOUIInvSession:347]
setting OUI READ level to ACCESSLEVEL_READ_LOCKLESS
[main] [ 2016-12-11 17:56:52.432 IST ] [OracleHome.getVersion:896] Homeinfo
/u01/app/11.2.0/grid,1
[main] [ 2016-12-11 17:56:52.432 IST ] [Version.isPre:274] version to be checked
11.2.0.1.0 major version to check againstt10
[main] [ 2016-12-11 17:56:52.432 IST ] [Version.isPre:285] isPre.java: Returning
FALSE
[main] [ 2016-12-11 17:56:52.432 IST ] [OCR.loadLibrary:308]
Inside constructor of OCR
[main] [ 2016-12-11 17:56:52.433 IST ] [OCR.isCluster:939] Calling OCRNative for
isCluster()
[main] [ 2016-12-11 17:56:52.433 IST ] [nativesystem.OCRNative.Native] JNI:
isCluster() Successfully initialized meta context
[main] [ 2016-12-11 17:56:52.433 IST ] [nativesystem.OCRNative.Native] JNI:
procr_get_conf() retValue = 0
[main] [ 2016-12-11 17:56:52.434 IST ] [nativesystem.OCRNative.Native] The OCR
file is configured & local_only=false

[main] [ 2016-12-11 17:56:52.434 IST ] [OCR.isCluster:943] OCR Result
status = true
[main] [ 2016-12-11 17:56:52.434 IST ] [OCR.isCluster:955] Boolean result = true
[main] [ 2016-12-11 17:56:52.434 IST ] [Util.<init>:86] Util Instance created.
[main] [ 2016-12-11 17:56:52.435 IST ] [has.UtilNative.Native] prsr_trace: Native:
hasHAPrivilege

[main] [ 2016-12-11 17:56:52.435 IST ] [ClusterAlias.<init>:86] ClusterAlias
Instance created.
[main] [ 2016-12-11 17:56:52.435 IST ] [has.UtilNative.Native] prsr_trace: Native:
getCRSHome

[main] [ 2016-12-11 17:56:52.436 IST ] [has.UtilNative.Native] prsr_trace: Native:
getCRSHome crs_home=/u01/app/11.2.0/grid(**)
```

```
[main] [ 2016-12-11 17:56:52.436 IST ] [HASContext.getCRSHome:507]
/u01/app/11.2.0/grid
[main] [ 2016-12-11 17:56:52.436 IST ] [Util.getCRSHome:542] getCRSHome:
ret=/u01/app/11.2.0/grid
[main] [ 2016-12-11 17:56:52.444 IST ] [Version.isPre:274] version to be checked
11.2.0.1.0 major version to check against10
[main] [ 2016-12-11 17:56:52.444 IST ] [Version.isPre:285] isPre.java: Returning
FALSE
[main] [ 2016-12-11 17:56:52.445 IST ] [ClusterInfo.<init>:234]
m_olsnodesPath=/u01/app/11.2.0/grid/bin/olsnodes
[main] [ 2016-12-11 17:56:52.445 IST ] [RuntimeExec.runCommand:75] Calling
Runtime.exec() with the command
[main] [ 2016-12-11 17:56:52.445 IST ] [RuntimeExec.runCommand:77]
/u01/app/11.2.0/grid/bin/crsctl
[main] [ 2016-12-11 17:56:52.445 IST ] [RuntimeExec.runCommand:77] query
[main] [ 2016-12-11 17:56:52.445 IST ] [RuntimeExec.runCommand:77] crs
[main] [ 2016-12-11 17:56:52.446 IST ] [RuntimeExec.runCommand:77] activeversion
[Thread-48] [ 2016-12-11 17:56:52.455 IST ] [StreamReader.run:61] In
StreamReader.run
[main] [ 2016-12-11 17:56:52.456 IST ] [RuntimeExec.runCommand:142] runCommand:
Waiting for the process
[Thread-47] [ 2016-12-11 17:56:52.457 IST ] [StreamReader.run:61] In
StreamReader.run
[Thread-47] [ 2016-12-11 17:56:52.585 IST ] [StreamReader.run:65] OUTPUT>Oracle
Clusterware active version on the cluster is [11.2.0.1.0]
[main] [ 2016-12-11 17:56:52.587 IST ] [RuntimeExec.runCommand:144] runCommand:
process returns 0
[main] [ 2016-12-11 17:56:52.587 IST ] [RuntimeExec.runCommand:161] RunTimeExec:
output>
[main] [ 2016-12-11 17:56:52.587 IST ] [RuntimeExec.runCommand:164] Oracle
Clusterware active version on the cluster is [11.2.0.1.0]
[main] [ 2016-12-11 17:56:52.588 IST ] [RuntimeExec.runCommand:170] RunTimeExec:
error>
[main] [ 2016-12-11 17:56:52.588 IST ] [RuntimeExec.runCommand:192] Returning from
RunTimeExec.runCommand
[main] [ 2016-12-11 17:56:52.589 IST ] [ClusterInfo.getCRSActiveVersionString:1446]
output[0]=Oracle Clusterware active version on the cluster is [11.2.0.1.0]
[main] [ 2016-12-11 17:56:52.589 IST ] [ClusterInfo.getCRSActiveVersionString:1459]
Active version = 11.2.0.1.0]
[main] [ 2016-12-11 17:56:52.589 IST ] [OracleHome.getVersion:903]
OracleHome.CRSActiveVersion: 11.2.0.1.0
[main] [ 2016-12-11 17:56:52.590 IST ] [OracleHome.getVersion:943] Current Version
From Inventory: 11.2.0.1.0
[main] [ 2016-12-11 17:56:52.590 IST ] [OracleHome.getVersion:948] using
sqlplus: /u01/app/11.2.0/grid/bin/sqlplus
[main] [ 2016-12-11 17:56:52.590 IST ] [OracleHome.getVersion:877]
OracleHome.getVersion called. Current Version: 11.2.0.1.0
[main] [ 2016-12-11 17:56:52.590 IST ] [OracleHome.getVersion:943] Current Version
From Inventory: 11.2.0.1.0
[main] [ 2016-12-11 17:56:52.591 IST ] [OracleHome.getVersion:948] using
sqlplus: /u01/app/11.2.0/grid/bin/sqlplus
[main] [ 2016-12-11 17:56:52.591 IST ] [OracleHome.getVersion:877]
OracleHome.getVersion called. Current Version: 11.2.0.1.0
[main] [ 2016-12-11 17:56:52.592 IST ] [OracleHome.getVersion:943] Current Version
From Inventory: 11.2.0.1.0
[main] [ 2016-12-11 17:56:52.592 IST ] [OracleHome.getVersion:948] using
sqlplus: /u01/app/11.2.0/grid/bin/sqlplus
[main] [ 2016-12-11 17:56:52.592 IST ] [SQLPlusEngine.getCmmdParams:222] m_home
11.2.0.1.0
```

```
[main] [ 2016-12-11 17:56:52.592 IST ] [SQLPlusEngine.getCmmdParams:223] version >
112 true
[main] [ 2016-12-11 17:56:52.593 IST ] [SQLEngine.getEnvParams:547] Default
NLS_LANG: AMERICAN_AMERICA.AL32UTF8
[main] [ 2016-12-11 17:56:52.593 IST ] [SQLEngine.getEnvParams:557] NLS_LANG:
AMERICAN_AMERICA.AL32UTF8
[main] [ 2016-12-11 17:56:52.603 IST ] [SQLEngine.initialize:317] Execing
SQLPLUS/SVRMGR process...
[main] [ 2016-12-11 17:56:52.616 IST ] [SQLEngine.initialize:354]
m_bReaderStarted: false
[main] [ 2016-12-11 17:56:52.616 IST ] [SQLEngine.initialize:358] Starting Reader
Thread...
[main] [ 2016-12-11 17:56:52.935 IST ] [ASMUtils.setTemplates:758] templates
loaded using the sql
[main] [ 2016-12-11 17:56:52.936 IST ] [SQLEngine.done:2148] Done called
[main] [ 2016-12-11 17:56:52.936 IST ] [ASMUtils.setTemplates:784] Getting
templates for diskgroup: oracle.sysman.assistants.util.asm.DiskGroup@3b5e234c
[main] [ 2016-12-11 17:56:52.944 IST ] [ASMUtils.setTemplates:792] template:
PARAMETERFILE
[main] [ 2016-12-11 17:56:52.944 IST ] [ASMUtils.setTemplates:792] template:
ASMPARAMETERFILE
[main] [ 2016-12-11 17:56:52.944 IST ] [ASMUtils.setTemplates:792] template:
ASMPARAMETERBAKFILE
[main] [ 2016-12-11 17:56:52.945 IST ] [ASMUtils.setTemplates:792] template:
DUMPSET
[main] [ 2016-12-11 17:56:52.945 IST ] [ASMUtils.setTemplates:792] template:
CONTROLFILE
[main] [ 2016-12-11 17:56:52.945 IST ] [ASMUtils.setTemplates:792] template:
FLASHFILE
[main] [ 2016-12-11 17:56:52.945 IST ] [ASMUtils.setTemplates:792] template:
ARCHIVELOG
[main] [ 2016-12-11 17:56:52.952 IST ] [ASMUtils.setTemplates:792] template:
ONLINELOG
[main] [ 2016-12-11 17:56:52.952 IST ] [ASMUtils.setTemplates:792] template:
DATAFILE
[main] [ 2016-12-11 17:56:52.952 IST ] [ASMUtils.setTemplates:792] template:
TEMPFILE
[main] [ 2016-12-11 17:56:52.952 IST ] [ASMUtils.setTemplates:792] template:
BACKUPSET
[main] [ 2016-12-11 17:56:52.952 IST ] [ASMUtils.setTemplates:792] template:
AUTOBACKUP
[main] [ 2016-12-11 17:56:52.953 IST ] [ASMUtils.setTemplates:792] template:
XTRANSPORT
[main] [ 2016-12-11 17:56:52.953 IST ] [ASMUtils.setTemplates:792] template:
CHANGETRACKING
[main] [ 2016-12-11 17:56:52.953 IST ] [ASMUtils.setTemplates:792] template:
FLASHBACK
[main] [ 2016-12-11 17:56:52.953 IST ] [ASMUtils.setTemplates:792] template:
DATAGUARDCONFIG
[main] [ 2016-12-11 17:56:52.953 IST ] [ASMUtils.setTemplates:792] template:
OCRFILE
[main] [ 2016-12-11 17:56:52.953 IST ] [ASMUtils.setTemplates:792] template:
OCRBACKUP
[main] [ 2016-12-11 17:56:52.953 IST ] [ASMUtils.setTemplates:792] template:
ASM_STALE
[main] [ 2016-12-11 17:56:52.954 IST ] [HAASMUtils.isDiskGroupMounted:222]
entering isDiskGroupMounted
[main] [ 2016-12-11 17:56:52.956 IST ] [DiskGroupImpl.<init>:106] name =
ora.PAWDB_DATA.dg, display name = PAWDB_DATA
```

```
[main] [ 2016-12-11 17:56:52.977 IST ] [CRSNative.isEntityRegistered:672] entity:
ora.PAWDB_DATA.dg, type: 1, registered: true
[main] [ 2016-12-11 17:56:52.977 IST ] [DiskGroupImpl.<init>:132] name =
ora.PAWDB_DATA.dg, display name = PAWDB_DATA
[main] [ 2016-12-11 17:56:53.000 IST ] [CRSNative.isEntityRegistered:672] entity:
ora.PAWDB_DATA.dg, type: 1, registered: true
[main] [ 2016-12-11 17:56:53.001 IST ] [HAASMUtills.isDiskGroupMounted:238] before
fetchRunningNodes
[main] [ 2016-12-11 17:56:53.001 IST ] [CRSNative.fetchRunningNodeNames:799]
Looking for nodes: resource ora.PAWDB_DATA.dg
[main] [ 2016-12-11 17:56:53.027 IST ] [CRSNativeResult.addRIAttr:139] addRIAttr:
name 'ora.PAWDB_DATA.dg paw-racnode1 1', 'STATE':'ONLINE'
[main] [ 2016-12-11 17:56:53.028 IST ] [CRSNativeResult.addRIAttr:139] addRIAttr:
name 'ora.PAWDB_DATA.dg paw-racnode1 1', 'TARGET':'ONLINE'
[main] [ 2016-12-11 17:56:53.028 IST ] [CRSNativeResult.addRIAttr:139] addRIAttr:
name 'ora.PAWDB_DATA.dg paw-racnode1 1', 'LAST_SERVER':'paw-racnode1'
[main] [ 2016-12-11 17:56:53.029 IST ] [CRSNativeResult.addRIAttr:139] addRIAttr:
name 'ora.PAWDB_DATA.dg paw-racnode2 1', 'STATE':'OFFLINE'
[main] [ 2016-12-11 17:56:53.029 IST ] [CRSNativeResult.addRIAttr:139] addRIAttr:
name 'ora.PAWDB_DATA.dg paw-racnode2 1', 'TARGET':'OFFLINE'
[main] [ 2016-12-11 17:56:53.029 IST ] [CRSNativeResult.addRIAttr:139] addRIAttr:
name 'ora.PAWDB_DATA.dg paw-racnode2 1', 'LAST_SERVER':'paw-racnode2'
[main] [ 2016-12-11 17:56:53.029 IST ] [CRSNative.searchEntities:857] found 2
entities
[main] [ 2016-12-11 17:56:53.030 IST ] [CRSNative.getRIStatus:1374] RI:
'ora.PAWDB_DATA.dg paw-racnode1 1', state: 'ONLINE', target: 'ONLINE'
[main] [ 2016-12-11 17:56:53.030 IST ] [CRSNative.fetchRunningNodeNames:819]
Node: paw-racnode1
[main] [ 2016-12-11 17:56:53.030 IST ] [CRSNative.getRIStatus:1374] RI:
'ora.PAWDB_DATA.dg paw-racnode2 1', state: 'OFFLINE', target: 'OFFLINE'
[main] [ 2016-12-11 17:56:53.036 IST ] [CRSNative.getRIStatus:1374] RI:
'ora.PAWDB_DATA.dg paw-racnode2 1', state: 'OFFLINE', target: 'OFFLINE'
[main] [ 2016-12-11 17:56:53.036 IST ] [Version.isPre:274] version to be checked
11.2.0.1.0 major version to check against10
[main] [ 2016-12-11 17:56:53.036 IST ] [Version.isPre:285] isPre.java: Returning
FALSE
[main] [ 2016-12-11 17:56:53.036 IST ] [OCR.loadLibrary:308]
Inside constructor of OCR
[main] [ 2016-12-11 17:56:53.036 IST ] [OCR.isCluster:939] Calling OCRNative for
isCluster()
[main] [ 2016-12-11 17:56:53.037 IST ] [nativesystem.OCRNative.Native] JNI:
isCluster() Successfully initialized meta context
[main] [ 2016-12-11 17:56:53.037 IST ] [nativesystem.OCRNative.Native] JNI:
procr_get_conf() retValue = 0
[main] [ 2016-12-11 17:56:53.037 IST ] [nativesystem.OCRNative.Native] The OCR
file is configured & local_only=false

[main] [ 2016-12-11 17:56:53.037 IST ] [OCR.isCluster:943] OCR Result status =
true
[main] [ 2016-12-11 17:56:53.037 IST ] [OCR.isCluster:955] Boolean result = true
[main] [ 2016-12-11 17:56:53.038 IST ] [CRSResourceImpl.fetchRunningNodes:209] In
fetchRunningNode, isCluster = true
[main] [ 2016-12-11
17:56:53.038 IST ] [ClusterUtil.<init>:65] ClusterUtil Instance created
[main] [ 2016-12-11 17:56:53.038 IST ] [ClusterUtil.<init>:68] ClusterUtil
m_bSKGXN=true
[main] [ 2016-12-11 17:56:53.038 IST ] [has.ClusterUtilNative.Native] prsr_trace:
Native: getHostName
```

```
[main] [ 2016-12-11 17:56:53.038 IST ] [has.ClusterUtilNative.Native] prsr_trace:
Native: getHostName:hostname length: 256

[main] [ 2016-12-11 17:56:53.041 IST ] [has.ClusterUtilNative.Native] prsr_trace:
Native: getHostName:hostname: paw-racnode1

[main] [ 2016-12-11 17:56:53.041 IST ] [GetActiveNodes.getHostName:518] hostname =
paw-racnode1
[main] [ 2016-12-11 17:56:53.041 IST ] [Cluster.getHostName:1215] hostname = paw-
racnode1
[main] [ 2016-12-11 17:56:53.041 IST ] [HAASMUtills.isDiskGroupMounted:240] dg
nodes size 1
[main] [ 2016-12-11 17:56:53.041 IST ] [HAASMUtills.isDiskGroupMounted:247] Adding
to dg node listpaw-racnode1
[main] [ 2016-12-11 17:56:53.041 IST ] [HAASMUtills.isDiskGroupMounted:289]
diskgroup: PAWDB_DATA is not mounted on [paw-racnode2]
oracle.sysman.assistants.util.hasi.HAException: DiskGroup "PAWDB_DATA" resources
are not running on nodes "[paw-racnode2]". Database instances may not come up on
these nodes.
    at
oracle.sysman.assistants.util.hasi.HAASMUtills.isDiskGroupMounted(HAASMUtills.java:29
1)
    at
oracle.sysman.assistants.rconfig.engine.SharedStorageCheck.validateASMStorage(Share
dStorageCheck.java:345)
    at
oracle.sysman.assistants.rconfig.engine.SharedStorageCheck.checkRACStorage(SharedSt
orageCheck.java:158)
        at oracle.sysman.assistants.rconfig.engine.Convert.runStep(Convert.java:216)
        at
oracle.sysman.assistants.rconfig.engine.RACConvertStep.execute(RACConvertStep.java:
183)
            at oracle.sysman.assistants.rconfig.engine.Request.execute(Request.java:79)
            at
oracle.sysman.assistants.rconfig.engine.RConfigEngine.execute(RConfigEngine.java:66
)
                at oracle.sysman.assistants.rconfig.RConfig.<init>(RConfig.java:97)
                at oracle.sysman.assistants.rconfig.RConfig.<init>(RConfig.java:62)
                at oracle.sysman.assistants.rconfig.RConfig.main(RConfig.java:145)
[main] [ 2016-12-11 17:56:53.042 IST ] [Storage.extractDiskGroup:402] index of /=-
1
[main] [ 2016-12-11 17:56:53.042 IST ] [Storage.extractDiskGroup:415] Extracted
Value=FRA
[main] [ 2016-12-11 17:56:53.043 IST ] [HAASMUtills.isDiskGroupMounted:222]
entering isDiskGroupMounted
[main] [ 2016-12-11 17:56:53.043 IST ] [DiskGroupImpl.<init>:106] name =
ora.FRA.dg, display name = FRA
[main] [ 2016-12-11 17:56:53.058 IST ] [CRSNative.isEntityRegistered:672] entity:
ora.FRA.dg, type: 1, registered: true
[main] [ 2016-12-11 17:56:53.059 IST ] [DiskGroupImpl.<init>:132] name =
ora.FRA.dg, display name = FRA
[main] [ 2016-12-11 17:56:53.086 IST ] [CRSNative.isEntityRegistered:672] entity:
ora.FRA.dg, type: 1, registered: true
[main] [ 2016-12-11 17:56:53.086 IST ] [HAASMUtills.isDiskGroupMounted:238] before
fetchRunningNodes
[main] [ 2016-12-11 17:56:53.086 IST ] [CRSNative.fetchRunningNodeNames:799]
Looking for nodes: resource ora.FRA.dg
[main] [ 2016-12-11 17:56:53.105 IST ] [CRSNativeResult.addRIAttr:139] addRIAttr:
name 'ora.FRA.dg paw-racnode1 1', 'STATE':'ONLINE'
```



```
[main] [ 2016-12-11 17:56:53.105 IST ] [CRSNativeResult.addRIAttr:139] addRIAttr:
name 'ora.FRA.dg paw-racnode1 1', 'TARGET':'ONLINE'
[main] [ 2016-12-11 17:56:53.106 IST ] [CRSNativeResult.addRIAttr:139] addRIAttr:
name 'ora.FRA.dg paw-racnode1 1', 'LAST_SERVER':'paw-racnode1'
[main] [ 2016-12-11 17:56:53.106 IST ] [CRSNativeResult.addRIAttr:139] addRIAttr:
name 'ora.FRA.dg paw-racnode2 1', 'STATE':'ONLINE'
[main] [ 2016-12-11 17:56:53.106 IST ] [CRSNativeResult.addRIAttr:139] addRIAttr:
name 'ora.FRA.dg paw-racnode2 1', 'TARGET':'ONLINE'
[main] [ 2016-12-11 17:56:53.106 IST ] [CRSNativeResult.addRIAttr:139] addRIAttr:
name 'ora.FRA.dg paw-racnode2 1', 'LAST_SERVER':'paw-racnode2'
[main] [ 2016-12-11 17:56:53.106 IST ] [CRSNative.searchEntities:857] found 2
entities
[main] [ 2016-12-11 17:56:53.107 IST ] [CRSNative.getRIStatus:1374] RI:
'ora.FRA.dg paw-racnode1 1', state: 'ONLINE', target: 'ONLINE'
[main] [ 2016-12-11 17:56:53.107 IST ] [CRSNative.fetchRunningNodeNames:819]
Node: paw-racnode1
[main] [ 2016-12-11 17:56:53.107 IST ] [CRSNative.getRIStatus:1374] RI:
'ora.FRA.dg paw-racnode2 1', state: 'ONLINE', target: 'ONLINE'
[main] [ 2016-12-11 17:56:53.107 IST ] [CRSNative.fetchRunningNodeNames:819]
Node: paw-racnode2
[main] [ 2016-12-11 17:56:53.107 IST ] [Version.isPre:274] version to be checked
11.2.0.1.0 major version to check against10
[main] [ 2016-12-11 17:56:53.107 IST ] [Version.isPre:285] isPre.java: Returning
FALSE
[main] [ 2016-12-11 17:56:53.107 IST ] [OCR.loadLibrary:308]
Inside constructor of OCR
[main] [ 2016-12-11 17:56:53.108 IST ] [OCR.isCluster:939] Calling OCRNative for
isCluster()
[main] [ 2016-12-11 17:56:53.108 IST ] [nativesystem.OCRNative.Native] JNI:
isCluster() Successfully initialized meta context
[main] [ 2016-12-11 17:56:53.108 IST ] [nativesystem.OCRNative.Native] JNI:
procr_get_conf() retValue = 0
[main] [ 2016-12-11 17:56:53.108 IST ] [nativesystem.OCRNative.Native] The OCR
file is configured & local_only=false

[main] [ 2016-12-11 17:56:53.108 IST ] [OCR.isCluster:943] OCR Result status =
true
[main] [ 2016-12-11 17:56:53.108 IST ] [OCR.isCluster:955] Boolean result = true
[main] [ 2016-12-11 17:56:53.108 IST ] [CRSResourceImpl.fetchRunningNodes:209] In
fetchRunningNode, isCluster = true
[main] [ 2016-12-11 17:56:53.108 IST ] [ClusterUtil.<init>:65] ClusterUtil
Instance created
[main] [ 2016-12-11 17:56:53.109 IST ] [ClusterUtil.<init>:68] ClusterUtil
m_bSKGXN=true
[main] [ 2016-12-11 17:56:53.109 IST ] [has.ClusterUtilNative.Native] prsr_trace:
Native: getHostName

[main] [ 2016-12-11 17:56:53.109 IST ] [has.ClusterUtilNative.Native] prsr_trace:
Native: getHostName:hostname length: 256

[main] [ 2016-12-11 17:56:53.111 IST ] [has.ClusterUtilNative.Native] prsr_trace:
Native: getHostName:hostname: paw-racnode1

[main] [ 2016-12-11 17:56:53.111 IST ] [GetActiveNodes.getHostName:518] hostname =
paw-racnode1
[main] [ 2016-12-11 17:56:53.111 IST ] [Cluster.getHostName:1215] hostname = paw-
racnode1
[main] [ 2016-12-11 17:56:53.111 IST ] [ClusterUtil.<init>:65] ClusterUtil
Instance created
```

```
[main] [ 2016-12-11 17:56:53.111 IST ] [ClusterUtil.<init>:68] ClusterUtil
m_bSKGXN=true
[main] [ 2016-12-11 17:56:53.111 IST ] [has.ClusterUtilNative.Native] prsr_trace:
Native: getHostName

[main] [ 2016-12-11 17:56:53.111 IST ] [has.ClusterUtilNative.Native] prsr_trace:
Native: getHostName:hostname length: 256

[main] [ 2016-12-11 17:56:53.113 IST ] [has.ClusterUtilNative.Native] prsr_trace:
Native: getHostName:hostname: paw-racnode2

[main] [ 2016-12-11 17:56:53.113 IST ] [GetActiveNodes.getHostName:518] hostname =
paw-racnode2
[main] [ 2016-12-11 17:56:53.113 IST ] [Cluster.getHostName:1215] hostname = paw-
racnode2
[main] [ 2016-12-11 17:56:53.113 IST ] [HAASMUtills.isDiskGroupMounted:240] dg
nodes size 2
[main] [ 2016-12-11 17:56:53.113 IST ] [HAASMUtills.isDiskGroupMounted:247] Adding
to dg node listpaw-racnode1
[main] [ 2016-12-11 17:56:53.113 IST ] [HAASMUtills.isDiskGroupMounted:247] Adding
to dg node listpaw-racnode2
[main] [ 2016-12-11 17:56:53.119 IST ] [DBInstance.getDataAndControlFiles:547]
Number of DataAndControlFiles =6
[main] [ 2016-12-11 17:56:53.119 IST ] [SQLEngine.done:2148] Done called
[main] [ 2016-12-11 17:56:53.119 IST ] [SQLEngine.spoolOff:2008] Setting spool off
= /u01/app/oracle/cfgtoollogs/rconfig/pawdb/sqlLog
[main] [ 2016-12-11 17:56:53.123 IST ] [SharedStorageCheck.checkSpace:404]
Required DataFile Space = 1220149248
[main] [ 2016-12-11 17:56:53.123 IST ] [Storage.extractDiskGroup:402] index of /=-
1
[main] [ 2016-12-11 17:56:53.123 IST ] [Storage.extractDiskGroup:415] Extracted
Value=PAWDB_DATA
[main] [ 2016-12-11 17:56:53.124 IST ] [ASMUtills.getFreeDiskSpace:981] Diskgroup
for space check oracle.sysman.assistants.util.asm.DiskGroup@3b5e234c
[main] [ 2016-12-11 17:56:53.124 IST ] [ASMUtills.getFreeDiskSpace:985]
availableSpace 3995
[main] [ 2016-12-11 17:56:53.124 IST ] [OracleHome.getVersion:877]
OracleHome.getVersion called. Current Version: 11.2.0.1.0
[main] [ 2016-12-11 17:56:53.124 IST ] [OracleHome.getVersion:943] Current Version
From Inventory: 11.2.0.1.0
[main] [ 2016-12-11 17:56:53.124 IST ] [OracleHome.getVersion:948] using
sqlplus: /u01/app/oracle/product/11.2.0/db_1/bin/sqlplus
[main] [ 2016-12-11 17:56:53.124 IST ] [OracleHome.getVersion:877]
OracleHome.getVersion called. Current Version: 11.2.0.1.0
[main] [ 2016-12-11 17:56:53.124 IST ] [OracleHome.getVersion:943] Current Version
From Inventory: 11.2.0.1.0
[main] [ 2016-12-11 17:56:53.125 IST ] [OracleHome.getVersion:948] using
sqlplus: /u01/app/oracle/product/11.2.0/db_1/bin/sqlplus
[main] [ 2016-12-11 17:56:53.125 IST ] [OracleHome.getVersion:877]
OracleHome.getVersion called. Current Version: 11.2.0.1.0
[main] [ 2016-12-11 17:56:53.125 IST ] [OracleHome.getVersion:943] Current Version
From Inventory: 11.2.0.1.0
[main] [ 2016-12-11 17:56:53.125 IST ] [OracleHome.getVersion:948] using
sqlplus: /u01/app/oracle/product/11.2.0/db_1/bin/sqlplus
[main] [ 2016-12-11 17:56:53.125 IST ] [SQLPlusEngine.getCmmdParams:222] m_home
11.2.0.1.0
[main] [ 2016-12-11 17:56:53.126 IST ] [SQLPlusEngine.getCmmdParams:223] version >
112 true
[main] [ 2016-12-11 17:56:53.126 IST ] [SQLEngine.getEnvParams:547] Default
```

```
NLS_LANG: AMERICAN_AMERICA.AL32UTF8
[main] [ 2016-12-11 17:56:53.126 IST ] [SQLEngine.getEnvParams:557] NLS_LANG:
AMERICAN_AMERICA.AL32UTF8
[main] [ 2016-12-11 17:56:53.127 IST ] [SQLEngine.initialize:317] Execing
SQLPLUS/SVRMGR process...
[main] [ 2016-12-11 17:56:53.145 IST ] [SQLEngine.initialize:354]
m_bReaderStarted: false
[main] [ 2016-12-11 17:56:53.146 IST ] [SQLEngine.initialize:358] Starting Reader
Thread...
[main] [ 2016-12-11 17:56:53.177
IST ] [Instance.getSQLEngine:381] SQLEngine spooling
to=/u01/app/oracle/cfgtoollogs/rconfig/pawdb/sqlLog
[main] [ 2016-12-11 17:56:53.177 IST ] [SQLEngine.setSpool:1940] old Spool = null
[main] [ 2016-12-11 17:56:53.177 IST ] [SQLEngine.setSpool:1941] Setting Spool
= /u01/app/oracle/cfgtoollogs/rconfig/pawdb/sqlLog
[main] [ 2016-12-11 17:56:53.178 IST ] [SQLEngine.setSpool:1942] Is spool
appendable? --> true
[main] [ 2016-12-11 17:56:53.253 IST ] [DBInstance.getRecoveryFiles:457] Number of
recovery_dest =1
[main] [ 2016-12-11 17:56:53.253 IST ] [SQLEngine.done:2148] Done called
[main] [ 2016-12-11 17:56:53.254 IST ] [SQLEngine.spoolOff:2008] Setting spool off
= /u01/app/oracle/cfgtoollogs/rconfig/pawdb/sqlLog
[main] [ 2016-12-11 17:56:53.254 IST ] [SharedStorageCheck.checkSpace:434]
recovery_file 1 =/u01/app/oracle/flash_recovery_area
[main] [ 2016-12-11 17:56:53.254 IST ] [SharedStorageCheck.checkSpace:438]
Required Recovery Space = 4096
[main] [ 2016-12-11 17:56:53.254 IST ] [Storage.extractDiskGroup:402] index of /=-
1
[main] [ 2016-12-11 17:56:53.254 IST ] [Storage.extractDiskGroup:415] Extracted
Value=PAWDB_DATA
[main] [ 2016-12-11 17:56:53.254 IST ] [ASMUtils.getFreeDiskSpace:981] Diskgroup
for space check oracle.sysman.assistants.util.asm.DiskGroup@3b5e234c
[main] [ 2016-12-11 17:56:53.255 IST ] [ASMUtils.getFreeDiskSpace:985]
availableSpace 3995
[main] [ 2016-12-11 17:56:53.255 IST ] [OracleHome.getVersion:877]
OracleHome.getVersion called. Current Version: 11.2.0.1.0
[main] [ 2016-12-11 17:56:53.255 IST ] [OracleHome.getVersion:943] Current Version
From Inventory: 11.2.0.1.0
[main] [ 2016-12-11 17:56:53.255 IST ] [OracleHome.getVersion:948] using
sqlplus: /u01/app/oracle/product/11.2.0/db_1/bin/sqlplus
[main] [ 2016-12-11 17:56:53.255 IST ] [OracleHome.getVersion:877]
OracleHome.getVersion called. Current Version: 11.2.0.1.0
[main] [ 2016-12-11 17:56:53.255 IST ] [OracleHome.getVersion:943] Current Version
From Inventory: 11.2.0.1.0
[main] [ 2016-12-11 17:56:53.255 IST ] [OracleHome.getVersion:948] using
sqlplus: /u01/app/oracle/product/11.2.0/db_1/bin/sqlplus
[main] [ 2016-12-11 17:56:53.256 IST ] [OracleHome.getVersion:877]
OracleHome.getVersion called. Current Version: 11.2.0.1.0
[main] [ 2016-12-11 17:56:53.256 IST ] [OracleHome.getVersion:943] Current Version
From Inventory: 11.2.0.1.0
[main] [ 2016-12-11 17:56:53.256 IST ] [OracleHome.getVersion:948] using
sqlplus: /u01/app/oracle/product/11.2.0/db_1/bin/sqlplus
[main] [ 2016-12-11 17:56:53.256 IST ] [SQLPlusEngine.getCmmdParams:222] m_home
11.2.0.1.0
[main] [ 2016-12-11 17:56:53.256 IST ] [SQLPlusEngine.getCmmdParams:223] version >
112 true
[main] [ 2016-12-11 17:56:53.257 IST ] [SQLEngine.getEnvParams:547] Default
NLS_LANG: AMERICAN_AMERICA.AL32UTF8
[main] [ 2016-12-11 17:56:53.257 IST ] [SQLEngine.getEnvParams:557] NLS_LANG:
```

AMERICAN_AMERICA.AL32UTF8

```
[main] [ 2016-12-11 17:56:53.258 IST ] [SQLEngine.initialize:317] Execing
SQLPLUS/SVRMGR process...
[main] [ 2016-12-11 17:56:53.271 IST ] [SQLEngine.initialize:354]
m_bReaderStarted: false
[main] [ 2016-12-11 17:56:53.271 IST ] [SQLEngine.initialize:358] Starting Reader
Thread...
[main] [ 2016-12-11 17:56:53.330 IST ] [Instance.getSQLEngine:381] SQLEngine
spooling to=/u01/app/oracle/cfgtoollogs/rconfig/pawdb/sqlLog
[main] [ 2016-12-11 17:56:53.333 IST ] [SQLEngine.setSpool:1940] old Spool = null
[main] [ 2016-12-11 17:56:53.333 IST ] [SQLEngine.setSpool:1941] Setting Spool
= /u01/app/oracle/cfgtoollogs/rconfig/pawdb/sqlLog
[main] [ 2016-12-11 17:56:53.333 IST ] [SQLEngine.setSpool:1942] Is spool
appendable? --> true
[main] [ 2016-12-11 17:56:53.334 IST ] [DBInstance.getLocalStorageType:366] Number
of records =0
[main] [ 2016-12-11 17:56:53.337 IST ] [DBInstance.getDataAndControlFiles:547]
Number of DataAndControlFiles =6
[main] [ 2016-12-11 17:56:53.337 IST ] [SQLEngine.done:2148] Done called
[main] [ 2016-12-11 17:56:53.337 IST ] [SQLEngine.spoolOff:2008] Setting spool off
= /u01/app/oracle/cfgtoollogs/rconfig/pawdb/sqlLog
[main] [ 2016-12-11 17:56:53.337 IST ] [ClusterUtils.validateRawDevice:760] Inside
validateRawDevice
[main] [ 2016-12-11 17:56:53.338 IST ] [nativesystem.UnixNative.Native]
UnixNative_validateDevice:
devName=/u01/app/oracle/flash_recovery_area/pawdb/control02.ctl

[main] [ 2016-12-11 17:56:53.338 IST ] [nativesystem.UnixNative.Native]
UnixNative_validateDevice: status=FALSE

[main] [ 2016-12-11 17:56:53.338 IST ] [ClusterUtils.validateRawDevice:768] device
status false
[main] [ 2016-12-11 17:56:53.338 IST ] [ClusterUtils.validateRawDevice:760] Inside
validateRawDevice
[main] [ 2016-12-11 17:56:53.338 IST ] [nativesystem.UnixNative.Native]
UnixNative_validateDevice: devName=/u01/app/oracle/oradata/pawdb/control01.ctl

[main] [ 2016-12-11 17:56:53.338 IST ] [nativesystem.UnixNative.Native]
UnixNative_validateDevice: status=FALSE

[main] [ 2016-12-11 17:56:53.338 IST ] [ClusterUtils.validateRawDevice:768] device
status false
[main] [ 2016-12-11 17:56:53.338 IST ] [ClusterUtils.validateRawDevice:760] Inside
validateRawDevice
[main] [ 2016-12-11 17:56:53.339 IST ] [nativesystem.UnixNative.Native]
UnixNative_validateDevice: devName=/u01/app/oracle/oradata/pawdb/sysaux01.dbf

[main] [ 2016-12-11 17:56:53.339 IST ] [nativesystem.UnixNative.Native]
UnixNative_validateDevice: status=FALSE

[main] [ 2016-12-11 17:56:53.339 IST ] [ClusterUtils.validateRawDevice:768] device
status false
[main] [ 2016-12-11 17:56:53.339 IST ] [ClusterUtils.validateRawDevice:760] Inside
validateRawDevice
[main] [ 2016-12-11 17:56:53.339 IST ] [nativesystem.UnixNative.Native]
UnixNative_validateDevice: devName=/u01/app/oracle/oradata/pawdb/system01.dbf

[main] [ 2016-12-11 17:56:53.339 IST ] [nativesystem.UnixNative.Native]
UnixNative_validateDevice: status=FALSE
```

```

[main] [ 2016-12-11 17:56:53.339 IST ] [ClusterUtils.validateRawDevice:768] device
status false
[main] [ 2016-12-11 17:56:53.339 IST ] [ClusterUtils.validateRawDevice:760] Inside
validateRawDevice
[main] [ 2016-12-11 17:56:53.340 IST ] [nativesystem.UnixNative.Native]
UnixNative_validateDevice: devName=/u01/app/oracle/oradata/pawdb/undotbs01.dbf

[main] [ 2016-12-11 17:56:53.340 IST ] [nativesystem.UnixNative.Native]
UnixNative_validateDevice: status=FALSE

[main] [ 2016-12-11 17:56:53.340 IST ] [ClusterUtils.validateRawDevice:768] device
status false
[main] [ 2016-12-11 17:56:53.340 IST ] [ClusterUtils.validateRawDevice:760] Inside
validateRawDevice
[main] [ 2016-12-11 17:56:53.340 IST ] [nativesystem.UnixNative.Native]
UnixNative_validateDevice: devName=/u01/app/oracle/oradata/pawdb/users01.dbf

[main] [ 2016-12-11 17:56:53.340 IST ] [nativesystem.UnixNative.Native]
UnixNative_validateDevice: status=FALSE

[main] [ 2016-12-11 17:56:53.340 IST ] [ClusterUtils.validateRawDevice:768] device
status false
[main] [ 2016-12-11 17:56:53.340 IST ] [OracleHome.getVersion:877]
OracleHome.getVersion called. Current Version: 11.2.0.1.0
[main] [ 2016-12-11 17:56:53.341 IST ] [OracleHome.getVersion:943] Current Version
From Inventory: 11.2.0.1.0
[main] [ 2016-12-11 17:56:53.341 IST ] [OracleHome.getVersion:948] using
sqlplus: /u01/app/oracle/product/11.2.0/db_1/bin/sqlplus
[main] [ 2016-12-11 17:56:53.341 IST ] [OracleHome.getVersion:877]
OracleHome.getVersion called. Current Version: 11.2.0.1.0
[main] [ 2016-12-11 17:56:53.349 IST ] [OracleHome.getVersion:943] Current Version
From Inventory: 11.2.0.1.0
[main] [ 2016-12-11 17:56:53.349 IST ] [OracleHome.getVersion:948] using
sqlplus: /u01/app/oracle/product/11.2.0/db_1/bin/sqlplus
[main] [ 2016-12-11 17:56:53.349 IST ] [OracleHome.getVersion:877]
OracleHome.getVersion called. Current Version: 11.2.0.1.0
[main] [ 2016-12-11 17:56:53.349 IST ] [OracleHome.getVersion:943] Current Version
From Inventory: 11.2.0.1.0
[main] [ 2016-12-11 17:56:53.349 IST ] [OracleHome.getVersion:948] using
sqlplus: /u01/app/oracle/product/11.2.0/db_1/bin/sqlplus
[main] [ 2016-12-11 17:56:53.349 IST ] [SQLPlusEngine.getCmmdParams:222] m_home
11.2.0.1.0
[main] [ 2016-12-11 17:56:53.350 IST ] [SQLPlusEngine.getCmmdParams:223] version >
112 true
[main] [ 2016-12-11 17:56:53.350 IST ] [SQLEngine.getEnvParams:547] Default
NLS_LANG: AMERICAN_AMERICA.AL32UTF8
[main] [ 2016-12-11 17:56:53.350 IST ] [SQLEngine.getEnvParams:557] NLS_LANG:
AMERICAN_AMERICA.AL32UTF8
[main] [ 2016-12-11 17:56:53.351 IST ] [SQLEngine.initialize:317] Execing
SQLPLUS/SVRMGR process...
[main] [ 2016-12-11 17:56:53.369 IST ] [SQLEngine.initialize:354]
m_bReaderStarted: false
[main] [ 2016-12-11 17:56:53.369 IST ] [SQLEngine.initialize:358] Starting Reader
Thread...
[main] [ 2016-12-11 17:56:53.401 IST ] [Instance.getSQLEngine:381] SQLEngine
spooling to=/u01/app/oracle/cfgtoollogs/rconfig/pawdb/sqlLog
[main] [ 2016-12-11 17:56:53.401 IST ] [SQLEngine.setSpool:1940] old Spool = null
[main] [ 2016-12-11 17:56:53.401 IST ] [SQLEngine.setSpool:1941] Setting Spool

```

```
= /u01/app/oracle/cfgtoollogs/rconfig/pawdb/sqlLog
[main] [ 2016-12-11 17:56:53.402 IST ] [SQLEngine.setSpool:1942] Is spool
appendable? --> true
[main] [ 2016-12-11 17:56:53.483 IST ] [DBInstance.getArchiveLogDests:487] Results
from get_log_archive_dest
[main] [ 2016-12-11 17:56:53.483 IST ] [DBInstance.getArchiveLogDests:493] Local
dest1 = USE_DB_RECOVERY_FILE_DEST
[main] [ 2016-12-11 17:56:53.483 IST ] [SQLEngine.done:2148] Done called
[main] [ 2016-12-11 17:56:53.483 IST ] [SQLEngine.spoolOff:2008] Setting spool off
= /u01/app/oracle/cfgtoollogs/rconfig/pawdb/sqlLog
[main] [ 2016-12-11 17:56:53.484 IST ] [Storage.areFilesAccessible:544] Checking
file:
[main] [ 2016-12-11 17:56:53.484 IST ] [Storage.areFilesAccessible:544] Checking
file:null
[main] [ 2016-12-11 17:56:53.485 IST ] [Storage.areFilesAccessible:544] Checking
file:null
[main] [ 2016-12-11 17:56:53.485 IST ] [Storage.areFilesAccessible:544] Checking
file:null
[main]
 [ 2016-12-11 17:56:53.485 IST ] [Storage.areFilesAccessible:544] Checking
file:null
[main] [ 2016-12-11 17:56:53.485 IST ] [Storage.areFilesAccessible:544] Checking
file:null
[main] [ 2016-12-11 17:56:53.485 IST ] [Storage.areFilesAccessible:544] Checking
file:null
[main] [ 2016-12-11 17:56:53.486 IST ] [Storage.areFilesAccessible:544] Checking
file:null
[main] [ 2016-12-11 17:56:53.486 IST ] [Storage.areFilesAccessible:544] Checking
file:null
[main] [ 2016-12-11 17:56:53.492 IST ] [OracleHome.getVersion:877]
OracleHome.getVersion called. Current Version: 11.2.0.1.0
[main] [ 2016-12-11 17:56:53.492 IST ] [OracleHome.getVersion:943] Current Version
From Inventory: 11.2.0.1.0
[main] [ 2016-12-11 17:56:53.493 IST ] [OracleHome.getVersion:948] using
sqlplus: /u01/app/oracle/product/11.2.0/db_1/bin/sqlplus
[main] [ 2016-12-11 17:56:53.493 IST ] [OracleHome.getVersion:877]
OracleHome.getVersion called. Current Version: 11.2.0.1.0
[main] [ 2016-12-11 17:56:53.493 IST ] [OracleHome.getVersion:943] Current Version
From Inventory: 11.2.0.1.0
[main] [ 2016-12-11 17:56:53.493 IST ] [OracleHome.getVersion:948] using
sqlplus: /u01/app/oracle/product/11.2.0/db_1/bin/sqlplus
[main] [ 2016-12-11 17:56:53.494 IST ] [OracleHome.getVersion:877]
OracleHome.getVersion called. Current Version: 11.2.0.1.0
[main] [ 2016-12-11 17:56:53.494 IST ] [OracleHome.getVersion:943] Current Version
From Inventory: 11.2.0.1.0
[main] [ 2016-12-11 17:56:53.494 IST ] [OracleHome.getVersion:948] using
sqlplus: /u01/app/oracle/product/11.2.0/db_1/bin/sqlplus
[main] [ 2016-12-11 17:56:53.495 IST ] [SQLPlusEngine.getCmmdParams:222] m_home
11.2.0.1.0
[main] [ 2016-12-11 17:56:53.495 IST ] [SQLPlusEngine.getCmmdParams:223] version >
112 true
[main] [ 2016-12-11 17:56:53.495 IST ] [SQLEngine.getEnvParams:547] Default
NLS_LANG: AMERICAN_AMERICA.AL32UTF8
[main] [ 2016-12-11 17:56:53.496 IST ] [SQLEngine.getEnvParams:557] NLS_LANG:
AMERICAN_AMERICA.AL32UTF8
[main] [ 2016-12-11 17:56:53.498 IST ] [SQLEngine.initialize:317] Execing
SQLPLUS/SVRMGR process...
[main] [ 2016-12-11 17:56:53.511 IST ] [SQLEngine.initialize:354]
m_bReaderStarted: false
```

```
[main] [ 2016-12-11 17:56:53.511 IST ] [SQLEngine.initialize:358] Starting Reader
Thread...
[main] [ 2016-12-11 17:56:53.572 IST ] [Instance.getSQLEngine:381] SQLEngine
spooling to=/u01/app/oracle/cfgtoollogs/rconfig/pawdb/sqlLog
[main] [ 2016-12-11 17:56:53.573 IST ] [SQLEngine.setSpool:1940] old Spool = null
[main] [ 2016-12-11 17:56:53.573 IST ] [SQLEngine.setSpool:1941] Setting Spool
= /u01/app/oracle/cfgtoollogs/rconfig/pawdb/sqlLog
[main] [ 2016-12-11 17:56:53.573 IST ] [SQLEngine.setSpool:1942] Is spool
appendable? --> true
[main] [ 2016-12-11 17:56:53.574 IST ] [RAC.<init>:137] Existing instance
orahome=/u01/app/oracle/product/11.2.0/db_1
new instance orahome=/u01/app/oracle/product/11.2.0/db_1
[main] [ 2016-12-11 17:56:53.574 IST ] [RAC.<init>:139] New Instance dbDomain=
[main] [ 2016-12-11 17:56:53.584 IST ] [DBInstance.prepareStandby:849] DB status =
OPEN
[main] [ 2016-12-11 17:56:53.587 IST ]
[StorageManagement.callAdapterForStandbyDB:1988] Thread Info Array Length....1
[main] [ 2016-12-11 17:56:53.587 IST ] [SQLEngine.done:2148] Done called
[main] [ 2016-12-11 17:56:53.587 IST ] [SQLEngine.spoolOff:2008] Setting spool off
= /u01/app/oracle/cfgtoollogs/rconfig/pawdb/sqlLog
[main] [ 2016-12-11 17:56:53.588 IST ] [OracleHome.getVersion:877]
OracleHome.getVersion called. Current Version: 11.2.0.1.0
[main] [ 2016-12-11 17:56:53.588 IST ] [OracleHome.getVersion:943] Current Version
From Inventory: 11.2.0.1.0
[main] [ 2016-12-11 17:56:53.588 IST ] [OracleHome.getVersion:948] using
sqlplus: /u01/app/oracle/product/11.2.0/db_1/bin/sqlplus
[main] [ 2016-12-11 17:56:53.588 IST ] [OracleHome.getVersion:877]
OracleHome.getVersion called. Current Version: 11.2.0.1.0
[main] [ 2016-12-11 17:56:53.588 IST ] [OracleHome.getVersion:943] Current Version
From Inventory: 11.2.0.1.0
[main] [ 2016-12-11 17:56:53.588 IST ] [OracleHome.getVersion:948] using
sqlplus: /u01/app/oracle/product/11.2.0/db_1/bin/sqlplus
[main] [ 2016-12-11 17:56:53.589 IST ] [OracleHome.getVersion:877]
OracleHome.getVersion called. Current Version: 11.2.0.1.0
[main] [ 2016-12-11 17:56:53.589 IST ] [OracleHome.getVersion:943] Current Version
From Inventory: 11.2.0.1.0
[main] [ 2016-12-11 17:56:53.589 IST ] [OracleHome.getVersion:948] using
sqlplus: /u01/app/oracle/product/11.2.0/db_1/bin/sqlplus
[main] [ 2016-12-11 17:56:53.589 IST ] [SQLPlusEngine.getCmmdParams:222] m_home
11.2.0.1.0
[main] [ 2016-12-11 17:56:53.589 IST ] [SQLPlusEngine.getCmmdParams:223] version >
112 true
[main] [ 2016-12-11 17:56:53.590 IST ] [SQLEngine.getEnvParams:547] Default
NLS_LANG: AMERICAN_AMERICA.AL32UTF8
[main] [ 2016-12-11 17:56:53.590 IST ] [SQLEngine.getEnvParams:557] NLS_LANG:
AMERICAN_AMERICA.AL32UTF8
[main] [ 2016-12-11 17:56:53.932 IST ] [SQLEngine.initialize:317] Execing
SQLPLUS/SVRMGR process...
[main] [ 2016-12-11 17:56:53.951 IST ] [SQLEngine.initialize:354]
m_bReaderStarted: false
[main] [ 2016-12-11 17:56:53.951 IST ] [SQLEngine.initialize:358] Starting Reader
Thread...
[main] [ 2016-12-11 17:56:53.990 IST ] [Instance.getSQLEngine:381] SQLEngine
spooling to=/u01/app/oracle/cfgtoollogs/rconfig/pawdb/sqlLog
[main] [ 2016-12-11 17:56:53.990 IST ] [SQLEngine.setSpool:1940] old Spool = null
[main] [ 2016-12-11 17:56:53.990 IST ] [SQLEngine.setSpool:1941] Setting Spool
= /u01/app/oracle/cfgtoollogs/rconfig/pawdb/sqlLog
[main] [ 2016-12-11 17:56:53.990 IST ] [SQLEngine.setSpool:1942] Is spool
appendable? --> true
```

```
[main] [ 2016-12-11 17:56:53.992 IST ] [DBInstance.getLocalStorageType:366] Number
of records =0
[main] [ 2016-12-11 17:56:53.994 IST ] [DBInstance.getDataAndControlFiles:547]
Number of DataAndControlFiles =6
[main] [ 2016-12-11 17:56:53.994 IST ] [SQLEngine.done:2148] Done called
[main] [ 2016-12-11 17:56:53.994 IST ] [SQLEngine.poolOff:2008] Setting pool off
= /u01/app/oracle/cfgtoollogs/rconfig/pawdb/sqlLog
[main] [ 2016-12-11 17:56:53.994 IST ] [ClusterUtils.validateRawDevice:760] Inside
validateRawDevice
[main] [ 2016-12-11 17:56:53.995 IST ] [nativesystem.UnixNative.Native]
UnixNative_validateDevice:
devName=/u01/app/oracle/flash_recovery_area/pawdb/control02.ctl

[main] [ 2016-12-11 17:56:53.995 IST ] [nativesystem.UnixNative.Native]
UnixNative_validateDevice: status=FALSE

[main] [ 2016-12-11 17:56:53.995 IST ] [ClusterUtils.validateRawDevice:768] device
status false
[main] [ 2016-12-11 17:56:53.995 IST ] [ClusterUtils.validateRawDevice:760] Inside
validateRawDevice
[main] [ 2016-12-11 17:56:53.995 IST ] [nativesystem.UnixNative.Native]
UnixNative_validateDevice: devName=/u01/app/oracle/oradata/pawdb/control01.ctl

[main] [ 2016-12-11 17:56:53.995 IST ] [nativesystem.UnixNative.Native]
UnixNative_validateDevice: status=FALSE

[main] [ 2016-12-11 17:56:53.995 IST ] [ClusterUtils.validateRawDevice:768] device
status false
[main] [ 2016-12-11 17:56:53.995 IST ] [ClusterUtils.validateRawDevice:760] Inside
validateRawDevice
[main] [ 2016-12-11 17:56:53.995 IST ] [nativesystem.UnixNative.Native]
UnixNative_validateDevice: devName=/u01/app/oracle/oradata/pawdb/sysaux01.dbf

[main] [ 2016-12-11 17:56:53.996 IST ] [nativesystem.UnixNative.Native]
UnixNative_validateDevice: status=FALSE

[main] [ 2016-12-11 17:56:53.996 IST ] [ClusterUtils.validateRawDevice:768] device
status false
[main] [ 2016-12-11 17:56:53.996 IST ] [ClusterUtils.validateRawDevice:760] Inside
validateRawDevice
[main] [ 2016-12-11 17:56:53.996 IST ] [nativesystem.UnixNative.Native]
UnixNative_validateDevice: devName=/u01/app/oracle/oradata/pawdb/system01.dbf

[main] [ 2016-12-11 17:56:53.996 IST ] [nativesystem.UnixNative.Native]
UnixNative_validateDevice: status=FALSE

[main] [ 2016-12-11 17:56:53.996 IST ] [ClusterUtils.validateRawDevice:768] device
status false
[main] [ 2016-12-11 17:56:53.996 IST ] [ClusterUtils.validateRawDevice:760] Inside
validateRawDevice
[main] [ 2016-12-11 17:56:53.996 IST ] [nativesystem.UnixNative.Native]
UnixNative_validateDevice: devName=/u01/app/oracle/oradata/pawdb/undotbs01.dbf

[main] [ 2016-12-11 17:56:53.997 IST ] [nativesystem.UnixNative.Native]
UnixNative_validateDevice: status=FALSE

[main] [ 2016-12-11 17:56:53.997 IST ] [ClusterUtils.validateRawDevice:768] device
status false
[main] [ 2016-12-11 17:56:53.997 IST ] [ClusterUtils.validateRawDevice:760] Inside
```



```

validateRawDevice
[main] [ 2016-12-11 17:56:53.997 IST ] [nativesystem.UnixNative.Native]
UnixNative_validateDevice: devName=/u01/app/oracle/oradata/pawdb/users01.dbf

[main] [ 2016-12-11 17:56:53.997 IST ] [nativesystem.UnixNative.Native]
UnixNative_validateDevice: status=FALSE

[main] [ 2016-12-11 17:56:53.997 IST ] [ClusterUtils.validateRawDevice:768] device
status false
[main] [ 2016-12-11 17:56:53.997 IST ] [OracleHome.getVersion:877]
OracleHome.getVersion called. Current Version: 11.2.0.1.0
[main] [ 2016-12-11 17:56:53.997 IST ] [OracleHome.getVersion:943] Current Version
From Inventory: 11.2.0.1.0
[main] [ 2016-12-11 17:56:53.998 IST ] [OracleHome.getVersion:948] using
sqlplus: /u01/app/oracle/product/11.2.0/db_1/bin/sqlplus
[main] [ 2016-12-11 17:56:53.998 IST ] [OracleHome.getVersion:877]
OracleHome.getVersion called. Current Version: 11.2.0.1.0
[main] [ 2016-12-11 17:56:53.998 IST ] [OracleHome.getVersion:943] Current Version
From Inventory: 11.2.0.1.0
[main] [ 2016-12-11 17:56:53.998 IST ] [OracleHome.getVersion:948] using
sqlplus: /u01/app/oracle/product/11.2.0/db_1/bin/sqlplus
[main] [ 2016-12-11 17:56:53.998 IST ] [OracleHome.getVersion:877]
OracleHome.getVersion called. Current Version: 11.2.0.1.0
[main] [ 2016-12-11 17:56:53.998 IST ] [OracleHome.getVersion:943] Current Version
From Inventory: 11.2.0.1.0
[main] [ 2016-12-11 17:56:53.998 IST ] [OracleHome.getVersion:948] using sqlplus:
/u01/app/oracle/product/11.2.0/db_1/bin/sqlplus
[main] [ 2016-12-11 17:56:53.998 IST ] [SQLPlusEngine.getCmmdParams:222] m_home
11.2.0.1.0
[main] [ 2016-12-11 17:56:53.999 IST ] [SQLPlusEngine.getCmmdParams:223] version >
112 true
[main] [ 2016-12-11 17:56:53.999 IST ] [SQLEngine.getEnvParams:547] Default
NLS_LANG: AMERICAN_AMERICA.AL32UTF8
[main] [ 2016-12-11 17:56:53.999 IST ] [SQLEngine.getEnvParams:557] NLS_LANG:
AMERICAN_AMERICA.AL32UTF8
[main] [ 2016-12-11 17:56:54.001 IST ] [SQLEngine.initialize:317] Execing
SQLPLUS/SVRMGR process...
[main] [ 2016-12-11 17:56:54.011 IST ] [SQLEngine.initialize:354]
m_bReaderStarted: false
[main] [ 2016-12-11 17:56:54.011 IST ] [SQLEngine.initialize:358] Starting Reader
Thread...
[main] [ 2016-12-11 17:56:54.052 IST ] [Instance.getSQLEngine:381] SQLEngine
spooling to=/u01/app/oracle/cfgtoollogs/rconfig/pawdb/sqlLog
[main] [ 2016-12-11 17:56:54.052 IST ] [SQLEngine.setSpool:1940] old Spool = null
[main] [ 2016-12-11 17:56:54.052 IST ] [SQLEngine.setSpool:1941] Setting Spool
= /u01/app/oracle/cfgtoollogs/rconfig/pawdb/sqlLog
[main] [ 2016-12-11 17:56:54.052 IST ] [SQLEngine.setSpool:1942] Is spool
appendable? --> true
[main] [ 2016-12-11 17:56:54.058 IST ] [DBInstance.getSPFile:435] value of spfile
to start with=/u01/app/oracle/product/11.2.0/db_1/dbs/spfilepawdb.ora
[main] [ 2016-12-11 17:56:54.059 IST ] [SQLEngine.done:2148] Done called
[main] [ 2016-12-11 17:56:54.059 IST ] [SQLEngine.spoolOff:2008] Setting spool off
= /u01/app/oracle/cfgtoollogs/rconfig/pawdb/sqlLog
[main] [ 2016-12-11 17:56:54.059 IST ] [OracleHome.getVersion:877]
OracleHome.getVersion called. Current Version: 11.2.0.1.0
[main] [ 2016-12-11 17:56:54.059 IST ] [OracleHome.getVersion:943] Current Version
From Inventory: 11.2.0.1.0
[main] [ 2016-12-11 17:56:54.059 IST ] [OracleHome.getVersion:948] using
sqlplus: /u01/app/oracle/product/11.2.0/db_1/bin/sqlplus

```

```
[main] [ 2016-12-11 17:56:54.059 IST ] [OracleHome.getVersion:877]
OracleHome.getVersion called. Current Version: 11.2.0.1.0
[main] [ 2016-12-11 17:56:54.059 IST ] [OracleHome.getVersion:943] Current Version
From Inventory: 11.2.0.1.0
[main] [ 2016-12-11 17:56:54.060 IST ] [OracleHome.getVersion:948] using
sqlplus: /u01/app/oracle/product/11.2.0/db_1/bin/sqlplus
[main] [ 2016-12-11 17:56:54.060 IST ] [OracleHome.getVersion:877]
OracleHome.getVersion called. Current Version: 11.2.0.1.0
[main] [ 2016-12-11 17:56:54.060 IST ] [OracleHome.getVersion:943] Current Version
From Inventory: 11.2.0.1.0
[main] [ 2016-12-11 17:56:54.060 IST ] [OracleHome.getVersion:948] using
sqlplus: /u01/app/oracle/product/11.2.0/db_1/bin/sqlplus
[main] [ 2016-12-11 17:56:54.060 IST ] [SQLPlusEngine.getCmmdParams:222] m_home
11.2.0.1.0
[main] [ 2016-12-11 17:56:54.060 IST ] [SQLPlusEngine.getCmmdParams:223] version >
112 true
[main] [ 2016-12-11 17:56:54.061 IST ] [SQLEngine.getEnvParams:547] Default
NLS_LANG: AMERICAN_AMERICA.AL32UTF8
[main] [ 2016-12-11 17:56:54.061 IST ] [SQLEngine.getEnvParams:557] NLS_LANG:
AMERICAN_AMERICA.AL32UTF8
[main] [ 2016-12-11 17:56:54.061 IST ] [SQLEngine.initialize:317] Execing
SQLPLUS/SVRMGR process...
[main] [ 2016-12-11 17:56:54.073 IST ] [SQLEngine.initialize:354]
m_bReaderStarted: false
[main] [ 2016-12-11 17:56:54.073 IST ] [SQLEngine.initialize:358] Starting Reader
Thread...
[main] [ 2016-12-11 17:56:54.113 IST ] [Instance.getSQLEngine:381] SQLEngine
spooling to=/u01/app/oracle/cfgtoollogs/rconfig/pawdb/sqlLog
[main] [ 2016-12-11 17:56:54.113 IST ] [SQLEngine.setSpool:1940] old Spool = null
[main] [ 2016-12-11 17:56:54.113 IST ] [SQLEngine.setSpool:1941] Setting Spool
= /u01/app/oracle/cfgtoollogs/rconfig/pawdb/sqlLog
[main] [ 2016-12-11 17:56:54.113 IST ] [SQLEngine.setSpool:1942] Is spool
appendable? --> true
[main] [ 2016-12-11 17:56:54.116 IST ] [DBInstance.getDataAndControlFiles:547]
Number of DataAndControlFiles =6
[main] [ 2016-12-11 17:56:54.116 IST ] [SQLEngine.done:2148] Done called
[main] [ 2016-12-11 17:56:54.116 IST ] [SQLEngine.spoolOff:2008] Setting spool off
= /u01/app/oracle/cfgtoollogs/rconfig/pawdb/sqlLog
[main] [ 2016-12-11 17:56:54.116 IST ]
[OptionsCheck.getLocalStorageStatusForDBArea:319] length of data =6
[main] [ 2016-12-11 17:56:54.117 IST ] [Storage.areFilesAccessible:544] Checking
file:/u01/app/oracle/flash_recovery_area/pawdb/control02.ctl
[main] [ 2016-12-11 17:56:54.117 IST ] [Storage.areFilesAccessible:563]
localStorageType=CFS
[main] [ 2016-12-11 17:56:54.118 IST ] [GetActiveNodes.create:226] Returning an
existing instance of GetActiveNodes
[main] [ 2016-12-11 17:56:54.118 IST ] [Cluster.verifyNodeList:1147]
clusterNodes[0]=paw-racnode1
[main] [ 2016-12-11 17:56:54.118 IST ] [Cluster.verifyNodeList:1147]
clusterNodes[1]=paw-racnode2
[main] [ 2016-12-11 17:56:54.118 IST ] [Cluster.verifyNodeList:1152]
nodeList[0]=paw-racnode1
[main] [ 2016-12-11 17:56:54.118 IST ] [Cluster.verifyNodeList:1152]
nodeList[1]=paw-racnode2
[main] [ 2016-12-11 17:56:54.118 IST ] [GetActiveNodes.create:226] Returning an
existing instance of GetActiveNodes
[main] [ 2016-12-11 17:56:54.118 IST ] [Cluster.isSharedPath:1071] NodeList=[paw-
racnode1, paw-racnode2]
[main] [ 2016-12-11 17:56:54.118 IST ] [Cluster.isSharedPath:1107]
```

```
pathName=/u01/app/oracle/flash_recovery_area/pawdb/control02.ctl dirPath =
/u01/app/oracle/flash_recovery_area/pawdb/control02.ctl
[main] [ 2016-12-11 17:56:54.119 IST ] [UnixSystem.isSharedPath:1532]
dirPath=/u01/app/oracle/flash_recovery_area/pawdb
[main] [ 2016-12-11 17:56:54.138 IST ] [UnixSystem.isSharedPath:1537]
UnixSystem.isShared:
pathName=/u01/app/oracle/flash_recovery_area/pawdb/control02.ctl
tempFile=CFSFileName14814592141191331065827571103517.tmp
[main] [ 2016-12-11 17:56:54.138 IST ] [UnixSystem.isSharedPath:1542]
UnixSystem.isShared: dirPathName is
/u01/app/oracle/flash_recovery_area/pawdb/CFSFileName148145921411913310658275711035
17.tmp
[main] [ 2016-12-11 17:56:54.139 IST ] [UnixSystem.isSharedPath:1546]
UnixSystem.isShared: removing file
/u01/app/oracle/flash_recovery_area/pawdb/CFSFileName148145921411913310658275711035
17.tmp on paw-racnode2
[main] [ 2016-12-11 17:56:54.140 IST ] [Utils.getLocalHost:356] Hostname
retrieved: paw-racnode1.airydba.com, returned: paw-racnode1
[main] [ 2016-12-11 17:56:54.140 IST ] [RuntimeExec.runCommand:75] Calling
Runtime.exec() with the command
[main] [ 2016-12-11 17:56:54.140 IST ] [RuntimeExec.runCommand:77] /usr/bin/ssh
[main] [ 2016-12-11 17:56:54.140 IST ] [RuntimeExec.runCommand:77] -o
[main] [ 2016-12-11 17:56:54.140 IST ] [RuntimeExec.runCommand:77]
FallBackToRsh=no
[main] [ 2016-12-11 17:56:54.140 IST ] [RuntimeExec.runCommand:77] -o
[main] [ 2016-12-11 17:56:54.140 IST ] [RuntimeExec.runCommand:77]
PasswordAuthentication=no
[main] [ 2016-12-11 17:56:54.140 IST ] [RuntimeExec.runCommand:77] -o
[main] [ 2016-12-11 17:56:54.140 IST ] [RuntimeExec.runCommand:77]
StrictHostKeyChecking=yes
[main] [ 2016-12-11 17:56:54.141 IST ] [RuntimeExec.runCommand:77] -o
[main] [ 2016-12-11 17:56:54.141 IST ] [RuntimeExec.runCommand:77]
NumberOfPasswordPrompts=0
[main] [ 2016-12-11 17:56:54.141 IST ] [RuntimeExec.runCommand:77] paw-racnode2
[main] [ 2016-12-11 17:56:54.141 IST ] [RuntimeExec.runCommand:77] -n
[main] [ 2016-12-11 17:56:54.141 IST ] [RuntimeExec.runCommand:77] /bin/rm
[main] [ 2016-12-11 17:56:54.141 IST ] [RuntimeExec.runCommand:77] -f
[main] [ 2016-12-11 17:56:54.141 IST ] [RuntimeExec.runCommand:77]
/u01/app/oracle/flash_recovery_area/pawdb/CFSFileName148145921411913310658275711035
17.tmp
[Thread-66] [ 2016-12-11 17:56:54.150 IST ] [StreamReader.run:61] In
StreamReader.run
[main] [ 2016-12-11 17:56:54.150 IST ] [RuntimeExec.runCommand:142] runCommand:
Waiting for the process
[Thread-65] [ 2016-12-11 17:56:54.150 IST ] [StreamReader.run:61] In
StreamReader.run
[main] [ 2016-12-11 17:56:54.300 IST ] [RuntimeExec.runCommand:144] runCommand:
process returns 0
[main] [ 2016-12-11 17:56:54.301 IST ] [RuntimeExec.runCommand:161] RunTimeExec:
output>
[main] [ 2016-12-11 17:56:54.301 IST ] [RuntimeExec.runCommand:170] RunTimeExec:
error>
[main] [ 2016-12-11 17:56:54.301 IST ] [RuntimeExec.runCommand:192] Returning from
RunTimeExec.runCommand
[main] [ 2016-12-11 17:56:54.302 IST ] [NativeSystem.isCmdScv:471] isCmdScv:
cmd=/usr/bin/ssh -o FallBackToRsh=no -o PasswordAuthentication=no -o
StrictHostKeyChecking=yes -o NumberOfPasswordPrompts=0 paw-racnode2 -n /bin/rm
-f
/u01/app/oracle/flash_recovery_area/pawdb/CFSFileName148145921411913310658275711035
```

```
17.tmp]
[main] [ 2016-12-11 17:56:54.303 IST ] [NativeSystem.isCmdScv:521] isCmdScv:
/usr/bin/ssh is present.
[main] [ 2016-12-11 17:56:54.303 IST ] [NativeSystem.isCmdScv:523] isCmdScv:
/usr/bin/ssh is a file.
[main] [ 2016-12-11 17:56:54.303 IST ] [NativeSystem.isCmdScv:540] isCmdScv:
returned true
[main] [ 2016-12-11 17:56:54.315 IST ] [NativeSystem.rununixcmd:1058]
NativeSystem.rununixcmd: RetString 1| :successful
[main] [ 2016-12-11 17:56:54.315 IST ] [UnixSystem.isSharedPath:1546]
UnixSystem.isShared: removing file
/u01/app/oracle/flash_recovery_area/pawdb/CFSFileName148145921411913310658275711035
17.tmp on paw-racnode1
[main] [ 2016-12-11 17:56:54.316 IST ] [RuntimeExec.runCommand:75] Calling
Runtime.exec() with the command
[main] [ 2016-12-11 17:56:54.316 IST ] [RuntimeExec.runCommand:77] /bin/rm
[main] [ 2016-12-11 17:56:54.316 IST ] [RuntimeExec.runCommand:77] -f
[main] [ 2016-12-11 17:56:54.316 IST ] [RuntimeExec.runCommand:77]
/u01/app/oracle/flash_recovery_area/pawdb/CFSFileName148145921411913310658275711035
17.tmp
[Thread-68] [ 2016-12-11 17:56:54.322 IST ] [StreamReader.run:61] In
StreamReader.run
[main] [ 2016-12-11 17:56:54.323 IST ] [RuntimeExec.runCommand:142] runCommand:
Waiting for the process
[Thread-67] [ 2016-12-11 17:56:54.323 IST ] [StreamReader.run:61] In
StreamReader.run
[main]
[ 2016-12-11 17:56:54.325 IST ] [RuntimeExec.runCommand:144] runCommand: process
returns 0
[main] [ 2016-12-11 17:56:54.325 IST ] [RuntimeExec.runCommand:161] RunTimeExec:
output>
[main] [ 2016-12-11 17:56:54.325 IST ] [RuntimeExec.runCommand:170] RunTimeExec:
error>
[main] [ 2016-12-11 17:56:54.325 IST ] [RuntimeExec.runCommand:192] Returning from
RunTimeExec.runCommand
[main] [ 2016-12-11 17:56:54.325 IST ] [NativeSystem.isCmdScv:471] isCmdScv:
cmd=[/bin/rm -f
/u01/app/oracle/flash_recovery_area/pawdb/CFSFileName148145921411913310658275711035
17.tmp]
[main] [ 2016-12-11 17:56:54.326 IST ] [NativeSystem.isCmdScv:540] isCmdScv:
returned false
[main] [ 2016-12-11 17:56:54.326 IST ] [NativeSystem.rununixcmd:1058]
NativeSystem.rununixcmd: RetString 1| :successful
[main] [ 2016-12-11 17:56:54.326 IST ] [UnixSystem.isSharedPath:1551]
UnixSystem.isShared: creating file
/u01/app/oracle/flash_recovery_area/pawdb/CFSFileName148145921411913310658275711035
17.tmp
[main] [ 2016-12-11 17:56:54.326 IST ] [UnixSystem.testCFSFile:1646] The unix
command is /usr/bin/ssh -o FallBackToRsh=no -o PasswordAuthentication=no -o
StrictHostKeyChecking=yes -o NumberOfPasswordPrompts=0 paw-racnode2 -n /bin/sh -c
"/bin/ls /u01/app/oracle/flash_recovery_area/pawdb > /dev/null 2>&1 && /bin/cat
/u01/app/oracle/flash_recovery_area/pawdb/CFSFileName148145921411913310658275711035
17.tmp"
[main] [ 2016-12-11 17:56:54.326 IST ] [RuntimeExec.runCommand:75] Calling
Runtime.exec() with the command
[main] [ 2016-12-11 17:56:54.326 IST ] [RuntimeExec.runCommand:77] /usr/bin/ssh
[main] [ 2016-12-11 17:56:54.326 IST ] [RuntimeExec.runCommand:77] -o
[main] [ 2016-12-11 17:56:54.327 IST ] [RuntimeExec.runCommand:77]
FallBackToRsh=no
```

```

[main] [ 2016-12-11 17:56:54.327 IST ] [RuntimeExec.runCommand:77] -o
[main] [ 2016-12-11 17:56:54.327 IST ] [RuntimeExec.runCommand:77]
PasswordAuthentication=no
[main] [ 2016-12-11 17:56:54.327 IST ] [RuntimeExec.runCommand:77] -o
[main] [ 2016-12-11 17:56:54.327 IST ] [RuntimeExec.runCommand:77]
StrictHostKeyChecking=yes
[main] [ 2016-12-11 17:56:54.328 IST ] [RuntimeExec.runCommand:77] -o
[main] [ 2016-12-11 17:56:54.328 IST ] [RuntimeExec.runCommand:77]
NumberOfPasswordPrompts=0
[main] [ 2016-12-11 17:56:54.328 IST ] [RuntimeExec.runCommand:77] paw-racnode2
[main] [ 2016-12-11 17:56:54.328 IST ] [RuntimeExec.runCommand:77] -n
[main] [ 2016-12-11 17:56:54.328 IST ] [RuntimeExec.runCommand:77] /bin/sh
[main] [ 2016-12-11 17:56:54.328 IST ] [RuntimeExec.runCommand:77] -c
[main] [ 2016-12-11 17:56:54.328 IST ] [RuntimeExec.runCommand:77] "/bin/ls
[main] [ 2016-12-11 17:56:54.329 IST ] [RuntimeExec.runCommand:77]
/u01/app/oracle/flash_recovery_area/pawdb
[main] [ 2016-12-11 17:56:54.329 IST ] [RuntimeExec.runCommand:77] >
[main] [ 2016-12-11 17:56:54.329 IST ] [RuntimeExec.runCommand:77] /dev/null
[main] [ 2016-12-11 17:56:54.329 IST ] [RuntimeExec.runCommand:77] 2>&1
[main] [ 2016-12-11 17:56:54.329 IST ] [RuntimeExec.runCommand:77] &&
[main] [ 2016-12-11 17:56:54.329 IST ] [RuntimeExec.runCommand:77] /bin/cat
[main] [ 2016-12-11 17:56:54.329 IST ] [RuntimeExec.runCommand:77]
/u01/app/oracle/flash_recovery_area/pawdb/CFSFileName148145921411913310658275711035
17.tmp"
[Thread-70] [ 2016-12-11 17:56:54.340 IST ] [StreamReader.run:61] In
StreamReader.run
[main] [ 2016-12-11 17:56:54.340 IST ] [RuntimeExec.runCommand:142] runCommand:
Waiting for the process
[Thread-69] [ 2016-12-11 17:56:54.340 IST ] [StreamReader.run:61] In
StreamReader.run
[main] [ 2016-12-11 17:56:54.482 IST ] [RuntimeExec.runCommand:144] runCommand:
process returns 2
[main] [ 2016-12-11 17:56:54.482 IST ] [RuntimeExec.runCommand:161] RunTimeExec:
output>
[main] [ 2016-12-11 17:56:54.483 IST ] [RuntimeExec.runCommand:170] RunTimeExec:
error>
[main] [ 2016-12-11 17:56:54.483 IST ] [RuntimeExec.runCommand:192] Returning from
RunTimeExec.runCommand
[main] [ 2016-12-11 17:56:54.484 IST ] [UnixSystem.testCFSFile:1658] Command
output is empty
[main] [ 2016-12-11 17:56:54.484 IST ] [UnixSystem.testCFSFile:1659] ERROR: from
node paw-racnode2
[main] [ 2016-12-11 17:56:54.485 IST ] [OracleHome.getVersion:877]
OracleHome.getVersion called. Current Version: 11.2.0.1.0
[main] [ 2016-12-11 17:56:54.485 IST ] [OracleHome.getVersion:943] Current Version
From Inventory: 11.2.0.1.0
[main] [ 2016-12-11 17:56:54.486 IST ] [OracleHome.getVersion:948] using
sqlplus: /u01/app/oracle/product/11.2.0/db_1/bin/sqlplus
[main] [ 2016-12-11 17:56:54.493 IST ] [OracleHome.getVersion:877]
OracleHome.getVersion called. Current Version: 11.2.0.1.0
[main] [ 2016-12-11 17:56:54.494 IST ] [OracleHome.getVersion:943] Current Version
From Inventory: 11.2.0.1.0
[main] [ 2016-12-11 17:56:54.494 IST ] [OracleHome.getVersion:948] using
sqlplus: /u01/app/oracle/product/11.2.0/db_1/bin/sqlplus
[main] [ 2016-12-11 17:56:54.495 IST ] [OracleHome.getVersion:877]
OracleHome.getVersion called. Current Version: 11.2.0.1.0
[main] [ 2016-12-11 17:56:54.495 IST ] [OracleHome.getVersion:943] Current Version
From Inventory: 11.2.0.1.0
[main] [ 2016-12-11 17:56:54.495 IST ] [OracleHome.getVersion:948] using

```

```

sqlplus: /u01/app/oracle/product/11.2.0/db_1/bin/sqlplus
[main] [ 2016-12-11 17:56:54.496 IST ] [SQLPlusEngine.getCmmdParams:222] m_home
11.2.0.1.0
[main] [ 2016-12-11 17:56:54.496 IST ] [SQLPlusEngine.getCmmdParams:223] version >
112 true
[main] [ 2016-12-11 17:56:54.498 IST ] [SQLEngine.getEnvParams:547] Default
NLS_LANG: AMERICAN_AMERICA.AL32UTF8
[main] [ 2016-12-11 17:56:54.498 IST ] [SQLEngine.getEnvParams:557] NLS_LANG:
AMERICAN_AMERICA.AL32UTF8
[main] [ 2016-12-11 17:56:54.501 IST ] [SQLEngine.initialize:317] Execing
SQLPLUS/SVRMGR process...
[main] [ 2016-12-11 17:56:54.519 IST ] [SQLEngine.initialize:354]
m_bReaderStarted: false
[main] [ 2016-12-11 17:56:54.520 IST ] [SQLEngine.initialize:358] Starting Reader
Thread...
[main] [ 2016-12-11 17:56:54.547 IST ] [Instance.getSQLEngine:381] SQLEngine
spooling to=/u01/app/oracle/cfgtoollogs/rconfig/pawdb/sqlLog
[main] [ 2016-12-11 17:56:54.548 IST ] [SQLEngine.setSpool:1940] old Spool = null
[main] [ 2016-12-11 17:56:54.548 IST ] [SQLEngine.setSpool:1941] Setting Spool
= /u01/app/oracle/cfgtoollogs/rconfig/pawdb/sqlLog
[main] [ 2016-12-11 17:56:54.548 IST ] [SQLEngine.setSpool:1942] Is spool
appendable? --> true
[main] [ 2016-12-11 17:56:54.557 IST ] [Storage.setCurrentDataArea:308] Current
Data Area set to=null
[main] [ 2016-12-11 17:56:54.557 IST ] [Storage.setCurrentRecoveryArea:320]
Current Recovery Area set to=/u01/app/oracle/flash_recovery_area
[main] [ 2016-12-11 17:56:54.672 IST ] [SQLEngine.done:2148] Done called
[main] [ 2016-12-11 17:56:54.672 IST ] [SQLEngine.spoolOff:2008] Setting spool off
= /u01/app/oracle/cfgtoollogs/rconfig/pawdb/sqlLog
java.lang.NullPointerException
    at
oracle.sysman.assistants.rconfig.engine.StorageManagement.deleteDataArea(StorageMan
agement.java:1802)
    at oracle.sysman.assistants.rconfig.engine.Convert.runStep(Convert.java:289)
    at
oracle.sysman.assistants.rconfig.engine.RACConvertStep.execute(RACConvertStep.java:
183)
    at oracle.sysman.assistants.rconfig.engine.Request.execute(Request.java:79)
    at
oracle.sysman.assistants.rconfig.engine.RConfigEngine.execute(RConfigEngine.java:66
)
    at oracle.sysman.assistants.rconfig.RConfig.<init>(RConfig.java:97)
    at oracle.sysman.assistants.rconfig.RConfig.<init>(RConfig.java:62)
    at oracle.sysman.assistants.rconfig.RConfig.main(RConfig.java:145)
[main] [ 2016-12-11 17:56:54.679 IST ] [InstanceManagement.deletePFiles:640]
Delete pfiles for 2 instances
[main] [ 2016-12-11 17:56:54.679 IST ] [OsUtilsBase.deleteFile:1711]
OsUtilsBase.deleteFile: /u01/app/oracle/product/11.2.0/db_1/dbs/initpawdb1.ora
[main] [ 2016-12-11 17:56:54.685 IST ] [ClusterUtils.areSharedPaths:552] 1.
path=/u01/app/oracle/product/11.2.0/db_1
[main] [ 2016-12-11 17:56:54.686 IST ] [ClusterUtils.areSharedPaths:573] 2.
path=/u01/app/oracle/product/11.2.0/db_1
[main] [ 2016-12-11 17:56:54.686 IST ] [ClusterUtils.areSharedPaths:578] hashKey =
[paw-racnode1, paw-racnode2]/u01/app/oracle/product/11.2.0/db_1
[main] [ 2016-12-11 17:56:54.686 IST ] [ClusterUtils.areSharedPaths:582] Got
shared=false from map
[main] [ 2016-12-11 17:56:54.687 IST ] [RemoveCommand.execute:59] In Execute
function of RemoveCommand
[main] [ 2016-12-11 17:56:54.689 IST ] [Utils.getLocalHost:356] Hostname

```

```

retrieved: paw-racnode1.airydba.com, returned: paw-racnode1
[main] [ 2016-12-11 17:56:54.689 IST ] [RuntimeExec.runCommand:75] Calling
Runtime.exec() with the command
[main] [ 2016-12-11 17:56:54.689 IST ] [RuntimeExec.runCommand:77] /usr/bin/ssh
[main] [ 2016-12-11 17:56:54.689 IST ] [RuntimeExec.runCommand:77] -o
[main] [ 2016-12-11 17:56:54.689 IST ] [RuntimeExec.runCommand:77]
FallbackToRsh=no
[main] [ 2016-12-11 17:56:54.689 IST ] [RuntimeExec.runCommand:77] -o
[main] [ 2016-12-11 17:56:54.690 IST ] [RuntimeExec.runCommand:77]
PasswordAuthentication=no
[main] [ 2016-12-11 17:56:54.690 IST ] [RuntimeExec.runCommand:77] -o
[main] [ 2016-12-11 17:56:54.690 IST ] [RuntimeExec.runCommand:77]
StrictHostKeyChecking=yes
[main] [ 2016-12-11 17:56:54.690 IST ] [RuntimeExec.runCommand:77] -o
[main] [ 2016-12-11 17:56:54.690 IST ] [RuntimeExec.runCommand:77]
NumberOfPasswordPrompts=0
[main] [ 2016-12-11 17:56:54.691 IST ] [RuntimeExec.runCommand:77] paw-racnode2
[main] [ 2016-12-11 17:56:54.691 IST ] [RuntimeExec.runCommand:77] -n
[main] [ 2016-12-11 17:56:54.691 IST ] [RuntimeExec.runCommand:77] /bin/rm
[main] [ 2016-12-11 17:56:54.691 IST ] [RuntimeExec.runCommand:77] -f
[main] [ 2016-12-11 17:56:54.691 IST ] [RuntimeExec.runCommand:77]
/u01/app/oracle/product/11.2.0/db_1/dbs/initpawdb2.ora
[Thread-74] [ 2016-12-11 17:56:54.704 IST ] [StreamReader.run:61] In
StreamReader.run
[main] [ 2016-12-11 17:56:54.705 IST ] [RuntimeExec.runCommand:142]
runCommand: Waiting for the process
[Thread-73] [ 2016-12-11 17:56:54.705 IST ] [StreamReader.run:61] In
StreamReader.run
[main] [ 2016-12-11 17:56:54.787 IST ] [RuntimeExec.runCommand:144] runCommand:
process returns 0
[main] [ 2016-12-11 17:56:54.787 IST ] [RuntimeExec.runCommand:161] RunTimeExec:
output>
[main] [ 2016-12-11 17:56:54.788 IST ] [RuntimeExec.runCommand:170] RunTimeExec:
error>
[main] [ 2016-12-11 17:56:54.788 IST ] [RuntimeExec.runCommand:192] Returning from
RunTimeExec.runCommand
[main] [ 2016-12-11 17:56:54.788 IST ] [NativeSystem.isCmdScv:471] isCmdScv:
cmd=[/usr/bin/ssh -o FallbackToRsh=no -o PasswordAuthentication=no -o
StrictHostKeyChecking=yes -o NumberOfPasswordPrompts=0 paw-racnode2 -n /bin/rm
-f /u01/app/oracle/product/11.2.0/db_1/dbs/initpawdb2.ora]
[main] [ 2016-12-11 17:56:54.794 IST ] [NativeSystem.isCmdScv:521] isCmdScv:
/usr/bin/ssh is present.
[main] [ 2016-12-11 17:56:54.795 IST ] [NativeSystem.isCmdScv:523] isCmdScv:
/usr/bin/ssh is a file.
[main] [ 2016-12-11 17:56:54.795 IST ] [NativeSystem.isCmdScv:540] isCmdScv:
returned true
[main] [ 2016-12-11 17:56:54.795 IST ] [NativeSystem.rununixcmd:1058]
NativeSystem.rununixcmd: RetString 1| :successful
[main] [ 2016-12-11 17:56:54.795 IST ] [NativeResult.<init>:91] NativeResult: The
String obtained is1| :successful
[main] [ 2016-12-11 17:56:54.795 IST ] [NativeResult.<init>:99] The status string
is: 1
[main] [ 2016-12-11 17:56:54.795 IST ] [NativeResult.<init>:112] The result string
is: :successful 1
[main] [ 2016-12-11 17:56:54.795 IST ] [Storage.isRecoveryAreaTransferRequired:344]
Current RecoveryArea=/u01/app/oracle/flash_recovery_area
java.lang.NullPointerException
at
oracle.sysman.assistants.rconfig.engine.StorageManagement.deleteRecoveryArea(Storag

```

```

eManagement.java:1901)
    at oracle.sysman.assistants.rconfig.engine.Convert.runStep(Convert.java:291)
    at
oracle.sysman.assistants.rconfig.engine.RACConvertStep.execute(RACConvertStep.java:
183)
    at oracle.sysman.assistants.rconfig.engine.Request.execute(Request.java:79)
    at
oracle.sysman.assistants.rconfig.engine.RConfigEngine.execute(RConfigEngine.java:66
)
    at oracle.sysman.assistants.rconfig.RConfig.<init>(RConfig.java:97)
    at oracle.sysman.assistants.rconfig.RConfig.<init>(RConfig.java:62)
    at oracle.sysman.assistants.rconfig.RConfig.main(RConfig.java:145)
[main] [ 2016-12-11 17:56:54.796 IST ] [OracleHome.getVersion:877]
OracleHome.getVersion called. Current Version: 11.2.0.1.0
[main] [ 2016-12-11 17:56:54.796 IST ] [OracleHome.getVersion:943] Current Version
From Inventory: 11.2.0.1.0
[main] [ 2016-12-11 17:56:54.796 IST ] [OracleHome.getVersion:948] using
sqlplus: /u01/app/oracle/product/11.2.0/db_1/bin/sqlplus
[main] [ 2016-12-11 17:56:54.797 IST ] [OracleHome.getVersion:877]
OracleHome.getVersion called. Current Version: 11.2.0.1.0
[main] [ 2016-12-11 17:56:54.797 IST ] [OracleHome.getVersion:943] Current Version
From Inventory: 11.2.0.1.0
[main] [ 2016-12-11 17:56:54.797 IST ] [OracleHome.getVersion:948] using
sqlplus: /u01/app/oracle/product/11.2.0/db_1/bin/sqlplus
[main] [ 2016-12-11 17:56:54.797 IST ] [OracleHome.getVersion:877]
OracleHome.getVersion called. Current Version: 11.2.0.1.0
[main] [ 2016-12-11 17:56:54.797 IST ] [OracleHome.getVersion:943] Current Version
From Inventory: 11.2.0.1.0
[main] [ 2016-12-11 17:56:54.797 IST ] [OracleHome.getVersion:948] using
sqlplus: /u01/app/oracle/product/11.2.0/db_1/bin/sqlplus
[main] [ 2016-12-11 17:56:54.797 IST ] [SQLPlusEngine.getCmmdParams:222] m_home
11.2.0.1.0
[main] [ 2016-12-11 17:56:54.797 IST ] [SQLPlusEngine.getCmmdParams:223] version >
112 true
[main] [ 2016-12-11 17:56:54.798 IST ] [SQLEngine.getEnvParams:547] Default
NLS_LANG: AMERICAN_AMERICA.AL32UTF8
[main] [ 2016-12-11 17:56:54.798 IST ] [SQLEngine.getEnvParams:557] NLS_LANG:
AMERICAN_AMERICA.AL32UTF8
[main] [ 2016-12-11 17:56:54.799 IST ] [SQLEngine.initialize:317] Execing
SQLPLUS/SVRMGR process...
[main] [ 2016-12-11 17:56:54.817 IST ] [SQLEngine.initialize:354]
m_bReaderStarted: false
[main] [ 2016-12-11 17:56:54.817 IST ] [SQLEngine.initialize:358] Starting Reader
Thread...
[main] [ 2016-12-11 17:56:54.845 IST ] [Instance.getSQLEngine:381] SQLEngine
spooling to=/u01/app/oracle/cfgtoollogs/rconfig/pawdb/sqlLog
[main] [ 2016-12-11 17:56:54.845 IST ] [SQLEngine.setSpool:1940] old Spool = null
[main] [ 2016-12-11 17:56:54.846 IST ] [SQLEngine.setSpool:1941] Setting Spool
= /u01/app/oracle/cfgtoollogs/rconfig/pawdb/sqlLog
[main] [ 2016-12-11 17:56:54.846 IST ] [SQLEngine.setSpool:1942] Is spool
appendable? --> true
[main] [ 2016-12-11 17:56:54.846 IST ] [StorageManagement.createBaseStorage:132]
**** DEFAULT SPFILE TO START
WITH=/u01/app/oracle/product/11.2.0/db_1/dbs/spfilepawdb.ora
[main] [ 2016-12-11 17:56:54.846 IST ] [Storage.isRecoveryAreaTransferRequired:344]
Current RecoveryArea=/u01/app/oracle/flash_recovery_area
[main] [ 2016-12-11 17:56:54.854 IST ] [StorageManagement.createBaseStorage:165]
**** shutdown immediate
[main] [ 2016-12-11 17:57:03.636 IST ] [StorageManagement.createBaseStorage:171]

```



```

**** create pfile
[main] [ 2016-12-11 17:57:03.637 IST ] [StorageManagement.createBaseStorage:179]
**** startup mount
[main] [ 2016-12-11 17:57:13.813 IST ] [StorageManagement.createBaseStorage:181]
**** alter database archivelog
[main] [ 2016-12-11 17:57:13.831 IST ] [StorageManagement.createBaseStorage:185]
**** alter system reset local_listener scope=spfile sid= '*'
[Thread-75] [ 2016-12-11 17:57:13.874 IST ]
[Instance$RConfigErrorListener.gotError:435] Got error
[Thread-75] [ 2016-12-11 17:57:13.874 IST ]
[Instance$RConfigErrorListener.handleNonIgnorableError:450] Number of ERRORS:1
[Thread-75] [ 2016-12-11 17:57:13.874 IST ]
[Instance$RConfigErrorListener.handleNonIgnorableError:453] ERROR=ORA-32010:
cannot find entry to delete in SPFILE
[Thread-75] [ 2016-12-11 17:57:13.874 IST ]
[Instance$RConfigErrorListener.handleNonIgnorableError:474] Ignoring error during
reset. This error simply indicates the entry is not present in spfile
[main] [ 2016-12-11 17:57:13.875 IST ] [StorageManagement.createBaseStorage:193]
**** alter system reset remote_listener scope=spfile sid= '*'
[Thread-75] [ 2016-12-11 17:57:13.876 IST ]
[Instance$RConfigErrorListener.gotError:435] Got error
[Thread-75] [ 2016-12-11 17:57:13.876 IST ]
[Instance$RConfigErrorListener.handleNonIgnorableError:450] Number of ERRORS:1
[Thread-75] [ 2016-12-11 17:57:13.876 IST ]
[Instance$RConfigErrorListener.handleNonIgnorableError:453] ERROR=ORA-32010:
cannot find entry to delete in SPFILE
[Thread-75] [ 2016-12-11 17:57:13.876 IST ]
[Instance$RConfigErrorListener.handleNonIgnorableError:474] Ignoring error during
reset. This error simply indicates the entry is not present in spfile
[main] [ 2016-12-11 17:57:13.876 IST ] [Storage.isRecoveryAreaTransferRequired:344]
Current RecoveryArea=/u01/app/oracle/flash_recovery_area
[main] [ 2016-12-11 17:57:13.876 IST ] [StorageManagement.createBaseStorage:219]
**** (old inst) alter system set db_recovery_file_dest= '+FRA' scope=spfile sid=
'*'
[main] [ 2016-12-11 17:57:13.880 IST ] [StorageManagement.createBaseStorage:257]
**** backup
[main] [ 2016-12-11 17:57:13.960 IST ] [RMANEngine.initialize:180] Execing RMAN
process from initialize...
[main] [ 2016-12-11 17:57:13.969 IST ] [RMANEngine.initialize:206] Created RMAN
process from initialize...
[main] [ 2016-12-11 17:57:13.969 IST ] [RMANEngine.initialize:213] Starting Reader
Thread...
[main] [ 2016-12-11 17:57:13.969 IST ] [RMANEngine.initialize:217] Started reader
thread for RMAN process in initialize...
[Thread-77] [ 2016-12-11 17:57:13.971 IST ] [RMANEngine.run:701] Started reader
thread for RMAN process from initialize...
[Thread-77] [ 2016-12-11 17:57:13.971 IST ] [RMANEngine.run:705] Set
m_bReaderStarted to true in initialize...
[main] [ 2016-12-11 17:57:13.971 IST ] [RMANEngine.initialize:225] Started error
thread for RMAN process from initialize...
[main] [ 2016-12-11 17:57:13.971 IST ] [RMANEngine.initialize:230] Created output
writer for RMAN process from initialize...
[main] [ 2016-12-11 17:57:13.972 IST ] [RMANEngine.initialize:268] Created Log
writer for RMAN process from initialize...
[main] [ 2016-12-11 17:57:13.972 IST ] [RMANEngine.initialize:273] Value of
m_bReaderStarted in initialize=true
[main] [ 2016-12-11 17:57:13.972 IST ] [RMANEngine.initialize:288] Made sure
reader has started for RMAN process from initialize...
[main] [ 2016-12-11 17:57:13.972 IST ] [RMANEngine.executeImpl:1084]

```

```
m_bExecQuery=false
[main] [ 2016-12-11 17:57:13.972 IST ] [RMANEngine.executeImpl:1092] Command being
written to rman process=connect target sys/*****
[main] [ 2016-12-11 17:57:13.972 IST ] [RMANEngine.executeImpl:1120] Notify reader
to start reading
[Thread-77] [ 2016-12-11 17:57:14.422 IST ] [RMANEngine.readSqlOutput:787] Log
RMAN Output=
[Thread-77] [ 2016-12-11 17:57:14.428 IST ] [RMANEngine.readSqlOutput:787] Log
RMAN Output=Recovery Manager: Release 11.2.0.1.0 - Production on Sun Dec 11
17:57:14 2016
[Thread-77] [ 2016-12-11 17:57:14.429 IST ] [RMANEngine.readSqlOutput:787] Log
RMAN Output=
[Thread-77] [ 2016-12-11 17:57:14.429 IST ] [RMANEngine.readSqlOutput:787] Log
RMAN Output=Copyright (c) 1982, 2009, Oracle and/or its affiliates. All rights
reserved.
[Thread-77] [ 2016-12-11 17:57:14.729 IST ] [RMANEngine.readSqlOutput:787] Log
RMAN Output=
[Thread-77] [ 2016-12-11 17:57:14.729 IST ] [RMANEngine.readSqlOutput:787] Log
RMAN Output=RMAN>
[Thread-77] [ 2016-12-11 17:57:16.851 IST ] [RMANEngine.readSqlOutput:787] Log
RMAN Output=connected to target database: PAWDB (DBID=4198016202, not open)
[Thread-77] [ 2016-12-11 17:57:16.853 IST ] [RMANEngine.readSqlOutput:787] Log
RMAN Output=
[Thread-77] [ 2016-12-11 17:57:16.908 IST ] [RMANEngine.readSqlOutput:787] Log
RMAN Output=RMAN>
[Thread-77] [ 2016-12-11 17:57:16.908
IST ] [RMANEngine.readSqlOutput:787] Log RMAN Output=echo set on
[Thread-77] [ 2016-12-11 17:57:16.909 IST ] [RMANEngine.readSqlOutput:931]
Notifying writer to proceed because
m_bInterrupted=falsebNotify=true m_bReaderDone=false m_bFatalErrorOccured=false
[Thread-77] [ 2016-12-11 17:57:16.909 IST ] [RMANEngine.run:715] Return Value from
readSqlOutput=echo set on
[main] [ 2016-12-11 17:57:16.909 IST ] [RMANEngine.executeImpl:1132] Completed
wait from reader
[main] [ 2016-12-11 17:57:16.910 IST ] [RMANEngine.executeImpl:1179] DONE
EXECUTING GIVEN COMMAND=connect target sys/*****
[main] [ 2016-12-11 17:57:16.910 IST ] [Instance.getRMANEngine:315] RMANEngine
spooling to=/u01/app/oracle/cfgtoollogs/rconfig/pawdb/rmanLog
[main] [ 2016-12-11 17:57:16.911 IST ] [Instance.setControlAutoBackupOff:519]
CONFIGURE CONTROLFILE AUTOBACKUP OFF
[main] [ 2016-12-11 17:57:16.911 IST ] [RMANEngine.executeImpl:1084]
m_bExecQuery=false
[main] [ 2016-12-11 17:57:16.911 IST ] [RMANEngine.executeImpl:1092] Command being
written to rman process=set nocfau;
[main] [ 2016-12-11 17:57:16.912 IST ] [RMANEngine.executeImpl:1120] Notify reader
to start reading
[Thread-77] [ 2016-12-11 17:57:16.912 IST ] [RMANEngine.readSqlOutput:787] Log
RMAN Output=
[Thread-77] [ 2016-12-11 17:57:16.925 IST ] [RMANEngine.readSqlOutput:787] Log
RMAN Output=RMAN> set nocfau;
[Thread-77] [ 2016-12-11 17:57:16.926 IST ] [RMANEngine.readSqlOutput:787] Log
RMAN Output=executing command: SET NOCFAU
[Thread-77] [ 2016-12-11 17:57:17.062 IST ] [RMANEngine.readSqlOutput:787] Log
RMAN Output=using target database control file instead of recovery catalog
[Thread-77] [ 2016-12-11 17:57:17.227 IST ] [RMANEngine.readSqlOutput:787] Log
RMAN Output=
[Thread-77] [ 2016-12-11 17:57:17.253 IST ] [RMANEngine.readSqlOutput:787] Log
RMAN Output=
[Thread-77] [ 2016-12-11 17:57:17.256 IST ] [RMANEngine.readSqlOutput:787] Log
```

```
RMAN Output=RMAN> set echo on
[Thread-77] [ 2016-12-11 17:57:17.256 IST ] [RMANEngine.readSqlOutput:787] Log
RMAN Output=
[Thread-77] [ 2016-12-11 17:57:17.256 IST ] [RMANEngine.readSqlOutput:787] Log
RMAN Output=echo set on
[Thread-77] [ 2016-12-11 17:57:17.256 IST ] [RMANEngine.readSqlOutput:931]
Notifying writer to proceed because
m_bInterrupted=falsebNotify=true m_bReaderDone=false m_bFatalErrorOccured=false
[main] [ 2016-12-11 17:57:17.257 IST ] [RMANEngine.executeImpl:1132] Completed
wait from reader
[main] [ 2016-12-11 17:57:17.257 IST ] [RMANEngine.executeImpl:1179] DONE
EXECUTING GIVEN COMMAND=set nocfau;
[main] [ 2016-12-11 17:57:17.257 IST ] [GetActiveNodes.create:226] Returning an
existing instance of GetActiveNodes
[main] [ 2016-12-11 17:57:17.257 IST ] [Cluster.verifyNodeList:1147]
clusterNodes[0]=paw-racnode1
[main] [ 2016-12-11 17:57:17.257 IST ] [Cluster.verifyNodeList:1147]
clusterNodes[1]=paw-racnode2
[main] [ 2016-12-11 17:57:17.257 IST ] [Cluster.verifyNodeList:1152]
nodeList[0]=paw-racnode1
[main] [ 2016-12-11 17:57:17.257 IST ] [Cluster.verifyNodeList:1152]
nodeList[1]=paw-racnode2
[main] [ 2016-12-11 17:57:17.257 IST ] [GetActiveNodes.create:226] Returning an
existing instance of GetActiveNodes
[main] [ 2016-12-11 17:57:17.258 IST ] [Cluster.isSharedPath:1071] NodeList=[paw-
racnode1, paw-racnode2]
[main] [ 2016-12-11 17:57:17.258 IST ] [Cluster.isSharedPath:1107]
pathName=/u01/app/oracle/product/11.2.0/db_1/dbs/spfilepawdb.ora dirPath =
/u01/app/oracle/product/11.2.0/db_1/dbs/spfilepawdb.ora
[main] [ 2016-12-11 17:57:17.259 IST ] [UnixSystem.isSharedPath:1532]
dirPath=/u01/app/oracle/product/11.2.0/db_1/dbs
[main] [ 2016-12-11 17:57:17.259 IST ] [UnixSystem.isSharedPath:1537]
UnixSystem.isShared:
pathName=/u01/app/oracle/product/11.2.0/db_1/dbs/spfilepawdb.ora
tempFile=CFSFileName14814592372591984859272251962456.tmp
[main] [ 2016-12-11 17:57:17.259 IST ] [UnixSystem.isSharedPath:1542]
UnixSystem.isShared: dirPathName is
/u01/app/oracle/product/11.2.0/db_1/dbs/CFSFileName14814592372591984859272251962456
.tmp
[main] [ 2016-12-11 17:57:17.259 IST ] [UnixSystem.isSharedPath:1546]
UnixSystem.isShared: removing file
/u01/app/oracle/product/11.2.0/db_1/dbs/CFSFileName14814592372591984859272251962456
.tmp on paw-racnode2
[main] [ 2016-12-11 17:57:17.267 IST ] [Utils.getLocalHost:356] Hostname
retrieved: paw-racnode1.airydba.com, returned: paw-racnode1
[main] [ 2016-12-11 17:57:17.267 IST ] [RuntimeExec.runCommand:75] Calling
Runtime.exec() with the command
[main] [ 2016-12-11 17:57:17.267 IST ] [RuntimeExec.runCommand:77] /usr/bin/ssh
[main] [ 2016-12-11 17:57:17.267 IST ] [RuntimeExec.runCommand:77] -o
[main] [ 2016-12-11 17:57:17.267 IST ] [RuntimeExec.runCommand:77]
FallBackToRsh=no
[main] [ 2016-12-11 17:57:17.268 IST ] [RuntimeExec.runCommand:77] -o
[main] [ 2016-12-11 17:57:17.268 IST ] [RuntimeExec.runCommand:77]
PasswordAuthentication=no
[main] [ 2016-12-11 17:57:17.268 IST ] [RuntimeExec.runCommand:77] -o
[main] [ 2016-12-11 17:57:17.268 IST ] [RuntimeExec.runCommand:77]
StrictHostKeyChecking=yes
[main] [ 2016-12-11 17:57:17.268 IST ] [RuntimeExec.runCommand:77] -o
[main] [ 2016-12-11 17:57:17.268 IST ] [RuntimeExec.runCommand:77]
```

```
NumberOfPasswordPrompts=0
[main] [ 2016-12-11 17:57:17.268 IST ] [RuntimeExec.runCommand:77] paw-racnode2
[main] [ 2016-12-11 17:57:17.268 IST ] [RuntimeExec.runCommand:77] -n
[main] [ 2016-12-11 17:57:17.268 IST ] [RuntimeExec.runCommand:77] /bin/rm
[main] [ 2016-12-11 17:57:17.269 IST ] [RuntimeExec.runCommand:77] -f
[main] [ 2016-12-11 17:57:17.269 IST ] [RuntimeExec.runCommand:77]
/u01/app/oracle/product/11.2.0/db_1/dbs/CFSFileName14814592372591984859272251962456
.tmp
[Thread-77] [ 2016-12-11 17:57:17.269 IST ] [RMANEngine.run:715] Return Value from
readSqlOutput=echo set on
[Thread-80] [ 2016-12-11 17:57:17.278 IST ] [StreamReader.run:61] In
StreamReader.run
[main] [ 2016-12-11 17:57:17.279 IST ] [RuntimeExec.runCommand:142] runCommand:
Waiting for the process
[Thread-79] [ 2016-12-11 17:57:17.279 IST ] [StreamReader.run:61] In
StreamReader.run
[main] [ 2016-12-11 17:57:17.422 IST ] [RuntimeExec.runCommand:144] runCommand:
process returns 0
[main] [ 2016-12-11 17:57:17.422 IST ] [RuntimeExec.runCommand:161] RunTimeExec:
output>
[main] [ 2016-12-11 17:57:17.422 IST ] [RuntimeExec.runCommand:170] RunTimeExec:
error>
[main] [ 2016-12-11 17:57:17.423 IST ] [RuntimeExec.runCommand:192] Returning from
RunTimeExec.runCommand
[main] [ 2016-12-11 17:57:17.423 IST ] [NativeSystem.isCmdScv:471] isCmdScv:
cmd=[/usr/bin/ssh -o FallBackToRsh=no -o PasswordAuthentication=no -o
StrictHostKeyChecking=yes -o NumberOfPasswordPrompts=0 paw-racnode2 -n /bin/rm
-f
/u01/app/oracle/product/11.2.0/db_1/dbs/CFSFileName14814592372591984859272251962456
.tmp]
[main] [ 2016-12-11 17:57:17.423 IST ] [NativeSystem.isCmdScv:521] isCmdScv:
/usr/bin/ssh is present.
[main] [ 2016-12-11 17:57:17.423 IST ] [NativeSystem.isCmdScv:523] isCmdScv:
/usr/bin/ssh is a file.
[main] [ 2016-12-11 17:57:17.424 IST ] [NativeSystem.isCmdScv:540] isCmdScv:
returned true
[main] [ 2016-12-11 17:57:17.424 IST ] [NativeSystem.rununixcmd:1058]
NativeSystem.rununixcmd: RetString 1] :successful
[main] [ 2016-12-11 17:57:17.424 IST ] [UnixSystem.isSharedPath:1546]
UnixSystem.isShared: removing file
/u01/app/oracle/product/11.2.0/db_1/dbs/CFSFileName14814592372591984859272251962456
.tmp on paw-racnode1
[main] [ 2016-12-11 17:57:17.424 IST ] [RuntimeExec.runCommand:75] Calling
Runtime.exec() with the command
[main] [ 2016-12-11 17:57:17.424 IST ] [RuntimeExec.runCommand:77] /bin/rm
[main] [ 2016-12-11 17:57:17.424 IST ] [RuntimeExec.runCommand:77] -f
[main] [ 2016-12-11 17:57:17.424 IST ] [RuntimeExec.runCommand:77]
/u01/app/oracle/product/11.2.0/db_1/dbs/CFSFileName14814592372591984859272251962456
.tmp
[Thread-82] [ 2016-12-11 17:57:17.431 IST ] [StreamReader.run:61] In
StreamReader.run
[main] [ 2016-12-11 17:57:17.432 IST ] [RuntimeExec.runCommand:142] runCommand:
Waiting for the process
[main] [ 2016-12-11 17:57:17.432 IST ] [RuntimeExec.runCommand:144] runCommand:
process returns 0
[Thread-81] [ 2016-12-11 17:57:17.432 IST ] [StreamReader.run:61] In
StreamReader.run
[main] [ 2016-12-11 17:57:17.432 IST ] [RuntimeExec.runCommand:161] RunTimeExec:
output>
```

```
[main] [ 2016-12-11 17:57:17.432 IST ] [RuntimeExec.runCommand:170] RunTimeExec:
error>
[main] [ 2016-12-11 17:57:17.432 IST ] [RuntimeExec.runCommand:192] Returning from
RunTimeExec.runCommand
[main] [ 2016-12-11 17:57:17.433 IST ] [NativeSystem.isCmdScv:471] isCmdScv:
cmd=/bin/rm -f
/u01/app/oracle/product/11.2.0/db_1/dbs/CFSFileName14814592372591984859272251962456
.tmp]
[main] [ 2016-12-11 17:57:17.433 IST ] [NativeSystem.isCmdScv:540] isCmdScv:
returned false
[main] [ 2016-12-11 17:57:17.433 IST ] [NativeSystem.rununixcmd:1058]
NativeSystem.rununixcmd: RetString 1| :successful
[main] [ 2016-12-11 17:57:17.433 IST ] [UnixSystem.isSharedPath:1551]
UnixSystem.isShared: creating file
/u01/app/oracle/product/11.2.0/db_1/dbs/CFSFileName14814592372591984859272251962456
.tmp
[main] [ 2016-12-11 17:57:17.433 IST ] [UnixSystem.testCFSFile:1646] The unix
command is /usr/bin/ssh -o FallBackToRsh=no -o PasswordAuthentication=no -o
StrictHostKeyChecking=yes -o NumberOfPasswordPrompts=0 paw-racnode2 -n /bin/sh -c
"/bin/ls /u01/app/oracle/product/11.2.0/db_1/dbs > /dev/null 2>&1 && /bin/cat
/u01/app/oracle/product/11.2.0/db_1/dbs/CFSFileName14814592372591984859272251962456
.tmp"
[main] [ 2016-12-11 17:57:17.433 IST ] [RuntimeExec.runCommand:75] Calling
Runtime.exec() with the command
[main] [ 2016-12-11 17:57:17.433 IST ] [RuntimeExec.runCommand:77] /usr/bin/ssh
[main] [ 2016-12-11 17:57:17.434 IST ] [RuntimeExec.runCommand:77] -o
[main] [ 2016-12-11 17:57:17.434 IST ] [RuntimeExec.runCommand:77]
FallBackToRsh=no
[main] [ 2016-12-11 17:57:17.434 IST ] [RuntimeExec.runCommand:77] -o
[main] [ 2016-12-11 17:57:17.434 IST ]
[RuntimeExec.runCommand:77] PasswordAuthentication=no
[main] [ 2016-12-11 17:57:17.434 IST ] [RuntimeExec.runCommand:77] -o
[main] [ 2016-12-11 17:57:17.434 IST ] [RuntimeExec.runCommand:77]
StrictHostKeyChecking=yes
[main] [ 2016-12-11 17:57:17.436 IST ] [RuntimeExec.runCommand:77] -o
[main] [ 2016-12-11 17:57:17.436 IST ] [RuntimeExec.runCommand:77]
NumberOfPasswordPrompts=0
[main] [ 2016-12-11 17:57:17.436 IST ] [RuntimeExec.runCommand:77] paw-racnode2
[main] [ 2016-12-11 17:57:17.436 IST ] [RuntimeExec.runCommand:77] -n
[main] [ 2016-12-11 17:57:17.436 IST ] [RuntimeExec.runCommand:77] /bin/sh
[main] [ 2016-12-11 17:57:17.437 IST ] [RuntimeExec.runCommand:77] -c
[main] [ 2016-12-11 17:57:17.437 IST ] [RuntimeExec.runCommand:77] "/bin/ls
[main] [ 2016-12-11 17:57:17.437 IST ] [RuntimeExec.runCommand:77]
/u01/app/oracle/product/11.2.0/db_1/dbs
[main] [ 2016-12-11 17:57:17.437 IST ] [RuntimeExec.runCommand:77] >
[main] [ 2016-12-11 17:57:17.437 IST ] [RuntimeExec.runCommand:77] /dev/null
[main] [ 2016-12-11 17:57:17.437 IST ] [RuntimeExec.runCommand:77] 2>&1
[main] [ 2016-12-11 17:57:17.437 IST ] [RuntimeExec.runCommand:77] &&
[main] [ 2016-12-11 17:57:17.437 IST ] [RuntimeExec.runCommand:77] /bin/cat
[main] [ 2016-12-11 17:57:17.437 IST ] [RuntimeExec.runCommand:77]
/u01/app/oracle/product/11.2.0/db_1/dbs/CFSFileName14814592372591984859272251962456
.tmp"
[Thread-84] [ 2016-12-11 17:57:17.447 IST ] [StreamReader.run:61] In
StreamReader.run
[main] [ 2016-12-11 17:57:17.448 IST ] [RuntimeExec.runCommand:142] runCommand:
Waiting for the process
[Thread-83] [ 2016-12-11 17:57:17.448 IST ] [StreamReader.run:61] In
StreamReader.run
[Thread-84] [ 2016-12-11 17:57:17.532 IST ] [StreamReader.run:65]
```

```
ERROR>/bin/cat:
/u01/app/oracle/product/11.2.0/db_1/dbs/CFSFileName14814592372591984859272251962456
.tmp: No such file or directory
[main] [ 2016-12-11 17:57:17.533 IST ] [RuntimeExec.runCommand:144] runCommand:
process returns 1
[main] [ 2016-12-11 17:57:17.533 IST ] [RuntimeExec.runCommand:161] RunTimeExec:
output>
[main] [ 2016-12-11 17:57:17.533 IST ] [RuntimeExec.runCommand:170] RunTimeExec:
error>
[main] [ 2016-12-11 17:57:17.533 IST ] [RuntimeExec.runCommand:173] /bin/cat:
/u01/app/oracle/product/11.2.0/db_1/dbs/CFSFileName14814592372591984859272251962456
.tmp: No such file or directory
[main] [ 2016-12-11 17:57:17.534 IST ] [RuntimeExec.runCommand:192] Returning from
RunTimeExec.runCommand
[main] [ 2016-12-11 17:57:17.534 IST ] [UnixSystem.testCFSFile:1658] Command
output is empty
[main] [ 2016-12-11 17:57:17.534 IST ] [UnixSystem.testCFSFile:1659] ERROR:
/bin/cat:
/u01/app/oracle/product/11.2.0/db_1/dbs/CFSFileName14814592372591984859272251962456
.tmp: No such file or directory from node paw-racnode2
[main] [ 2016-12-11 17:57:17.534 IST ] [StorageManagement.createBaseStorage:266]
**** Checking the sharedness of spfile :
/u01/app/oracle/product/11.2.0/db_1/dbs/spfilepawdb.ora : false
[main] [ 2016-12-11 17:57:17.539 IST ] [RMANEngine.executeImpl:1084]
m_bExecQuery=false
[main] [ 2016-12-11 17:57:17.539 IST ] [RMANEngine.executeImpl:1092] Command being
written to rman process=backup as copy database to destination '+PAWDB_DATA';
[main] [ 2016-12-11 17:57:17.539 IST ] [RMANEngine.executeImpl:1120] Notify reader
to start reading
[Thread-77] [ 2016-12-11 17:57:17.539 IST ] [RMANEngine.readSqlOutput:787] Log
RMAN Output=
[Thread-77] [ 2016-12-11 17:57:17.548 IST ] [RMANEngine.readSqlOutput:787] Log
RMAN Output=RMAN> backup as copy database to destination '+PAWDB_DATA';
[Thread-77] [ 2016-12-11 17:57:17.553 IST ] [RMANEngine.readSqlOutput:787] Log
RMAN Output=Starting backup at 11-DEC-16
[Thread-77] [ 2016-12-11 17:57:17.869 IST ] [RMANEngine.readSqlOutput:787] Log
RMAN Output=allocated channel: ORA_DISK_1
[Thread-77] [ 2016-12-11 17:57:17.875 IST ] [RMANEngine.readSqlOutput:787] Log
RMAN Output=channel ORA_DISK_1: SID=25 device type=DISK
[Thread-77] [ 2016-12-11 17:57:18.299 IST ] [RMANEngine.readSqlOutput:787] Log
RMAN Output=channel ORA_DISK_1: starting datafile copy
[Thread-77] [ 2016-12-11 17:57:18.388 IST ] [RMANEngine.readSqlOutput:787] Log
RMAN Output=input datafile file number=00001
name=/u01/app/oracle/oradata/pawdb/system01.dbf
[Thread-77] [ 2016-12-11 17:58:43.976 IST ] [RMANEngine.readSqlOutput:787] Log
RMAN Output=output file name="+PAWDB_DATA/pawdb/datafile/system.256.930333443
tag=TAG20161211T175718 RECID=1 STAMP=930333522
[Thread-77] [ 2016-12-11 17:58:44.022 IST ] [RMANEngine.readSqlOutput:787] Log
RMAN Output=channel ORA_DISK_1: datafile copy complete, elapsed time: 00:01:25
[Thread-77] [ 2016-12-11 17:58:44.261 IST ] [RMANEngine.readSqlOutput:787] Log
RMAN Output=channel ORA_DISK_1: starting datafile copy
[Thread-77] [ 2016-12-11 17:58:44.381 IST ] [RMANEngine.readSqlOutput:787] Log
RMAN Output=input datafile file number=00002
name=/u01/app/oracle/oradata/pawdb/sysaux01.dbf
[Thread-77] [ 2016-12-11 17:59:49.406 IST ] [RMANEngine.readSqlOutput:787] Log
RMAN Output=output file name="+PAWDB_DATA/pawdb/datafile/sysaux.257.930333527
tag=TAG20161211T175718 RECID=2 STAMP=930333586
[Thread-77] [ 2016-12-11 17:59:49.408 IST ] [RMANEngine.readSqlOutput:787] Log
RMAN Output=channel ORA_DISK_1: datafile copy complete, elapsed time: 00:01:05
```

```
[Thread-77] [ 2016-12-11 17:59:49.491 IST ] [RMANEngine.readSqlOutput:787] Log
RMAN Output=channel ORA_DISK_1: starting datafile copy
[Thread-77] [ 2016-12-11 17:59:49.573 IST ] [RMANEngine.readSqlOutput:787] Log
RMAN Output=input datafile file number=00003
name=/u01/app/oracle/oradata/pawdb/undotbs01.dbf
[Thread-77] [ 2016-12-11 17:59:56.598 IST ] [RMANEngine.readSqlOutput:787] Log
RMAN Output=output file name=+PAWDB_DATA/pawdb/datafile/undotbs1.258.930333589
tag=TAG20161211T175718 RECID=3 STAMP=930333595
[Thread-77] [ 2016-12-11 17:59:56.599 IST ] [RMANEngine.readSqlOutput:787] Log
RMAN Output=channel ORA_DISK_1: datafile copy complete, elapsed time: 00:00:07
[Thread-77] [ 2016-12-11 17:59:56.695 IST ] [RMANEngine.readSqlOutput:787] Log
RMAN Output=channel ORA_DISK_1: starting datafile copy
[Thread-77] [ 2016-12-11 17:59:56.841 IST ] [RMANEngine.readSqlOutput:787] Log
RMAN Output=input datafile file number=00004
name=/u01/app/oracle/oradata/pawdb/users01.dbf
[Thread-77] [ 2016-12-11 17:59:57.851 IST ] [RMANEngine.readSqlOutput:787] Log
RMAN Output=output file name=+PAWDB_DATA/pawdb/datafile/users.259.930333597
tag=TAG20161211T175718 RECID=4 STAMP=930333597
[Thread-77] [ 2016-12-11 17:59:57.853 IST ] [RMANEngine.readSqlOutput:787] Log
RMAN Output=channel ORA_DISK_1: datafile copy complete, elapsed time: 00:00:01
[Thread-77] [ 2016-12-11 17:59:57.950 IST ] [RMANEngine.readSqlOutput:787] Log
RMAN Output=Finished backup at 11-DEC-16
[Thread-77] [ 2016-12-11 18:00:01.582 IST ] [RMANEngine.readSqlOutput:787] Log
RMAN Output=
[Thread-77] [ 2016-12-11 18:00:01.589 IST ] [RMANEngine.readSqlOutput:787] Log
RMAN Output=
[Thread-77] [ 2016-12-11 18:00:01.595 IST ] [RMANEngine.readSqlOutput:787] Log
RMAN Output=RMAN> set echo on
[Thread-77] [ 2016-12-11 18:00:01.595 IST ] [RMANEngine.readSqlOutput:787] Log
RMAN Output=
[Thread-77] [ 2016-12-11 18:00:01.596 IST ] [RMANEngine.readSqlOutput:787] Log
RMAN Output=echo set on
[Thread-77] [ 2016-12-11 18:00:01.596 IST ] [RMANEngine.readSqlOutput:931]
Notifying writer to proceed because
m_bInterrupted=falsebNotify=true m_bReaderDone=false m_bFatalErrorOccured=false
[main] [ 2016-12-11 18:00:01.634 IST ] [RMANEngine.executeImpl:1132] Completed
wait from reader
[main] [ 2016-12-11 18:00:01.634 IST ] [RMANEngine.executeImpl:1179] DONE
EXECUTING GIVEN COMMAND=backup as copy database to destination '+PAWDB_DATA';
[main] [ 2016-12-11 18:00:01.635 IST ] [RMANEngine.executeImpl:1084]
m_bExecQuery=false
[main] [ 2016-12-11 18:00:01.635 IST ] [RMANEngine.executeImpl:1092] Command being
written to rman process=backup as backupset reuse spfile format
'+PAWDB_DATA/sp_pawdb_backup';
[main] [ 2016-12-11 18:00:01.635 IST ] [RMANEngine.executeImpl:1120] Notify reader
to start reading
[Thread-77] [ 2016-12-11 18:00:01.635 IST ] [RMANEngine.run:715] Return Value from
readSqlOutput=echo set on
[Thread-77] [ 2016-12-11 18:00:01.635 IST ] [RMANEngine.readSqlOutput:787] Log
RMAN Output=
[Thread-77] [ 2016-12-11 18:00:01.687 IST ] [RMANEngine.readSqlOutput:787] Log
RMAN Output=RMAN> backup as backupset reuse spfile format
'+PAWDB_DATA/sp_pawdb_backup';
[Thread-77] [ 2016-12-11 18:00:01.698 IST ] [RMANEngine.readSqlOutput:787] Log
RMAN Output=Starting backup at 11-DEC-16
[Thread-77] [ 2016-12-11 18:00:01.772 IST ] [RMANEngine.readSqlOutput:787] Log
RMAN Output=using channel ORA_DISK_1
[Thread-77] [ 2016-12-11 18:00:01.995 IST ] [RMANEngine.readSqlOutput:787] Log
RMAN Output=channel ORA_DISK_1: starting full datafile backup set
```

```
[Thread-77] [ 2016-12-11 18:00:01.996 IST ] [RMANEngine.readSqlOutput:787] Log
RMAN Output=channel ORA_DISK_1: specifying datafile(s) in backup set
[Thread-77] [ 2016-12-11 18:00:02.085 IST ] [RMANEngine.readSqlOutput:787] Log
RMAN Output=including current SPFILE in backup set
[Thread-77] [ 2016-12-11 18:00:02.087 IST ] [RMANEngine.readSqlOutput:787] Log
RMAN Output=channel ORA_DISK_1: starting piece 1 at 11-DEC-16
[Thread-77] [ 2016-12-11 18:00:05.095 IST ] [RMANEngine.readSqlOutput:787] Log
RMAN Output=channel ORA_DISK_1: finished piece 1 at 11-DEC-16
[Thread-77] [ 2016-12-11 18:00:05.096 IST ] [RMANEngine.readSqlOutput:787] Log
RMAN Output=piece handle=+PAWDB_DATA/sp_pawdb_backup tag=TAG20161211T180001
comment=NONE
[Thread-77] [ 2016-12-11 18:00:05.098 IST ] [RMANEngine.readSqlOutput:787] Log
RMAN Output=channel ORA_DISK_1: backup set complete, elapsed time: 00:00:03
[Thread-77] [ 2016-12-11 18:00:05.100 IST ] [RMANEngine.readSqlOutput:787] Log
RMAN Output=Finished backup at 11-DEC-16
[Thread-77] [ 2016-12-11 18:00:05.910 IST ] [RMANEngine.readSqlOutput:787]
Log RMAN Output=
[Thread-77] [ 2016-12-11 18:00:05.920 IST ] [RMANEngine.readSqlOutput:787] Log
RMAN Output=
[Thread-77] [ 2016-12-11 18:00:05.924 IST ] [RMANEngine.readSqlOutput:787] Log
RMAN Output=RMAN> set echo on
[Thread-77] [ 2016-12-11 18:00:05.924 IST ] [RMANEngine.readSqlOutput:787] Log
RMAN Output=
[Thread-77] [ 2016-12-11 18:00:05.925 IST ] [RMANEngine.readSqlOutput:787] Log
RMAN Output=echo set on
[Thread-77] [ 2016-12-11 18:00:05.925 IST ] [RMANEngine.readSqlOutput:931]
Notifying writer to proceed because
m_bInterrupted=falsebNotify=true m_bReaderDone=false m_bFatalErrorOccured=false
[main] [ 2016-12-11 18:00:05.926 IST ] [RMANEngine.executeImpl:1132] Completed
wait from reader
[main] [ 2016-12-11 18:00:05.926 IST ] [RMANEngine.executeImpl:1179] DONE
EXECUTING GIVEN COMMAND=backup as backupset reuse spfile format
'+PAWDB_DATA/sp_pawdb_backup';
[Thread-77] [ 2016-12-11 18:00:05.927 IST ] [RMANEngine.run:715] Return Value from
readSqlOutput=echo set on
[Thread-75] [ 2016-12-11 18:00:06.234 IST ]
[Instance$RConfigErrorListener.gotError:435] Got error
[Thread-75] [ 2016-12-11 18:00:06.234 IST ]
[Instance$RConfigErrorListener.handleNonIgnorableError:450] Number of ERRORS:1
[Thread-75] [ 2016-12-11 18:00:06.234 IST ]
[Instance$RConfigErrorListener.handleNonIgnorableError:453] ERROR=ORA-01109:
database not open
[Thread-75] [ 2016-12-11 18:00:06.235 IST ]
[Instance$RConfigErrorListener.handleNonIgnorableError:461] Ignoring shutdown
error : database not open
[main] [ 2016-12-11 18:00:06.235 IST ] [RMANEngine.done:1452] Done called
[main] [ 2016-12-11 18:00:06.235 IST ] [RMANEngine.spoolOff:1338] Setting spool
off = /u01/app/oracle/cfgtoollogs/rconfig/pawdb/rmanLog
[main] [ 2016-12-11 18:00:06.235 IST ] [RMANEngine.executeImpl:1084]
m_bExecQuery=false
[main] [ 2016-12-11 18:00:06.236 IST ] [RMANEngine.executeImpl:1092] Command being
written to rman process=exit;
[main] [ 2016-12-11 18:00:06.236 IST ] [RMANEngine.executeImpl:1120] Notify reader
to start reading
[Thread-77] [ 2016-12-11 18:00:06.236 IST ] [RMANEngine.readSqlOutput:931]
Notifying writer to proceed because
m_bInterrupted=falsebNotify=false m_bReaderDone=true m_bFatalErrorOccured=false
[Thread-77] [ 2016-12-11 18:00:06.236 IST ] [RMANEngine.run:715] Return Value from
readSqlOutput=null
```



```
[main] [ 2016-12-11 18:00:06.237 IST ] [RMANEngine.executeImpl:1132] Completed
wait from reader
[main] [ 2016-12-11 18:00:06.237 IST ] [RMANEngine.executeImpl:1179] DONE
EXECUTING GIVEN COMMAND=exit;
[main] [ 2016-12-11 18:00:06.237 IST ] [StorageManagement.createBaseStorage:312]
**** shutdown immediate
[Thread-75] [ 2016-12-11 18:00:08.794 IST ]
[Instance$RConfigErrorListener.getError:435] Got error
[Thread-75] [ 2016-12-11 18:00:08.794 IST ]
[Instance$RConfigErrorListener.handleNonIgnorableError:450] Number of ERRORS:1
[Thread-75] [ 2016-12-11 18:00:08.794 IST ]
[Instance$RConfigErrorListener.handleNonIgnorableError:453] ERROR=ORA-01109:
database not open
[Thread-75] [ 2016-12-11 18:00:08.795 IST ]
[Instance$RConfigErrorListener.handleNonIgnorableError:461] Ignoring shutdown
error : database not open
[main] [ 2016-12-11 18:00:15.265 IST ] [StorageManagement.createBaseStorage:320]
**** restore files using new SID:
[main] [ 2016-12-11 18:00:15.266 IST ] [RMANEngine.initialize:180] Execing RMAN
process from initialize...
[main] [ 2016-12-11 18:00:15.272 IST ] [RMANEngine.initialize:206] Created RMAN
process from initialize...
[main] [ 2016-12-11 18:00:15.272 IST ] [RMANEngine.initialize:213] Starting Reader
Thread...
[main] [ 2016-12-11 18:00:15.273 IST ] [RMANEngine.initialize:217] Started reader
thread for RMAN process in initialize...
[Thread-85] [ 2016-12-11 18:00:15.273 IST ] [RMANEngine.run:701] Started reader
thread for RMAN process from initialize...
[Thread-85] [ 2016-12-11 18:00:15.273 IST ] [RMANEngine.run:705] Set
m_bReaderStarted to true in initialize...
[main] [ 2016-12-11 18:00:15.273 IST ] [RMANEngine.initialize:225] Started error
thread for RMAN process from initialize...
[main] [ 2016-12-11 18:00:15.273 IST ] [RMANEngine.initialize:230] Created output
writer for RMAN process from initialize...
[main] [ 2016-12-11 18:00:15.273 IST ] [RMANEngine.initialize:268] Created Log
writer for RMAN process from initialize...
[main] [ 2016-12-11 18:00:15.273 IST ] [RMANEngine.initialize:273] Value of
m_bReaderStarted in initialize=true
[main] [ 2016-12-11 18:00:15.273 IST ] [RMANEngine.initialize:288] Made sure
reader has started for RMAN process from initialize...
[main] [ 2016-12-11 18:00:15.274 IST ] [RMANEngine.executeImpl:1084]
m_bExecQuery=false
[main] [ 2016-12-11 18:00:15.274 IST ] [RMANEngine.executeImpl:1092] Command being
written to rman process=connect target sys/*****
[main] [ 2016-12-11 18:00:15.274 IST ] [RMANEngine.executeImpl:1120] Notify reader
to start reading
[Thread-85] [ 2016-12-11 18:00:15.585 IST ] [RMANEngine.readSqlOutput:787] Log
RMAN Output=
[Thread-85] [ 2016-12-11 18:00:15.585 IST ] [RMANEngine.readSqlOutput:787] Log
RMAN Output=Recovery Manager: Release 11.2.0.1.0 - Production on Sun Dec 11
18:00:15 2016
[Thread-85] [ 2016-12-11 18:00:15.589 IST ] [RMANEngine.readSqlOutput:787] Log
RMAN Output=
[Thread-85] [ 2016-12-11 18:00:15.589 IST ] [RMANEngine.readSqlOutput:787] Log
RMAN Output=Copyright (c) 1982, 2009, Oracle and/or its affiliates. All rights
reserved.
[Thread-85] [ 2016-12-11 18:00:15.674 IST ] [RMANEngine.readSqlOutput:787] Log
RMAN Output=
[Thread-85] [ 2016-12-11 18:00:15.674 IST ] [RMANEngine.readSqlOutput:787] Log
```

```
RMAN Output=RMAN>
[Thread-85] [ 2016-12-11 18:00:16.025 IST ] [RMANEngine.readSqlOutput:787] Log
RMAN Output=connected to target database (not started)
[Thread-85] [ 2016-12-11 18:00:16.026 IST ] [RMANEngine.readSqlOutput:787] Log
RMAN Output=
[Thread-85] [ 2016-12-11 18:00:16.026 IST ] [RMANEngine.readSqlOutput:787] Log
RMAN Output=RMAN>
[Thread-85] [ 2016-12-11 18:00:16.027 IST ] [RMANEngine.readSqlOutput:787] Log
RMAN Output=echo set on
[Thread-85] [ 2016-12-11 18:00:16.027 IST ] [RMANEngine.readSqlOutput:931]
Notifying writer to proceed because
m_bInterrupted=falsebNotify=true_m_bReaderDone=falsem_bFatalErrorOccured=false
[main] [ 2016-12-11 18:00:16.027 IST ] [RMANEngine.executeImpl:1132] Completed
wait from reader
[main] [ 2016-12-11 18:00:16.027 IST ] [RMANEngine.executeImpl:1179] DONE
EXECUTING GIVEN COMMAND=connect target sys/*****
[Thread-85] [ 2016-12-11 18:00:16.028 IST ] [RMANEngine.run:715] Return Value from
readSqlOutput=echo set on
[main] [ 2016-12-11 18:00:16.066 IST ] [Instance.getRMANEngine:315] RMANEngine
spooling to=/u01/app/oracle/cfgtoollogs/rconfig/pawdbl/rmanLog
[main] [ 2016-12-11 18:00:16.079 IST ] [RMANEngine.executeImpl:1084]
m_bExecQuery=false
[main] [ 2016-12-11 18:00:16.080 IST ] [RMANEngine.executeImpl:1092] Command being
written to rman process=set DBID=4198016202;
[main] [ 2016-12-11 18:00:16.080 IST ] [RMANEngine.executeImpl:1120] Notify reader
to start reading
[Thread-85] [ 2016-12-11 18:00:16.080 IST ] [RMANEngine.readSqlOutput:787] Log
RMAN Output=
[Thread-85] [ 2016-12-11 18:00:16.101 IST ] [RMANEngine.readSqlOutput:787] Log
RMAN Output=RMAN> set DBID=4198016202;
[Thread-85] [ 2016-12-11 18:00:16.101 IST ] [RMANEngine.readSqlOutput:787] Log
RMAN Output=executing command: SET DBID
[Thread-85] [ 2016-12-11 18:00:16.106 IST ] [RMANEngine.readSqlOutput:787] Log
RMAN Output=
[Thread-85] [ 2016-12-11 18:00:16.106 IST ] [RMANEngine.readSqlOutput:787] Log
RMAN Output=
[Thread-85] [ 2016-12-11 18:00:16.107 IST ] [RMANEngine.readSqlOutput:787] Log
RMAN Output=RMAN> set echo on
[Thread-85] [ 2016-12-11 18:00:16.107 IST ] [RMANEngine.readSqlOutput:787] Log
RMAN Output=
[Thread-85] [ 2016-12-11 18:00:16.107 IST ] [RMANEngine.readSqlOutput:787] Log
RMAN Output=echo set on
[Thread-85] [ 2016-12-11 18:00:16.107 IST ] [RMANEngine.readSqlOutput:931]
Notifying writer to proceed because
m_bInterrupted=falsebNotify=true_m_bReaderDone=falsem_bFatalErrorOccured=false
[main] [ 2016-12-11 18:00:16.107 IST ] [RMANEngine.executeImpl:1132] Completed
wait from reader
[main] [ 2016-12-11 18:00:16.107 IST ] [RMANEngine.executeImpl:1179] DONE
EXECUTING GIVEN COMMAND=set DBID=4198016202;
[main] [ 2016-12-11 18:00:16.107 IST ] [RMANEngine.executeImpl:1084]
m_bExecQuery=false
[main] [ 2016-12-11 18:00:16.107 IST ] [RMANEngine.executeImpl:1092] Command being
written to rman process=startup force nomount
pfile='/u01/app/oracle/product/11.2.0/db_1/dbs/initpawdb.ora';
[main] [ 2016-12-11 18:00:16.108 IST ] [RMANEngine.executeImpl:1120] Notify reader
to start reading
[Thread-85] [ 2016-12-11 18:00:16.108 IST ] [RMANEngine.run:715] Return Value from
readSqlOutput=echo set on
[Thread-85] [ 2016-12-11 18:00:16.108 IST ] [RMANEngine.readSqlOutput:787] Log
```

```

RMAN Output=
[Thread-85] [ 2016-12-11 18:00:16.112 IST ] [RMANEngine.readSqlOutput:787] Log
RMAN Output=RMAN> startup force nomount
pfile='/u01/app/oracle/product/11.2.0/db_1/dbs/initpawdb.ora';
[Thread-85] [ 2016-12-11 18:00:26.206 IST ] [RMANEngine.readSqlOutput:787] Log
RMAN Output=Oracle instance started
[Thread-85] [ 2016-12-11 18:00:26.700 IST ] [RMANEngine.readSqlOutput:787] Log
RMAN Output=
[Thread-85] [ 2016-12-11 18:00:26.700 IST ] [RMANEngine.readSqlOutput:787] Log
RMAN Output=Total System Global Area      839282688 bytes
[Thread-85] [ 2016-12-11 18:00:26.701 IST ] [RMANEngine.readSqlOutput:787] Log
RMAN Output=
[Thread-85] [ 2016-12-11 18:00:26.702 IST ] [RMANEngine.readSqlOutput:787] Log
RMAN Output=Fixed Size                    2217992 bytes
[Thread-85] [ 2016-12-11 18:00:26.702 IST ] [RMANEngine.readSqlOutput:787] Log
RMAN Output=Variable Size                494929912 bytes
[Thread-85] [ 2016-12-11 18:00:26.702 IST ] [RMANEngine.readSqlOutput:787] Log
RMAN Output=Database Buffers            339738624 bytes
[Thread-85] [ 2016-12-11 18:00:26.702 IST ] [RMANEngine.readSqlOutput:787]
Log RMAN Output=Redo Buffers              2396160 bytes
[Thread-85] [ 2016-12-11 18:00:26.721 IST ] [RMANEngine.readSqlOutput:787] Log
RMAN Output=
[Thread-85] [ 2016-12-11 18:00:26.722 IST ] [RMANEngine.readSqlOutput:787] Log
RMAN Output=
[Thread-85] [ 2016-12-11 18:00:26.722 IST ] [RMANEngine.readSqlOutput:787] Log
RMAN Output=RMAN> set echo on
[Thread-85] [ 2016-12-11 18:00:26.722 IST ] [RMANEngine.readSqlOutput:787] Log
RMAN Output=
[Thread-85] [ 2016-12-11 18:00:26.723 IST ] [RMANEngine.readSqlOutput:787] Log
RMAN Output=echo set on
[Thread-85] [ 2016-12-11 18:00:26.723 IST ] [RMANEngine.readSqlOutput:931]
Notifying writer to proceed because
m_bInterrupted=falsebNotify=true m_bReaderDone=false m_bFatalErrorOccured=false
[main] [ 2016-12-11 18:00:26.723 IST ] [RMANEngine.executeImpl:1132] Completed
wait from reader
[main] [ 2016-12-11 18:00:26.723 IST ] [RMANEngine.executeImpl:1179] DONE
EXECUTING GIVEN COMMAND=startup force nomount
pfile='/u01/app/oracle/product/11.2.0/db_1/dbs/initpawdb.ora';
[main] [ 2016-12-11 18:00:26.723 IST ] [Instance.setControlAutoBackupOff:519]
CONFIGURE CONTROLFILE AUTOBACKUP OFF
[main] [ 2016-12-11 18:00:26.723 IST ] [RMANEngine.executeImpl:1084]
m_bExecQuery=false
[main] [ 2016-12-11 18:00:26.723 IST ] [RMANEngine.executeImpl:1092] Command being
written to rman process=set nocfau;
[main] [ 2016-12-11 18:00:26.723 IST ] [RMANEngine.executeImpl:1120] Notify reader
to start reading
[Thread-85] [ 2016-12-11 18:00:26.724 IST ] [RMANEngine.run:715] Return Value from
readSqlOutput=echo set on
[Thread-85] [ 2016-12-11 18:00:26.724 IST ] [RMANEngine.readSqlOutput:787] Log
RMAN Output=
[Thread-85] [ 2016-12-11 18:00:26.724 IST ] [RMANEngine.readSqlOutput:787] Log
RMAN Output=RMAN> set nocfau;
[Thread-85] [ 2016-12-11 18:00:26.724 IST ] [RMANEngine.readSqlOutput:787] Log
RMAN Output=executing command: SET NOCFAU
[Thread-85] [ 2016-12-11 18:00:26.728 IST ] [RMANEngine.readSqlOutput:787] Log
RMAN Output=using target database control file instead of recovery catalog
[Thread-85] [ 2016-12-11 18:00:26.885 IST ] [RMANEngine.readSqlOutput:787] Log
RMAN Output=
[Thread-85] [ 2016-12-11 18:00:26.886 IST ] [RMANEngine.readSqlOutput:787] Log

```

```
RMAN Output=  
[Thread-85] [ 2016-12-11 18:00:26.886 IST ] [RMANEngine.readSqlOutput:787] Log  
RMAN Output=RMAN> set echo on  
[Thread-85] [ 2016-12-11 18:00:26.886 IST ] [RMANEngine.readSqlOutput:787] Log  
RMAN Output=  
[Thread-85] [ 2016-12-11 18:00:26.887 IST ] [RMANEngine.readSqlOutput:787] Log  
RMAN Output=echo set on  
[Thread-85] [ 2016-12-11 18:00:26.887 IST ] [RMANEngine.readSqlOutput:931]  
Notifying writer to proceed because  
m_bInterrupted=falsebNotify=true m_bReaderDone=false m_bFatalErrorOccured=false  
[main] [ 2016-12-11 18:00:26.887 IST ] [RMANEngine.executeImpl:1132] Completed  
wait from reader  
[main] [ 2016-12-11 18:00:26.887 IST ] [RMANEngine.executeImpl:1179] DONE  
EXECUTING GIVEN COMMAND=set nocfau;  
[main] [ 2016-12-11 18:00:26.887 IST ] [RMANEngine.executeImpl:1084]  
m_bExecQuery=false  
[main] [ 2016-12-11 18:00:26.887 IST ] [RMANEngine.executeImpl:1092] Command being  
written to rman process=restore spfile to '+PAWDB_DATA/spfilepawdb.ora' from  
'+PAWDB_DATA/sp_pawdb_backup';  
[main] [ 2016-12-11 18:00:26.887 IST ] [RMANEngine.executeImpl:1120] Notify reader  
to start reading  
[Thread-85] [ 2016-12-11 18:00:26.887 IST ] [RMANEngine.run:715] Return Value from  
readSqlOutput=echo set on  
[Thread-85] [ 2016-12-11 18:00:26.888 IST ] [RMANEngine.readSqlOutput:787] Log  
RMAN Output=  
[Thread-85] [ 2016-12-11 18:00:26.890 IST ] [RMANEngine.readSqlOutput:787] Log  
RMAN Output=RMAN> restore spfile to '+PAWDB_DATA/spfilepawdb.ora' from  
'+PAWDB_DATA/sp_pawdb_backup';  
[Thread-85] [ 2016-12-11 18:00:26.890 IST ] [RMANEngine.readSqlOutput:787] Log  
RMAN Output=Starting restore at 11-DEC-16  
[Thread-85] [ 2016-12-11 18:00:26.954 IST ] [RMANEngine.readSqlOutput:787] Log  
RMAN Output=allocated channel: ORA_DISK_1  
[Thread-85] [ 2016-12-11 18:00:26.956 IST ] [RMANEngine.readSqlOutput:787] Log  
RMAN Output=channel ORA_DISK_1: SID=25 device type=DISK  
[Thread-85] [ 2016-12-11 18:00:27.070 IST ] [RMANEngine.readSqlOutput:787] Log  
RMAN Output=  
[Thread-85] [ 2016-12-11 18:00:30.587 IST ] [RMANEngine.readSqlOutput:787] Log  
RMAN Output=channel ORA_DISK_1: restoring spfile from AUTOBACKUP  
+PAWDB_DATA/sp_pawdb_backup  
[Thread-85] [ 2016-12-11 18:00:31.603 IST ] [RMANEngine.readSqlOutput:787] Log  
RMAN Output=channel ORA_DISK_1: SPFILE restore from AUTOBACKUP complete  
[Thread-85] [ 2016-12-11 18:00:31.604 IST ] [RMANEngine.readSqlOutput:787] Log  
RMAN Output=Finished restore at 11-DEC-16  
[Thread-85] [ 2016-12-11 18:00:31.635 IST ] [RMANEngine.readSqlOutput:787] Log  
RMAN Output=  
[Thread-85] [ 2016-12-11 18:00:31.635 IST ] [RMANEngine.readSqlOutput:787] Log  
RMAN Output=  
[Thread-85] [ 2016-12-11 18:00:31.636 IST ] [RMANEngine.readSqlOutput:787] Log  
RMAN Output=RMAN> set echo on  
[Thread-85] [ 2016-12-11 18:00:31.636 IST ] [RMANEngine.readSqlOutput:787] Log  
RMAN Output=  
[Thread-85] [ 2016-12-11 18:00:31.636 IST ] [RMANEngine.readSqlOutput:787] Log  
RMAN Output=echo set on  
[Thread-85] [ 2016-12-11 18:00:31.636 IST ] [RMANEngine.readSqlOutput:931]  
Notifying writer to proceed because  
m_bInterrupted=falsebNotify=true m_bReaderDone=false m_bFatalErrorOccured=false  
[main] [ 2016-12-11 18:00:31.636 IST ] [RMANEngine.executeImpl:1132] Completed  
wait from reader  
[main] [ 2016-12-11 18:00:31.637 IST ] [RMANEngine.executeImpl:1179] DONE
```

```
EXECUTING GIVEN COMMAND=restore spfile to '+PAWDB_DATA/spfilepawdb.ora' from
'+PAWDB_DATA/sp_pawdb_backup';
[main] [ 2016-12-11 18:00:31.637 IST ] [RMANEngine.executeImpl:1084]
m_bExecQuery=false
[main] [ 2016-12-11 18:00:31.637 IST ] [RMANEngine.executeImpl:1092] Command being
written to rman process=shutdown immediate;
[main] [ 2016-12-11 18:00:31.637 IST ] [RMANEngine.executeImpl:1120] Notify reader
to start reading
[Thread-85] [ 2016-12-11 18:00:31.637 IST ] [RMANEngine.run:715] Return Value from
readSqlOutput=echo set on
[Thread-85] [ 2016-12-11 18:00:31.637 IST ] [RMANEngine.readSqlOutput:787] Log
RMAN Output=
[Thread-85] [ 2016-12-11 18:00:31.642 IST ] [RMANEngine.readSqlOutput:787] Log
RMAN Output=RMAN> shutdown immediate;
[Thread-85] [ 2016-12-11 18:00:37.959 IST ] [RMANEngine.readSqlOutput:787] Log
RMAN Output=Oracle instance shut down
[Thread-85] [ 2016-12-11 18:00:37.959 IST ] [RMANEngine.readSqlOutput:787] Log
RMAN Output=
[Thread-85] [ 2016-12-11 18:00:37.959 IST ] [RMANEngine.readSqlOutput:787] Log
RMAN Output=
[Thread-85] [ 2016-12-11 18:00:37.960 IST ] [RMANEngine.readSqlOutput:787] Log
RMAN Output=RMAN> set echo on
[Thread-85] [ 2016-12-11 18:00:37.960 IST ] [RMANEngine.readSqlOutput:787] Log
RMAN Output=
[Thread-85] [ 2016-12-11 18:00:37.960 IST ] [RMANEngine.readSqlOutput:787] Log
RMAN Output=echo set on
[Thread-85] [ 2016-12-11 18:00:37.960 IST ] [RMANEngine.readSqlOutput:931]
Notifying writer to proceed because
m_bInterrupted=falsebNotify=true m_bReaderDone=false m_bFatalErrorOccured=false
[main] [ 2016-12-11 18:00:37.960 IST ] [RMANEngine.executeImpl:1132] Completed
wait from reader
[main] [ 2016-12-11 18:00:37.961 IST ] [RMANEngine.executeImpl:1179] DONE
EXECUTING GIVEN COMMAND=shutdown immediate;
[main] [ 2016-12-11 18:00:37.961 IST ] [RMANEngine.done:1452] Done called
[main] [ 2016-12-11 18:00:37.961 IST ] [RMANEngine.spoolOff:1338] Setting spool
off = /u01/app/oracle/cfgtoollogs/rconfig/pawdb1/rmanLog
[main] [ 2016-12-11 18:00:37.961 IST ] [RMANEngine.executeImpl:1084]
m_bExecQuery=false
[main] [ 2016-12-11 18:00:37.961 IST ] [RMANEngine.executeImpl:1092] Command being
written to rman process=exit;
[main] [ 2016-12-11 18:00:37.961 IST ] [RMANEngine.executeImpl:1120] Notify reader
to start reading
[Thread-85] [ 2016-12-11 18:00:37.961 IST ] [RMANEngine.run:715] Return Value from
readSqlOutput=echo set on
[Thread-85] [ 2016-12-11 18:00:37.961 IST ] [RMANEngine.readSqlOutput:931]
Notifying writer to proceed because
m_bInterrupted=falsebNotify=false m_bReaderDone=true m_bFatalErrorOccured=false
[main] [ 2016-12-11 18:00:37.962 IST ] [RMANEngine.executeImpl:1132] Completed
wait from reader
[main] [ 2016-12-11 18:00:37.962 IST ] [RMANEngine.executeImpl:1179] DONE
EXECUTING GIVEN COMMAND=exit;
[main] [ 2016-12-11 18:00:37.962 IST ] [StorageManagement.createBaseStorage:361]
Spfile location :+PAWDB_DATA/spfilepawdb.ora
[main] [ 2016-12-11 18:00:37.962 IST ] [StorageManagement.createBaseStorage:365]
**** create initfiles
[main] [ 2016-12-11 18:00:37.962 IST ] [InstanceManagement.createInitFiles:340]
Create Init files for 2 instances
[main] [ 2016-12-11 18:00:37.962 IST ] [ClusterUtils.areSharedPaths:552] 1.
path=/u01/app/oracle/product/11.2.0/db_1
```

```
[main] [ 2016-12-11 18:00:37.963 IST ] [ClusterUtils.areSharedPaths:573] 2.
path=/u01/app/oracle/product/11.2.0/db_1
[main] [ 2016-12-11 18:00:37.963 IST ] [ClusterUtils.areSharedPaths:578] hashCode =
[paw-racnode1, paw-racnode2]/u01/app/oracle/product/11.2.0/db_1
[main] [ 2016-12-11 18:00:37.963 IST ] [ClusterUtils.areSharedPaths:582] Got
shared=false from map
[main] [ 2016-12-11 18:00:37.963 IST ] [ClusterConfig.isClusterInstalled:361]
hasJarPresent=true
[main] [ 2016-12-11 18:00:37.963 IST ] [Version.isPre:274] version to be checked
11.2.0.1.0 major version to check against10
[main] [ 2016-12-11 18:00:37.963 IST ] [Version.isPre:285] isPre.java: Returning
FALSE
[main] [ 2016-12-11 18:00:37.964 IST ] [OCR.loadLibrary:308]
Inside constructor of OCR
[main] [ 2016-12-11 18:00:37.964 IST ] [OCR.isCluster:939] Calling OCRNative for
isCluster()
[main] [ 2016-12-11 18:00:37.964 IST ] [nativesystem.OCRNative.Native] JNI:
isCluster() Successfully initialized meta context
[main] [ 2016-12-11 18:00:37.964 IST ] [nativesystem.OCRNative.Native] JNI:
procr_get_conf() retValue = 0
[main] [ 2016-12-11 18:00:37.964 IST ] [nativesystem.OCRNative.Native]
The OCR file is configured & local_only=false

[main] [ 2016-12-11 18:00:37.964 IST ] [OCR.isCluster:943] OCR Result status =
true
[main] [ 2016-12-11 18:00:37.964 IST ] [OCR.isCluster:955] Boolean result = true
[main] [ 2016-12-11 18:00:37.965 IST ] [ClusterConfig.isClusterInstalled:361]
hasJarPresent=true
[main] [ 2016-12-11 18:00:37.965 IST ] [Version.isPre:274] version to be checked
11.2.0.1.0 major version to check against10
[main] [ 2016-12-11 18:00:37.965 IST ] [Version.isPre:285] isPre.java: Returning
FALSE
[main] [ 2016-12-11 18:00:37.965 IST ] [OCR.loadLibrary:308]
Inside constructor of OCR
[main] [ 2016-12-11 18:00:37.965 IST ] [OCR.isCluster:939] Calling OCRNative for
isCluster()
[main] [ 2016-12-11 18:00:37.965 IST ] [nativesystem.OCRNative.Native] JNI:
isCluster() Successfully initialized meta context
[main] [ 2016-12-11 18:00:37.965 IST ] [nativesystem.OCRNative.Native] JNI:
procr_get_conf() retValue = 0
[main] [ 2016-12-11 18:00:37.966 IST ] [nativesystem.OCRNative.Native] The OCR
file is configured & local_only=false

[main] [ 2016-12-11 18:00:37.966 IST ] [OCR.isCluster:943] OCR Result status =
true
[main] [ 2016-12-11 18:00:37.966 IST ] [OCR.isCluster:955] Boolean result = true
[main] [ 2016-12-11 18:00:37.966 IST ] [GetActiveNodes.create:226] Returning an
existing instance of GetActiveNodes
[main] [ 2016-12-11 18:00:37.966 IST ] [UnixSystem.copyFile:614] Copy file
localnode:/u01/app/oracle/product/11.2.0/db_1/dbs/initpawdb1.ora to paw-
racnode2:/u01/app/oracle/product/11.2.0/db_1/dbs/initpawdb2.ora
[Thread-85] [ 2016-12-11 18:00:37.966 IST ] [RMANEngine.run:715] Return Value from
readSqlOutput=null
[main] [ 2016-12-11 18:00:37.968 IST ] [Utils.getLocalHost:356] Hostname
retrieved: paw-racnode1.airydba.com, returned: paw-racnode1
[main] [ 2016-12-11 18:00:37.968 IST ] [UnixSystem.remoteCopyFile:591] Copying
files localnode/u01/app/oracle/product/11.2.0/db_1/dbs/initpawdb1.ora paw-
racnode2/u01/app/oracle/product/11.2.0/db_1/dbs/initpawdb2.ora
[main] [ 2016-12-11 18:00:37.970 IST ] [Utils.getLocalHost:356] Hostname
```

```
retrieved: paw-racnode1.airydba.com, returned: paw-racnode1
[main] [ 2016-12-11 18:00:37.970 IST ] [UnixSystem.remoteCopyFile:608] UnixSystem:
/usr/bin/scp -p /u01/app/oracle/product/11.2.0/db_1/dbs/initpawdb1.ora paw-
racnode2:'/u01/app/oracle/product/11.2.0/db_1/dbs/initpawdb2.ora'
[main] [ 2016-12-11 18:00:37.970 IST ] [RuntimeExec.runCommand:75] Calling
Runtime.exec() with the command
[main] [ 2016-12-11 18:00:37.970 IST ] [RuntimeExec.runCommand:77] /usr/bin/scp
[main] [ 2016-12-11 18:00:37.970 IST ] [RuntimeExec.runCommand:77] -p
[main] [ 2016-12-11 18:00:37.970 IST ] [RuntimeExec.runCommand:77]
/u01/app/oracle/product/11.2.0/db_1/dbs/initpawdb1.ora
[main] [ 2016-12-11 18:00:37.970 IST ] [RuntimeExec.runCommand:77] paw-
racnode2:'/u01/app/oracle/product/11.2.0/db_1/dbs/initpawdb2.ora'
[Thread-88] [ 2016-12-11 18:00:37.975 IST ] [StreamReader.run:61] In
StreamReader.run
[main] [ 2016-12-11 18:00:37.978 IST ] [RuntimeExec.runCommand:142] runCommand:
Waiting for the process
[Thread-87] [ 2016-12-11 18:00:37.981 IST ] [StreamReader.run:61] In
StreamReader.run
[main] [ 2016-12-11 18:00:38.745 IST ] [RuntimeExec.runCommand:144] runCommand:
process returns 0
[main] [ 2016-12-11 18:00:38.746 IST ] [RuntimeExec.runCommand:161] RunTimeExec:
output>
[main] [ 2016-12-11 18:00:38.746 IST ] [RuntimeExec.runCommand:170] RunTimeExec:
error>
[main] [ 2016-12-11 18:00:38.746 IST ] [RuntimeExec.runCommand:192] Returning from
RunTimeExec.runCommand
[main] [ 2016-12-11 18:00:38.747 IST ] [NativeSystem.isCmdScv:471] isCmdScv:
cmd=[/usr/bin/scp -p /u01/app/oracle/product/11.2.0/db_1/dbs/initpawdb1.ora paw-
racnode2:'/u01/app/oracle/product/11.2.0/db_1/dbs/initpawdb2.ora']
[main] [ 2016-12-11 18:00:38.747 IST ] [NativeSystem.isCmdScv:521] isCmdScv:
/usr/bin/scp is present.
[main] [ 2016-12-11 18:00:38.748 IST ] [NativeSystem.isCmdScv:523] isCmdScv:
/usr/bin/scp is a file.
[main] [ 2016-12-11 18:00:38.748 IST ] [NativeSystem.isCmdScv:540] isCmdScv:
returned true
[main] [ 2016-12-11 18:00:38.749 IST ] [NativeSystem.rununixcmd:1058]
NativeSystem.rununixcmd: RetString 1| :successful
[main] [ 2016-12-11 18:00:38.749 IST ] [CopyCommand.execute:79]
CopyCommand.execute: native copyFile returns `1| :successful'
[main] [ 2016-12-11 18:00:38.749 IST ] [NativeResult.<init>:91] NativeResult: The
String obtained is1| :successful
[main] [ 2016-12-11 18:00:38.749 IST ] [NativeResult.<init>:99] The status string
is: 1
[main] [ 2016-12-11 18:00:38.750 IST ] [NativeResult.<init>:112] The result string
is: :successful 1
[main] [ 2016-12-11 18:00:38.750 IST ] [StorageManagement.createBaseStorage:371]
**** restore files using new SID:
[main] [ 2016-12-11 18:00:38.750 IST ] [OracleHome.getVersion:877]
OracleHome.getVersion called. Current Version: 11.2.0.1.0
[main] [ 2016-12-11 18:00:38.751 IST ] [OracleHome.getVersion:943] Current Version
From Inventory: 11.2.0.1.0
[main] [ 2016-12-11 18:00:38.751 IST ] [OracleHome.getVersion:948] using
sqlplus: /u01/app/oracle/product/11.2.0/db_1/bin/sqlplus
[main] [ 2016-12-11 18:00:38.751 IST ] [OracleHome.getVersion:877]
OracleHome.getVersion called. Current Version: 11.2.0.1.0
[main] [ 2016-12-11 18:00:38.751 IST ] [OracleHome.getVersion:943] Current Version
From Inventory: 11.2.0.1.0
[main] [ 2016-12-11 18:00:38.752 IST ] [OracleHome.getVersion:948] using
sqlplus: /u01/app/oracle/product/11.2.0/db_1/bin/sqlplus
```

```
[main] [ 2016-12-11 18:00:38.752 IST ] [OracleHome.getVersion:877]
OracleHome.getVersion called. Current Version: 11.2.0.1.0
[main] [ 2016-12-11 18:00:38.752 IST ] [OracleHome.getVersion:943] Current Version
From Inventory: 11.2.0.1.0
[main] [ 2016-12-11 18:00:38.753 IST ] [OracleHome.getVersion:948] using
sqlplus: /u01/app/oracle/product/11.2.0/db_1/bin/sqlplus
[main] [ 2016-12-11 18:00:38.753 IST ] [SQLPlusEngine.getCmmdParams:222] m_home
11.2.0.1.0
[main] [ 2016-12-11 18:00:38.753 IST ] [SQLPlusEngine.getCmmdParams:223] version >
112 true
[main] [ 2016-12-11 18:00:38.754 IST ] [SQLEngine.getEnvParams:547] Default
NLS_LANG: AMERICAN AMERICA.AL32UTF8
[main] [ 2016-12-11 18:00:38.754 IST ] [SQLEngine.getEnvParams:557] NLS_LANG:
AMERICAN_AMERICA.AL32UTF8
[main] [ 2016-12-11 18:00:38.755 IST ] [SQLEngine.initialize:317] Execing
SQLPLUS/SVRMGR process...
[main] [ 2016-12-11 18:00:38.764 IST ] [SQLEngine.initialize:354]
m_bReaderStarted: false
[main] [ 2016-12-11 18:00:38.765 IST ] [SQLEngine.initialize:358] Starting Reader
Thread...
[main] [ 2016-12-11 18:00:38.896 IST ] [Instance.getSQLEngine:381] SQLEngine
spooling to=/u01/app/oracle/cfgtoollogs/rconfig/pawdbl/sqlLog
[main] [ 2016-12-11 18:00:38.896 IST ] [SQLEngine.setSpool:1940] old Spool = null
[main] [ 2016-12-11 18:00:38.896 IST ] [SQLEngine.setSpool:1941] Setting Spool
= /u01/app/oracle/cfgtoollogs/rconfig/pawdbl/sqlLog
[main] [ 2016-12-11 18:00:38.896 IST ] [SQLEngine.setSpool:1942] Is spool
appendable? --> true
[Thread-89] [ 2016-12-11 18:00:45.370 IST ]
[Instance$RConfigErrorListener.gotError:435] Got error
[Thread-89] [ 2016-12-11 18:00:45.370 IST ]
[Instance$RConfigErrorListener.handleNonIgnorableError:450] Number of ERRORS:1
[Thread-89] [ 2016-12-11 18:00:45.370 IST ]
[Instance$RConfigErrorListener.handleNonIgnorableError:453] ERROR=ORA-01507:
database not mounted
[Thread-89] [ 2016-12-11 18:00:45.370 IST ]
[Instance$RConfigErrorListener.handleNonIgnorableError:456] Ignoring shutdown
error : database not mounted
[main] [ 2016-12-11 18:00:51.512 IST ] [RMANEngine.initialize:180] Execing RMAN
process from initialize...
[main] [ 2016-12-11 18:00:51.521 IST ] [RMANEngine.initialize:206] Created RMAN
process from initialize...
[main] [ 2016-12-11 18:00:51.522 IST ] [RMANEngine.initialize:213] Starting Reader
Thread...
[main] [ 2016-12-11 18:00:51.522 IST ] [RMANEngine.initialize:217] Started reader
thread for RMAN process in initialize...
[Thread-91] [ 2016-12-11 18:00:51.522 IST ] [RMANEngine.run:701] Started reader
thread for RMAN process from initialize...
[Thread-91] [ 2016-12-11 18:00:51.522 IST ] [RMANEngine.run:705] Set
m_bReaderStarted to true in initialize...
[main] [ 2016-12-11 18:00:51.522 IST ] [RMANEngine.initialize:225] Started error
thread for RMAN process from initialize...
[main] [ 2016-12-11 18:00:51.523 IST ] [RMANEngine.initialize:230] Created output
writer for RMAN process from initialize...
[main] [ 2016-12-11 18:00:51.523 IST ] [RMANEngine.initialize:268] Created Log
writer for RMAN process from initialize...
[main] [ 2016-12-11 18:00:51.523 IST ] [RMANEngine.initialize:273] Value of
m_bReaderStarted in initialize=true
[main] [ 2016-12-11 18:00:51.523 IST ] [RMANEngine.initialize:288] Made sure
reader has started for RMAN process from initialize...
```



```
[main] [ 2016-12-11 18:00:51.523 IST ] [RMANEngine.executeImpl:1084]
m_bExecQuery=false
[main] [ 2016-12-11 18:00:51.523 IST ] [RMANEngine.executeImpl:1092] Command being
written to rman process=connect target sys/*****
[main] [ 2016-12-11 18:00:51.523 IST ] [RMANEngine.executeImpl:1120] Notify reader
to start reading
[Thread-91] [ 2016-12-11 18:00:51.528 IST ] [RMANEngine.readSqlOutput:787] Log
RMAN Output=
[Thread-91] [ 2016-12-11 18:00:51.528 IST ] [RMANEngine.readSqlOutput:787] Log
RMAN Output=Recovery Manager: Release 11.2.0.1.0 - Production on Sun Dec 11
18:00:51 2016
[Thread-91] [ 2016-12-11 18:00:51.528 IST ] [RMANEngine.readSqlOutput:787] Log
RMAN Output=
[Thread-91] [ 2016-12-11 18:00:51.528 IST ] [RMANEngine.readSqlOutput:787] Log
RMAN Output=Copyright (c) 1982, 2009, Oracle and/or its affiliates. All rights
reserved.
[Thread-91] [ 2016-12-11 18:00:51.581 IST ] [RMANEngine.readSqlOutput:787] Log
RMAN Output=
[Thread-91] [ 2016-12-11 18:00:51.581 IST ] [RMANEngine.readSqlOutput:787] Log
RMAN Output=RMAN>
[Thread-91] [ 2016-12-11 18:00:51.614
IST ] [RMANEngine.readSqlOutput:787] Log RMAN Output=connected to target database
(not started)
[Thread-91] [ 2016-12-11 18:00:51.615 IST ] [RMANEngine.readSqlOutput:787] Log
RMAN Output=
[Thread-91] [ 2016-12-11 18:00:51.615 IST ] [RMANEngine.readSqlOutput:787] Log
RMAN Output=RMAN>
[Thread-91] [ 2016-12-11 18:00:51.615 IST ] [RMANEngine.readSqlOutput:787] Log
RMAN Output=echo set on
[Thread-91] [ 2016-12-11 18:00:51.615 IST ] [RMANEngine.readSqlOutput:931]
Notifying writer to proceed because
m_bInterrupted=falsebNotify=true m_bReaderDone=false m_bFatalErrorOccured=false
[Thread-91] [ 2016-12-11 18:00:51.615 IST ] [RMANEngine.run:715] Return Value from
readSqlOutput=echo set on
[main] [ 2016-12-11 18:00:51.616 IST ] [RMANEngine.executeImpl:1132] Completed
wait from reader
[main] [ 2016-12-11 18:00:51.616 IST ] [RMANEngine.executeImpl:1179] DONE
EXECUTING GIVEN COMMAND=connect target sys/*****
[main] [ 2016-12-11 18:00:51.616 IST ] [Instance.getRMANEngine:315] RMANEngine
spooling to=/u01/app/oracle/cfgtoollogs/rconfig/pawdbl/rmanLog
[main] [ 2016-12-11 18:00:51.616 IST ] [RMANEngine.executeImpl:1084]
m_bExecQuery=false
[main] [ 2016-12-11 18:00:51.616 IST ] [RMANEngine.executeImpl:1092] Command being
written to rman process=startup nomount;
[main] [ 2016-12-11 18:00:51.616 IST ] [RMANEngine.executeImpl:1120] Notify reader
to start reading
[Thread-91] [ 2016-12-11 18:00:51.617 IST ] [RMANEngine.readSqlOutput:787] Log
RMAN Output=
[Thread-91] [ 2016-12-11 18:00:51.617 IST ] [RMANEngine.readSqlOutput:787] Log
RMAN Output=RMAN> startup nomount;
[Thread-91] [ 2016-12-11 18:00:57.040 IST ] [RMANEngine.readSqlOutput:787] Log
RMAN Output=Oracle instance started
[Thread-91] [ 2016-12-11 18:00:57.389 IST ] [RMANEngine.readSqlOutput:787] Log
RMAN Output=
[Thread-91] [ 2016-12-11 18:00:57.389 IST ] [RMANEngine.readSqlOutput:787] Log
RMAN Output=Total System Global Area      839282688 bytes
[Thread-91] [ 2016-12-11 18:00:57.390 IST ] [RMANEngine.readSqlOutput:787] Log
RMAN Output=
[Thread-91] [ 2016-12-11 18:00:57.390 IST ] [RMANEngine.readSqlOutput:787] Log
```

```
RMAN Output=Fixed Size                2217992 bytes
[Thread-91] [ 2016-12-11 18:00:57.390 IST ] [RMANEngine.readSqlOutput:787] Log
RMAN Output=Variable Size             494929912 bytes
[Thread-91] [ 2016-12-11 18:00:57.390 IST ] [RMANEngine.readSqlOutput:787] Log
RMAN Output=Database Buffers         339738624 bytes
[Thread-91] [ 2016-12-11 18:00:57.391 IST ] [RMANEngine.readSqlOutput:787] Log
RMAN Output=Redo Buffers              2396160 bytes
[Thread-91] [ 2016-12-11 18:00:57.417 IST ] [RMANEngine.readSqlOutput:787] Log
RMAN Output=
[Thread-91] [ 2016-12-11 18:00:57.417 IST ] [RMANEngine.readSqlOutput:787] Log
RMAN Output=
[Thread-91] [ 2016-12-11 18:00:57.418 IST ] [RMANEngine.readSqlOutput:787] Log
RMAN Output=RMAN> set echo on
[Thread-91] [ 2016-12-11 18:00:57.418 IST ] [RMANEngine.readSqlOutput:787] Log
RMAN Output=
[Thread-91] [ 2016-12-11 18:00:57.418 IST ] [RMANEngine.readSqlOutput:787] Log
RMAN Output=echo set on
[Thread-91] [ 2016-12-11 18:00:57.418 IST ] [RMANEngine.readSqlOutput:931]
Notifying writer to proceed because
m_bInterrupted=falsebNotify=true m_bReaderDone=false m_bFatalErrorOccured=false
[main] [ 2016-12-11 18:00:57.418 IST ] [RMANEngine.executeImpl:1132] Completed
wait from reader
[main] [ 2016-12-11 18:00:57.418 IST ] [RMANEngine.executeImpl:1179] DONE
EXECUTING GIVEN COMMAND=startup nomount;
[main] [ 2016-12-11 18:00:57.418 IST ] [Instance.setControlAutoBackupOff:519]
CONFIGURE CONTROLFILE AUTOBACKUP OFF
[main] [ 2016-12-11 18:00:57.419 IST ] [RMANEngine.executeImpl:1084]
m_bExecQuery=false
[main] [ 2016-12-11 18:00:57.419 IST ] [RMANEngine.executeImpl:1092] Command being
written to rman process=set nocfau;
[main] [ 2016-12-11 18:00:57.419 IST ] [RMANEngine.executeImpl:1120] Notify reader
to start reading
[Thread-91] [ 2016-12-11 18:00:57.419 IST ] [RMANEngine.run:715] Return Value from
readSqlOutput=echo set on
[Thread-91] [ 2016-12-11 18:00:57.419 IST ] [RMANEngine.readSqlOutput:787] Log
RMAN Output=
[Thread-91] [ 2016-12-11 18:00:57.419 IST ] [RMANEngine.readSqlOutput:787] Log
RMAN Output=RMAN> set nocfau;
[Thread-91] [ 2016-12-11 18:00:57.420 IST ] [RMANEngine.readSqlOutput:787] Log
RMAN Output=executing command: SET NOCFAU
[Thread-91] [ 2016-12-11 18:00:57.423 IST ] [RMANEngine.readSqlOutput:787] Log
RMAN Output=using target database control file instead of recovery catalog
[Thread-91] [ 2016-12-11 18:00:57.579 IST ] [RMANEngine.readSqlOutput:787] Log
RMAN Output=
[Thread-91] [ 2016-12-11 18:00:57.579 IST ] [RMANEngine.readSqlOutput:787] Log
RMAN Output=
[Thread-91] [ 2016-12-11 18:00:57.582 IST ] [RMANEngine.readSqlOutput:787] Log
RMAN Output=RMAN> set echo on
[Thread-91] [ 2016-12-11 18:00:57.582 IST ] [RMANEngine.readSqlOutput:787] Log
RMAN Output=
[Thread-91] [ 2016-12-11 18:00:57.582 IST ] [RMANEngine.readSqlOutput:787] Log
RMAN Output=echo set on
[Thread-91] [ 2016-12-11 18:00:57.582 IST ] [RMANEngine.readSqlOutput:931]
Notifying writer to proceed because
m_bInterrupted=falsebNotify=true m_bReaderDone=false m_bFatalErrorOccured=false
[main] [ 2016-12-11 18:00:57.582 IST ] [RMANEngine.executeImpl:1132] Completed
wait from reader
[main] [ 2016-12-11 18:00:57.582 IST ] [RMANEngine.executeImpl:1179] DONE
EXECUTING GIVEN COMMAND=set nocfau;
```

```
[main] [ 2016-12-11 18:00:57.583 IST ] [StorageManagement.createBaseStorage:388]
Control File=/u01/app/oracle/oradata/pawdb/control01.ctl
[main] [ 2016-12-11 18:00:57.583 IST ] [RMANEngine.executeImpl:1084]
m_bExecQuery=false
[main] [ 2016-12-11 18:00:57.583 IST ] [RMANEngine.executeImpl:1092] Command being
written to rman process=restore controlfile from
'/u01/app/oracle/oradata/pawdb/control01.ctl';
[main] [ 2016-12-11 18:00:57.583 IST ] [RMANEngine.executeImpl:1120] Notify reader
to start reading
[Thread-91] [ 2016-12-11 18:00:57.583 IST ] [RMANEngine.run:715] Return Value from
readSqlOutput=echo set on
[Thread-91] [ 2016-12-11 18:00:57.583 IST ] [RMANEngine.readSqlOutput:787] Log
RMAN Output=
[Thread-91] [ 2016-12-11 18:00:57.585 IST ] [RMANEngine.readSqlOutput:787] Log
RMAN Output=RMAN> restore controlfile from
'/u01/app/oracle/oradata/pawdb/control01.ctl';
[Thread-91] [ 2016-12-11 18:00:57.585 IST ] [RMANEngine.readSqlOutput:787] Log
RMAN Output=Starting restore at 11-DEC-16
[Thread-91] [ 2016-12-11 18:00:57.629 IST ] [RMANEngine.readSqlOutput:787] Log
RMAN Output=allocated channel: ORA_DISK_1
[Thread-91] [ 2016-12-11 18:00:57.631 IST ] [RMANEngine.readSqlOutput:787] Log
RMAN Output=channel ORA_DISK_1: SID=25 device type=DISK
[Thread-91] [ 2016-12-11 18:00:57.748 IST ] [RMANEngine.readSqlOutput:787] Log
RMAN Output=
[Thread-91] [ 2016-12-11 18:01:13.043 IST ] [RMANEngine.readSqlOutput:787] Log
RMAN Output=channel ORA_DISK_1: copied control file copy
[Thread-91] [ 2016-12-11 18:01:13.044 IST ] [RMANEngine.readSqlOutput:787] Log
RMAN Output=output file name=+PAWDB_DATA/pawdb/controlfile/current.262.930333661
[Thread-91] [ 2016-12-11 18:01:13.045 IST ] [RMANEngine.readSqlOutput:787] Log
RMAN Output=output file name=+FRA/pawdb/controlfile/current.388.930333665
[Thread-91] [ 2016-12-11 18:01:13.046 IST ] [RMANEngine.readSqlOutput:787] Log
RMAN Output=Finished restore at 11-DEC-16
[Thread-91] [ 2016-12-11 18:01:13.074 IST ] [RMANEngine.readSqlOutput:787] Log
RMAN Output=
[Thread-91] [ 2016-12-11 18:01:13.074 IST ] [RMANEngine.readSqlOutput:787] Log
RMAN Output=
[Thread-91] [ 2016-12-11 18:01:13.074 IST ] [RMANEngine.readSqlOutput:787] Log
RMAN Output=RMAN> set echo on
[Thread-91] [ 2016-12-11 18:01:13.074 IST ] [RMANEngine.readSqlOutput:787] Log
RMAN Output=
[Thread-91] [ 2016-12-11 18:01:13.075 IST ] [RMANEngine.readSqlOutput:787] Log
RMAN Output=echo set on
[Thread-91] [ 2016-12-11 18:01:13.075 IST ] [RMANEngine.readSqlOutput:931]
Notifying writer to proceed because
m_bInterrupted=falsebNotify=true m_bReaderDone=false m_bFatalErrorOccured=false
[main] [ 2016-12-11 18:01:13.075 IST ] [RMANEngine.executeImpl:1132] Completed
wait from reader
[main] [ 2016-12-11 18:01:13.075 IST ] [RMANEngine.executeImpl:1179] DONE
EXECUTING GIVEN COMMAND=restore controlfile from
'/u01/app/oracle/oradata/pawdb/control01.ctl';
[main] [ 2016-12-11 18:01:13.075 IST ] [RMANEngine.executeImpl:1084]
m_bExecQuery=false
[main] [ 2016-12-11 18:01:13.075 IST ] [RMANEngine.executeImpl:1092] Command being
written to rman process=alter database mount;
[main] [ 2016-12-11 18:01:13.075 IST ] [RMANEngine.executeImpl:1120] Notify reader
to start reading
[Thread-91] [ 2016-12-11 18:01:13.076 IST ] [RMANEngine.run:715] Return Value from
readSqlOutput=echo set on
[Thread-91] [ 2016-12-11 18:01:13.076 IST ] [RMANEngine.readSqlOutput:787] Log
```

```

RMAN Output=
[Thread-91] [ 2016-12-11 18:01:13.076 IST ] [RMANEngine.readSqlOutput:787] Log
RMAN Output=RMAN> alter database mount;
[Thread-91] [ 2016-12-11 18:01:17.635 IST ] [RMANEngine.readSqlOutput:787] Log
RMAN Output=database mounted
[Thread-91] [ 2016-12-11 18:01:17.677 IST ] [RMANEngine.readSqlOutput:787] Log
RMAN Output=released channel: ORA_DISK_1
[Thread-91] [ 2016-12-11 18:01:18.046 IST ] [RMANEngine.readSqlOutput:787] Log
RMAN Output=
[Thread-91] [ 2016-12-11 18:01:18.051 IST ] [RMANEngine.readSqlOutput:787] Log
RMAN Output=
[Thread-91] [ 2016-12-11 18:01:18.054 IST ] [RMANEngine.readSqlOutput:787] Log
RMAN Output=RMAN> set echo on
[Thread-91] [ 2016-12-11 18:01:18.054 IST ] [RMANEngine.readSqlOutput:787] Log
RMAN Output=
[Thread-91] [ 2016-12-11 18:01:18.054 IST ] [RMANEngine.readSqlOutput:787] Log
RMAN Output=echo set on
[Thread-91] [ 2016-12-11 18:01:18.054 IST ] [RMANEngine.readSqlOutput:931]
Notifying writer to proceed because
m_bInterrupted=falsebNotify=true m_bReaderDone=false m_bFatalErrorOccured=false
[main] [ 2016-12-11 18:01:18.055 IST ] [RMANEngine.executeImpl:1132] Completed
wait from
  reader
[main] [ 2016-12-11 18:01:18.055 IST ] [RMANEngine.executeImpl:1179] DONE
EXECUTING GIVEN COMMAND=alter database mount;
[main] [ 2016-12-11 18:01:18.055 IST ] [RMANEngine.executeImpl:1084]
m_bExecQuery=false
[main] [ 2016-12-11 18:01:18.055 IST ] [RMANEngine.executeImpl:1092] Command being
written to rman process=switch database to copy;
[main] [ 2016-12-11 18:01:18.055 IST ] [RMANEngine.executeImpl:1120] Notify reader
to start reading
[Thread-91] [ 2016-12-11 18:01:18.055 IST ] [RMANEngine.run:715] Return Value from
readSqlOutput=echo set on
[Thread-91] [ 2016-12-11 18:01:18.056 IST ] [RMANEngine.readSqlOutput:787] Log
RMAN Output=
[Thread-91] [ 2016-12-11 18:01:18.064 IST ] [RMANEngine.readSqlOutput:787] Log
RMAN Output=RMAN> switch database to copy;
[Thread-91] [ 2016-12-11 18:01:18.389 IST ] [RMANEngine.readSqlOutput:787] Log
RMAN Output=datafile 1 switched to datafile copy
"+PAWDB_DATA/pawdb/datafile/system.256.930333443"
[Thread-91] [ 2016-12-11 18:01:18.423 IST ] [RMANEngine.readSqlOutput:787] Log
RMAN Output=datafile 2 switched to datafile copy
"+PAWDB_DATA/pawdb/datafile/sysaux.257.930333527"
[Thread-91] [ 2016-12-11 18:01:18.454 IST ] [RMANEngine.readSqlOutput:787] Log
RMAN Output=datafile 3 switched to datafile copy
"+PAWDB_DATA/pawdb/datafile/undotbs1.258.930333589"
[Thread-91] [ 2016-12-11 18:01:18.487 IST ] [RMANEngine.readSqlOutput:787] Log
RMAN Output=datafile 4 switched to datafile copy
"+PAWDB_DATA/pawdb/datafile/users.259.930333597"
[Thread-91] [ 2016-12-11 18:01:18.711 IST ] [RMANEngine.readSqlOutput:787] Log
RMAN Output=
[Thread-91] [ 2016-12-11 18:01:18.711 IST ] [RMANEngine.readSqlOutput:787] Log
RMAN Output=
[Thread-91] [ 2016-12-11 18:01:18.711 IST ] [RMANEngine.readSqlOutput:787] Log
RMAN Output=RMAN> set echo on
[Thread-91] [ 2016-12-11 18:01:18.711 IST ] [RMANEngine.readSqlOutput:787] Log
RMAN Output=
[Thread-91] [ 2016-12-11 18:01:18.711 IST ] [RMANEngine.readSqlOutput:787] Log
RMAN Output=echo set on

```

```
[Thread-91] [ 2016-12-11 18:01:18.711 IST ] [RMANEngine.readSqlOutput:931]
Notifying writer to proceed because
m_bInterrupted=falsebNotify=true m_bReaderDone=false m_bFatalErrorOccured=false
[main] [ 2016-12-11 18:01:18.711 IST ] [RMANEngine.executeImpl:1132] Completed
wait from reader
[main] [ 2016-12-11 18:01:18.711 IST ] [RMANEngine.executeImpl:1179] DONE
EXECUTING GIVEN COMMAND=switch database to copy;
[main] [ 2016-12-11 18:01:18.712 IST ] [RMANEngine.executeImpl:1084]
m_bExecQuery=false
[main] [ 2016-12-11 18:01:18.712 IST ] [RMANEngine.executeImpl:1092] Command being
written to rman process=change copy of database uncatalog;
[main] [ 2016-12-11 18:01:18.712 IST ] [RMANEngine.executeImpl:1120] Notify reader
to start reading
[Thread-91] [ 2016-12-11 18:01:18.712 IST ] [RMANEngine.run:715] Return Value from
readSqlOutput=echo set on
[Thread-91] [ 2016-12-11 18:01:18.712 IST ] [RMANEngine.readSqlOutput:787] Log
RMAN Output=
[Thread-91] [ 2016-12-11 18:01:18.717 IST ] [RMANEngine.readSqlOutput:787] Log
RMAN Output=RMAN> change copy of database uncatalog;
[Thread-91] [ 2016-12-11 18:01:19.498 IST ] [RMANEngine.readSqlOutput:787] Log
RMAN Output=uncataloged datafile copy
[Thread-91] [ 2016-12-11 18:01:19.498 IST ] [RMANEngine.readSqlOutput:787] Log
RMAN Output=datafile copy file name=/u01/app/oracle/oradata/pawdb/system01.dbf
RECID=5 STAMP=930333678
[Thread-91] [ 2016-12-11 18:01:19.507 IST ] [RMANEngine.readSqlOutput:787] Log
RMAN Output=uncataloged datafile copy
[Thread-91] [ 2016-12-11 18:01:19.507 IST ] [RMANEngine.readSqlOutput:787] Log
RMAN Output=datafile copy file name=/u01/app/oracle/oradata/pawdb/sysaux01.dbf
RECID=6 STAMP=930333678
[Thread-91] [ 2016-12-11 18:01:19.514 IST ] [RMANEngine.readSqlOutput:787] Log
RMAN Output=uncataloged datafile copy
[Thread-91] [ 2016-12-11 18:01:19.515 IST ] [RMANEngine.readSqlOutput:787] Log
RMAN Output=datafile copy file name=/u01/app/oracle/oradata/pawdb/undotbs01.dbf
RECID=7 STAMP=930333678
[Thread-91] [ 2016-12-11 18:01:19.522 IST ] [RMANEngine.readSqlOutput:787] Log
RMAN Output=uncataloged datafile copy
[Thread-91] [ 2016-12-11 18:01:19.522 IST ] [RMANEngine.readSqlOutput:787] Log
RMAN Output=datafile copy file name=/u01/app/oracle/oradata/pawdb/users01.dbf
RECID=8 STAMP=930333678
[Thread-91] [ 2016-12-11 18:01:19.522 IST ] [RMANEngine.readSqlOutput:787] Log
RMAN Output=Uncataloged 4 objects
[Thread-91] [ 2016-12-11 18:01:19.522 IST ] [RMANEngine.readSqlOutput:787] Log
RMAN Output=
[Thread-91] [ 2016-12-11 18:01:19.606 IST ] [RMANEngine.readSqlOutput:787] Log
RMAN Output=
[Thread-91] [ 2016-12-11 18:01:19.607 IST ] [RMANEngine.readSqlOutput:787] Log
RMAN Output=
[Thread-91] [ 2016-12-11 18:01:19.607 IST ] [RMANEngine.readSqlOutput:787] Log
RMAN Output=RMAN> set echo on
[Thread-91] [ 2016-12-11 18:01:19.607 IST ] [RMANEngine.readSqlOutput:787] Log
RMAN Output=
[Thread-91] [ 2016-12-11 18:01:19.607 IST ] [RMANEngine.readSqlOutput:787] Log
RMAN Output=echo set on
[Thread-91] [ 2016-12-11 18:01:19.607 IST ] [RMANEngine.readSqlOutput:931]
Notifying writer to proceed because
m_bInterrupted=falsebNotify=true m_bReaderDone=false m_bFatalErrorOccured=false
[main] [ 2016-12-11 18:01:19.607 IST ] [RMANEngine.executeImpl:1132] Completed
wait from reader
[main] [ 2016-12-11 18:01:19.607 IST ] [RMANEngine.executeImpl:1179] DONE
```

```
EXECUTING GIVEN COMMAND=change copy of database uncatalog;
[main] [ 2016-12-11 18:01:19.608 IST ] [RMANEngine.executeImpl:1084]
m_bExecQuery=false
[main] [ 2016-12-11 18:01:19.608 IST ] [RMANEngine.executeImpl:1092] Command being
written to rman process=recover database;
[main] [ 2016-12-11 18:01:19.608 IST ] [RMANEngine.executeImpl:1120] Notify reader
to start reading
[Thread-91] [ 2016-12-11 18:01:19.613 IST ] [RMANEngine.run:715] Return Value from
readSqlOutput=echo set on
[Thread-91] [ 2016-12-11 18:01:19.613 IST ] [RMANEngine.readSqlOutput:787] Log
RMAN Output=
[Thread-91] [ 2016-12-11 18:01:19.613 IST ] [RMANEngine.readSqlOutput:787] Log
RMAN Output=RMAN> recover database;
[Thread-91] [ 2016-12-11 18:01:19.617 IST ] [RMANEngine.readSqlOutput:787] Log
RMAN Output=Starting recover at 11-DEC-16
[Thread-91] [ 2016-12-11 18:01:19.845 IST ] [RMANEngine.readSqlOutput:787] Log
RMAN Output=allocated channel: ORA_DISK_1
[Thread-91] [ 2016-12-11 18:01:19.847 IST ] [RMANEngine.readSqlOutput:787] Log
RMAN Output=channel ORA_DISK_1: SID=25 device type=DISK
[Thread-91] [ 2016-12-11 18:01:20.098 IST ] [RMANEngine.readSqlOutput:787] Log
RMAN Output=
[Thread-91] [ 2016-12-11 18:01:20.144 IST ] [RMANEngine.readSqlOutput:787] Log
RMAN Output=starting media recovery
[Thread-91] [ 2016-12-11 18:01:20.492 IST ] [RMANEngine.readSqlOutput:787] Log
RMAN Output=media recovery complete, elapsed time: 00:00:00
[Thread-91] [ 2016-12-11 18:01:20.515 IST ] [RMANEngine.readSqlOutput:787] Log
RMAN Output=
[Thread-91] [ 2016-12-11 18:01:20.541 IST ] [RMANEngine.readSqlOutput:787] Log
RMAN Output=Finished recover at 11-DEC-16
[Thread-91] [ 2016-12-11 18:01:20.592 IST ] [RMANEngine.readSqlOutput:787] Log
RMAN Output=
[Thread-91] [ 2016-12-11 18:01:20.596 IST ] [RMANEngine.readSqlOutput:787] Log
RMAN Output=
[Thread-91] [ 2016-12-11 18:01:20.598 IST ] [RMANEngine.readSqlOutput:787] Log
RMAN Output=RMAN> set echo on
[Thread-91] [ 2016-12-11 18:01:20.598 IST ] [RMANEngine.readSqlOutput:787] Log
RMAN Output=
[Thread-91] [ 2016-12-11 18:01:20.599 IST ] [RMANEngine.readSqlOutput:787] Log
RMAN Output=echo set on
[Thread-91] [ 2016-12-11 18:01:20.599 IST ] [RMANEngine.readSqlOutput:931]
Notifying writer to proceed because
m_bInterrupted=falsebNotify=true m_bReaderDone=false m_bFatalErrorOccured=false
[main] [ 2016-12-11 18:01:20.599 IST ] [RMANEngine.executeImpl:1132] Completed
wait from reader
[main] [ 2016-12-11 18:01:20.599 IST ] [RMANEngine.executeImpl:1179] DONE
EXECUTING GIVEN COMMAND=recover database;
[main] [ 2016-12-11 18:01:20.599 IST ] [RMANEngine.executeImpl:1084]
m_bExecQuery=false
[main] [ 2016-12-11 18:01:20.599 IST ] [RMANEngine.executeImpl:1092] Command being
written to rman process=shutdown immediate;
[main] [ 2016-12-11 18:01:20.599 IST ] [RMANEngine.executeImpl:1120] Notify reader
to start reading
[Thread-91] [ 2016-12-11 18:01:20.599 IST ] [RMANEngine.run:715] Return Value from
readSqlOutput=echo set on
[Thread-91] [ 2016-12-11 18:01:20.600 IST ] [RMANEngine.readSqlOutput:787] Log
RMAN Output=
[Thread-91] [ 2016-12-11 18:01:20.606 IST ] [RMANEngine.readSqlOutput:787] Log
RMAN Output=RMAN> shutdown immediate;
[Thread-91] [ 2016-12-11 18:01:21.836 IST ] [RMANEngine.readSqlOutput:787] Log
```

```
RMAN Output=database dismounted
[Thread-91] [ 2016-12-11 18:01:28.064 IST ] [RMANEngine.readSqlOutput:787] Log
RMAN Output=Oracle instance shut down
[Thread-91] [ 2016-12-11 18:01:28.065 IST ] [RMANEngine.readSqlOutput:787] Log
RMAN Output=
[Thread-91] [ 2016-12-11 18:01:28.065 IST ] [RMANEngine.readSqlOutput:787] Log
RMAN Output=
[Thread-91] [ 2016-12-11 18:01:28.065 IST ] [RMANEngine.readSqlOutput:787] Log
RMAN Output=RMAN> set echo on
[Thread-91] [ 2016-12-11 18:01:28.066 IST ] [RMANEngine.readSqlOutput:787] Log
RMAN Output=
[Thread-91] [ 2016-12-11 18:01:28.066 IST ] [RMANEngine.readSqlOutput:787] Log
RMAN Output=echo set on
[Thread-91] [ 2016-12-11 18:01:28.066 IST ] [RMANEngine.readSqlOutput:931]
Notifying writer to proceed because
m_bInterrupted=falsebNotify=true m_bReaderDone=false m_bFatalErrorOccured=false
[main] [ 2016-12-11 18:01:28.066 IST ] [RMANEngine.executeImpl:1132] Completed
wait from reader
[main] [ 2016-12-11 18:01:28.066 IST ] [RMANEngine.executeImpl:1179] DONE
EXECUTING GIVEN COMMAND=shutdown immediate;
[Thread-91] [ 2016-12-11 18:01:28.066 IST ] [RMANEngine.run:715] Return Value from
readSqlOutput=echo set on
[Thread-75] [ 2016-12-11 18:01:37.867 IST ]
[Instance$RConfigErrorListener.gotError:435] Got error
[Thread-75] [ 2016-12-11 18:01:37.868 IST ]
[Instance$RConfigErrorListener.handleNonIgnorableError:450]
Number of ERRORS:1
[Thread-75] [ 2016-12-11 18:01:37.868 IST ]
[Instance$RConfigErrorListener.handleNonIgnorableError:453] ERROR=ORA-01109:
database not open
[Thread-75] [ 2016-12-11 18:01:37.868 IST ]
[Instance$RConfigErrorListener.handleNonIgnorableError:461] Ignoring shutdown
error : database not open
[main] [ 2016-12-11 18:01:44.000 IST ] [SQLEngine.done:2148] Done called
[main] [ 2016-12-11 18:01:44.000 IST ] [SQLEngine.spoolOff:2008] Setting spool off
= /u01/app/oracle/cfgtoollogs/rconfig/pawdb/sqlLog
[main] [ 2016-12-11 18:01:44.004 IST ] [SQLEngine.done:2148] Done called
[main] [ 2016-12-11 18:01:44.005 IST ] [SQLEngine.spoolOff:2008] Setting spool off
= /u01/app/oracle/cfgtoollogs/rconfig/pawdb1/sqlLog
[main] [ 2016-12-11 18:01:44.005 IST ] [RMANEngine.done:1452] Done called
[main] [ 2016-12-11 18:01:44.005 IST ] [RMANEngine.spoolOff:1338] Setting spool
off = /u01/app/oracle/cfgtoollogs/rconfig/pawdb1/rmanLog
[main] [ 2016-12-11 18:01:44.005 IST ] [RMANEngine.executeImpl:1084]
m_bExecQuery=false
[main] [ 2016-12-11 18:01:44.005 IST ] [RMANEngine.executeImpl:1092] Command being
written to rman process=exit;
[main] [ 2016-12-11 18:01:44.005 IST ] [RMANEngine.executeImpl:1120] Notify reader
to start reading
[Thread-91] [ 2016-12-11 18:01:44.006 IST ] [RMANEngine.readSqlOutput:931]
Notifying writer to proceed because
m_bInterrupted=falsebNotify=false m_bReaderDone=true m_bFatalErrorOccured=false
[Thread-91] [ 2016-12-11 18:01:44.006 IST ] [RMANEngine.run:715] Return Value from
readSqlOutput=null
[main] [ 2016-12-11 18:01:44.006 IST ] [RMANEngine.executeImpl:1132] Completed
wait from reader
[main] [ 2016-12-11 18:01:44.006 IST ] [RMANEngine.executeImpl:1179] DONE
EXECUTING GIVEN COMMAND=exit;
[main] [ 2016-12-11 18:01:44.006 IST ] [OracleHome.getVersion:877]
OracleHome.getVersion called. Current Version: 11.2.0.1.0
```

```
[main] [ 2016-12-11 18:01:44.006 IST ] [OracleHome.getVersion:943] Current Version
From Inventory: 11.2.0.1.0
[main] [ 2016-12-11 18:01:44.006 IST ] [OracleHome.getVersion:948] using
sqlplus: /u01/app/oracle/product/11.2.0/db_1/bin/sqlplus
[main] [ 2016-12-11 18:01:44.007 IST ] [OracleHome.getVersion:877]
OracleHome.getVersion called. Current Version: 11.2.0.1.0
[main] [ 2016-12-11 18:01:44.007 IST ] [OracleHome.getVersion:943] Current Version
From Inventory: 11.2.0.1.0
[main] [ 2016-12-11 18:01:44.007 IST ] [OracleHome.getVersion:948] using
sqlplus: /u01/app/oracle/product/11.2.0/db_1/bin/sqlplus
[main] [ 2016-12-11 18:01:44.007 IST ] [OracleHome.getVersion:877]
OracleHome.getVersion called. Current Version: 11.2.0.1.0
[main] [ 2016-12-11 18:01:44.008 IST ] [OracleHome.getVersion:943] Current Version
From Inventory: 11.2.0.1.0
[main] [ 2016-12-11 18:01:44.008 IST ] [OracleHome.getVersion:948] using
sqlplus: /u01/app/oracle/product/11.2.0/db_1/bin/sqlplus
[main] [ 2016-12-11 18:01:44.008 IST ] [SQLPlusEngine.getCmdParams:222] m_home
11.2.0.1.0
[main] [ 2016-12-11 18:01:44.008 IST ] [SQLPlusEngine.getCmdParams:223] version >
112 true
[main] [ 2016-12-11 18:01:44.008 IST ] [SQLEngine.getEnvParams:547] Default
NLS_LANG: AMERICAN_AMERICA.AL32UTF8
[main] [ 2016-12-11 18:01:44.008 IST ] [SQLEngine.getEnvParams:557] NLS_LANG:
AMERICAN_AMERICA.AL32UTF8
[main] [ 2016-12-11 18:01:44.009 IST ] [SQLEngine.initialize:317] Execing
SQLPLUS/SVRMGR process...
[main] [ 2016-12-11 18:01:44.027 IST ] [SQLEngine.initialize:354]
m_bReaderStarted: false
[main] [ 2016-12-11 18:01:44.027 IST ] [SQLEngine.initialize:358] Starting Reader
Thread...
[main] [ 2016-12-11 18:01:44.106 IST ] [Instance.getSQLEngine:381] SQLEngine
spooling to=/u01/app/oracle/cfgtoollogs/rconfig/pawdb1/sqlLog
[main] [ 2016-12-11 18:01:44.106 IST ] [SQLEngine.setSpool:1940] old Spool = null
[main] [ 2016-12-11 18:01:44.106 IST ] [SQLEngine.setSpool:1941] Setting Spool
= /u01/app/oracle/cfgtoollogs/rconfig/pawdb1/sqlLog
[main] [ 2016-12-11 18:01:44.106 IST ] [SQLEngine.setSpool:1942] Is spool
appendable? --> true
[main] [ 2016-12-11 18:01:44.106 IST ] [InstanceManagement.createDBInstances:147]
**** startup mount
[main] [ 2016-12-11 18:01:56.561 IST ] [InstanceManagement.createDBInstances:149]
**** alter system set cluster_database=true scope=spfile
[main] [ 2016-12-11 18:01:56.651 IST ] [InstanceManagement.createDBInstances:153]
**** Number of instances to be created=2
[main] [ 2016-12-11 18:01:56.651 IST ] [InstanceManagement.createDBInstances:164]
**** setting instance_number=1 for instance=pawdb1
[main] [ 2016-12-11 18:01:56.658 IST ] [InstanceManagement.createDBInstances:170]
**** setting thread=1 for instance=pawdb1
[main] [ 2016-12-11 18:01:56.807 IST ] [InstanceManagement.createDBInstances:164]
**** setting instance_number=2 for instance=pawdb2
[main] [ 2016-12-11 18:01:56.813 IST ] [InstanceManagement.createDBInstances:170]
**** setting thread=2 for instance=pawdb2
[main] [ 2016-12-11 18:01:56.819 IST ] [InstanceManagement.createDBInstances:180]
**** alter system reset instance_name scope=spfile sid= '*'
[Thread-93] [ 2016-12-11 18:01:56.840 IST ]
[Instance$RConfigErrorListener.gotError:435] Got error
[Thread-93] [ 2016-12-11 18:01:56.840 IST ]
[Instance$RConfigErrorListener.handleNonIgnorableError:450] Number of ERRORS:1
[Thread-93] [ 2016-12-11 18:01:56.840 IST ]
[Instance$RConfigErrorListener.handleNonIgnorableError:453] ERROR=ORA-32010:
```



```
cannot find entry to delete in SPFILE
[Thread-93] [ 2016-12-11 18:01:56.840 IST ]
[Instance$RConfigErrorListener.handleNonIgnorableError:474] Ignoring error during
reset. This error simply indicates the entry is not present in spfile
[main] [ 2016-12-11 18:01:56.840 IST ] [InstanceManagement.createDBInstances:189]
**** alter system reset instance_number scope=spfile sid= '*'
[Thread-93] [ 2016-12-11 18:01:56.843 IST ]
[Instance$RConfigErrorListener.gotError:435] Got error
[Thread-93] [ 2016-12-11 18:01:56.844 IST ]
[Instance$RConfigErrorListener.handleNonIgnorableError:450] Number of ERRORS:1
[Thread-93] [ 2016-12-11 18:01:56.844 IST ]
[Instance$RConfigErrorListener.handleNonIgnorableError:453] ERROR=ORA-32010:
cannot find entry to delete in SPFILE
[Thread-93] [ 2016-12-11 18:01:56.844 IST ]
[Instance$RConfigErrorListener.handleNonIgnorableError:474] Ignoring error during
reset. This error simply indicates the entry is not present in spfile
[main] [ 2016-12-11 18:01:56.844 IST ] [InstanceManagement.createDBInstances:207]
**** shutdown immediate
[Thread-93] [ 2016-12-11 18:01:56.880 IST ]
[Instance$RConfigErrorListener.gotError:435] Got error
[Thread-93] [ 2016-12-11 18:01:56.880 IST ]
[Instance$RConfigErrorListener.handleNonIgnorableError:450] Number of ERRORS:1
[Thread-93] [ 2016-12-11 18:01:56.880 IST ]
[Instance$RConfigErrorListener.handleNonIgnorableError:453] ERROR=ORA-01109:
database not open
[Thread-93] [ 2016-12-11 18:01:56.880 IST ]
[Instance$RConfigErrorListener.handleNonIgnorableError:461] Ignoring shutdown
error : database not open
[main] [ 2016-12-11 18:02:03.161 IST ] [SQLEngine.done:2148] Done called
[main] [ 2016-12-11 18:02:03.162 IST ] [SQLEngine.spoolOff:2008] Setting spool off
= /u01/app/oracle/cfgtoollogs/rconfig/pawdbl/sqlLog
[main] [ 2016-12-11 18:02:03.162 IST ] [OracleHome.getVersion:877]
OracleHome.getVersion called. Current Version: 11.2.0.1.0
[main] [ 2016-12-11 18:02:03.162 IST ] [OracleHome.getVersion:943] Current Version
From Inventory: 11.2.0.1.0
[main] [ 2016-12-11 18:02:03.162 IST ] [OracleHome.getVersion:948] using
sqlplus: /u01/app/oracle/product/11.2.0/db_1/bin/sqlplus
[main] [ 2016-12-11 18:02:03.162 IST ] [OracleHome.getVersion:877]
OracleHome.getVersion called. Current Version: 11.2.0.1.0
[main] [ 2016-12-11 18:02:03.163 IST ] [OracleHome.getVersion:943] Current Version
From Inventory: 11.2.0.1.0
[main] [ 2016-12-11 18:02:03.163 IST ] [OracleHome.getVersion:948] using
sqlplus: /u01/app/oracle/product/11.2.0/db_1/bin/sqlplus
[main] [ 2016-12-11 18:02:03.163 IST ] [OracleHome.getVersion:877]
OracleHome.getVersion called. Current Version: 11.2.0.1.0
[main] [ 2016-12-11 18:02:03.163 IST ] [OracleHome.getVersion:943] Current Version
From Inventory: 11.2.0.1.0
[main] [ 2016-12-11 18:02:03.163 IST ] [OracleHome.getVersion:948] using
sqlplus: /u01/app/oracle/product/11.2.0/db_1/bin/sqlplus
[main] [ 2016-12-11 18:02:03.163 IST ] [SQLPlusEngine.getCmmdParams:222] m_home
11.2.0.1.0
[main] [ 2016-12-11 18:02:03.163 IST ] [SQLPlusEngine.getCmmdParams:223] version >
112 true
[main] [ 2016-12-11 18:02:03.164 IST ] [SQLEngine.getEnvParams:547] Default
NLS_LANG: AMERICAN_AMERICA.AL32UTF8
[main] [ 2016-12-11 18:02:03.164 IST ] [SQLEngine.getEnvParams:557] NLS_LANG:
AMERICAN_AMERICA.AL32UTF8
[main] [ 2016-12-11 18:02:03.164 IST ] [SQLEngine.initialize:317] Execing
SQLPLUS/SVRMGR process...
```

```
[main] [ 2016-12-11 18:02:03.183 IST ] [SQLEngine.initialize:354]
m_bReaderStarted: false
[main] [ 2016-12-11 18:02:03.183 IST ] [SQLEngine.initialize:358] Starting Reader
Thread...
[main] [ 2016-12-11 18:02:03.224 IST ] [Instance.getSQLEngine:381] SQLEngine
spooling to=/u01/app/oracle/cfgtoollogs/rconfig/pawdb/sqlLog
[main] [ 2016-12-11 18:02:03.224 IST ] [SQLEngine.setSpool:1940] old Spool = null
[main] [ 2016-12-11 18:02:03.224 IST ] [SQLEngine.setSpool:1941] Setting Spool
= /u01/app/oracle/cfgtoollogs/rconfig/pawdb/sqlLog
[main] [ 2016-12-11 18:02:03.224 IST ] [SQLEngine.setSpool:1942] Is spool
appendable? --> true
[main] [ 2016-12-11 18:02:03.224 IST ] [StorageManagement.createRedoLogs:528]
Existing si database has maxGrp=3
[main] [ 2016-12-11 18:02:03.224 IST ] [StorageManagement.createRedoLogs:529]
Existing si database has logs.length=3
[main] [ 2016-12-11 18:02:03.224 IST ] [StorageManagement.createRedoLogs:530]
Existing si database has RedoGroups.length=3
[main] [ 2016-12-11 18:02:03.225 IST ] [StorageManagement.createRedoLogs:531]
Number of threads :1
[main] [ 2016-12-11 18:02:03.229 IST ] [OracleHome.getVersion:877]
OracleHome.getVersion called. Current Version: 11.2.0.1.0
[main] [ 2016-12-11 18:02:03.229 IST ] [OracleHome.getVersion:943] Current Version
From Inventory: 11.2.0.1.0
[main] [ 2016-12-11 18:02:03.229 IST ] [OracleHome.getVersion:948] using
sqlplus: /u01/app/oracle/product/11.2.0/db_1/bin/sqlplus
[main] [ 2016-12-11 18:02:03.229 IST ] [OracleHome.getVersion:877]
OracleHome.getVersion called. Current Version: 11.2.0.1.0
[main] [ 2016-12-11 18:02:03.230 IST ] [OracleHome.getVersion:943] Current Version
From Inventory: 11.2.0.1.0
[main] [ 2016-12-11 18:02:03.230 IST ] [OracleHome.getVersion:948] using
sqlplus: /u01/app/oracle/product/11.2.0/db_1/bin/sqlplus
[main] [ 2016-12-11 18:02:03.230 IST ] [OracleHome.getVersion:877]
OracleHome.getVersion called. Current Version: 11.2.0.1.0
[main] [ 2016-12-11 18:02:03.230 IST ] [OracleHome.getVersion:943] Current Version
From Inventory: 11.2.0.1.0
[main] [ 2016-12-11 18:02:03.230 IST ] [OracleHome.getVersion:948] using
sqlplus: /u01/app/oracle/product/11.2.0/db_1/bin/sqlplus
[main] [ 2016-12-11 18:02:03.230 IST ] [SQLPlusEngine.getCmmdParams:222] m_home
11.2.0.1.0
[main] [ 2016-12-11 18:02:03.230 IST ] [SQLPlusEngine.getCmmdParams:223] version >
112 true
[main] [ 2016-12-11 18:02:03.230 IST ] [SQLEngine.getEnvParams:547] Default
NLS_LANG: AMERICAN_AMERICA.AL32UTF8
[main] [ 2016-12-11 18:02:03.231 IST ] [SQLEngine.getEnvParams:557] NLS_LANG:
AMERICAN_AMERICA.AL32UTF8
[main] [ 2016-12-11 18:02:03.231 IST ] [SQLEngine.initialize:317] Execing
SQLPLUS/SVRMGR process...
[main] [ 2016-12-11 18:02:03.244 IST ] [SQLEngine.initialize:354]
m_bReaderStarted: false
[main] [ 2016-12-11 18:02:03.245 IST ] [SQLEngine.initialize:358] Starting Reader
Thread...
[main] [ 2016-12-11 18:02:03.293 IST ] [Instance.getSQLEngine:381] SQLEngine
spooling to=/u01/app/oracle/cfgtoollogs/rconfig/pawdb1/sqlLog
[main] [ 2016-12-11 18:02:03.294 IST ] [SQLEngine.setSpool:1940] old Spool = null
[main] [ 2016-12-11 18:02:03.294 IST ] [SQLEngine.setSpool:1941] Setting Spool
= /u01/app/oracle/cfgtoollogs/rconfig/pawdb1/sqlLog
[main] [ 2016-12-11 18:02:03.294 IST ] [SQLEngine.setSpool:1942] Is spool
appendable? --> true
[main] [ 2016-12-11 18:02:03.294 IST ] [StorageManagement.createRedoLogs:535] ****
```

```

(new instance) open restrict
[main] [ 2016-12-11 18:02:27.345 IST ] [StorageManagement.createRedoLogs:590] ****
(new instance) redo loc = null
[main] [ 2016-12-11 18:02:27.346 IST ] [StorageManagement.addOnLineLog:1003] ****
Add Logfile to thread=1 Group=4 path=null bytes=52428800
[main] [ 2016-12-11 18:02:31.894 IST ] [StorageManagement.addOnLineLog:1003] ****
Add Logfile to thread=1 Group=5 path=null bytes=52428800
[main] [ 2016-12-11 18:02:42.151 IST ] [StorageManagement.addOnLineLog:1003] ****
Add Logfile to thread=1 Group=6 path=null bytes=52428800
[main] [ 2016-12-11 18:02:53.337 IST ] [StorageManagement.createRedoLogs:685] ****
processing 1st instance (data transfer case)
[main] [ 2016-12-11 18:02:53.337 IST ] [StorageManagement.dropOnLineLogGroup:1054]
**** Drop online group1
[main] [ 2016-12-11 18:02:53.443 IST ] [StorageManagement.dropOnLineLogGroup:1054]
**** Drop online group2
[Thread-97] [ 2016-12-11 18:02:53.891 IST ]
[Instance$RConfigErrorListener.gotError:435] Got error
[Thread-97] [ 2016-12-11 18:02:53.891 IST ]
[Instance$RConfigErrorListener.handleNonIgnorableError:450] Number of ERRORS:2
[Thread-97] [ 2016-12-11 18:02:53.892 IST ]
[Instance$RConfigErrorListener.handleNonIgnorableError:453] ERROR=ORA-01623: log 2
is current log for instance pawdb1 (thread 1) - cannot drop
[Thread-97] [ 2016-12-11 18:02:53.892 IST ]
[Instance$RConfigErrorListener.handleNonIgnorableError:453] ERROR=ORA-00312:
online log 2 thread 1: '/u01/app/oracle/oradata/pawdb/redo02.log'
[main] [ 2016-12-11 18:02:53.892 IST ] [SQLEngine.done:2148] Done called
[main] [ 2016-12-11 18:02:53.896 IST ] [SQLEngine.spoolOff:2008] Setting spool off
= /u01/app/oracle/cfgtoollogs/rconfig/pawdb1/sqlLog
[main] [ 2016-12-11 18:02:53.897 IST ] [StorageManagement.dropOnLineLogGroup:1065]
got exception, while trying to drop current log=ORA-01623: log 2 is current log for
instance pawdb1 (thread 1) - cannot drop
ORA-00312: online log 2 thread 1: '/u01/app/oracle/oradata/pawdb/redo02.log'

[main] [ 2016-12-11 18:02:53.897 IST ] [SQLEngine.done:2148] Done called
[main] [ 2016-12-11 18:02:53.897 IST ] [OracleHome.getVersion:877]
OracleHome.getVersion called. Current Version: 11.2.0.1.0
[main] [ 2016-12-11 18:02:53.897 IST ] [OracleHome.getVersion:943] Current Version
From Inventory: 11.2.0.1.0
[main] [ 2016-12-11 18:02:53.898 IST ] [OracleHome.getVersion:948] using
sqlplus: /u01/app/oracle/product/11.2.0/db_1/bin/sqlplus
[main] [ 2016-12-11 18:02:53.898 IST ] [OracleHome.getVersion:877]
OracleHome.getVersion called. Current Version: 11.2.0.1.0
[main] [ 2016-12-11 18:02:53.898 IST ] [OracleHome.getVersion:943] Current Version
From Inventory: 11.2.0.1.0
[main] [ 2016-12-11 18:02:53.898 IST ] [OracleHome.getVersion:948] using
sqlplus: /u01/app/oracle/product/11.2.0/db_1/bin/sqlplus
[main] [ 2016-12-11 18:02:53.898 IST ] [OracleHome.getVersion:877]
OracleHome.getVersion called. Current Version: 11.2.0.1.0
[main] [ 2016-12-11 18:02:53.899 IST ] [OracleHome.getVersion:943] Current Version
From Inventory: 11.2.0.1.0
[main] [ 2016-12-11 18:02:53.899 IST ] [OracleHome.getVersion:948] using
sqlplus: /u01/app/oracle/product/11.2.0/db_1/bin/sqlplus
[main] [ 2016-12-11 18:02:53.899 IST ] [SQLPlusEngine.getCmmdParams:222] m_home
11.2.0.1.0
[main] [ 2016-12-11 18:02:53.899 IST ] [SQLPlusEngine.getCmmdParams:223] version >
112 true
[main] [ 2016-12-11 18:02:53.899 IST ] [SQLEngine.getEnvParams:547] Default
NLS_LANG: AMERICAN_AMERICA.AL32UTF8
[main] [ 2016-12-11 18:02:53.900 IST ] [SQLEngine.getEnvParams:557] NLS_LANG:

```

```

AMERICAN_AMERICA.AL32UTF8
[main] [ 2016-12-11 18:02:53.901 IST ] [SQLEngine.initialize:317] Execing
SQLPLUS/SVRMGR process...
[main] [ 2016-12-11 18:02:53.929 IST ] [SQLEngine.initialize:354]
m_bReaderStarted: false
[main] [ 2016-12-11 18:02:53.929 IST ] [SQLEngine.initialize:358] Starting Reader
Thread...
[main] [ 2016-12-11 18:02:54.149 IST ] [Instance.getSQLEngine:381] SQLEngine
spooling to=/u01/app/oracle/cfgtoollogs/rconfig/pawdb1/sqlLog
[main] [ 2016-12-11 18:02:54.149 IST ] [SQLEngine.setSpool:1940] old Spool = null
[main] [ 2016-12-11 18:02:54.149 IST ] [SQLEngine.setSpool:1941] Setting Spool
= /u01/app/oracle/cfgtoollogs/rconfig/pawdb1/sqlLog
[main] [ 2016-12-11 18:02:54.150 IST ] [SQLEngine.setSpool:1942] Is spool
appendable? --> true
[main] [ 2016-12-11 18:02:54.150 IST ] [StorageManagement.dropOnLineLogGroup:1073]
Handling ORA-01623
[main] [ 2016-12-11 18:03:00.872 IST ] [StorageManagement.dropOnLineLogGroup:1054]
**** Drop online group3
[main] [ 2016-12-11 18:03:00.873 IST ] [SQLEngine.reInitialize:730] Reinitializing
SQLEngine...
[main] [ 2016-12-11 18:03:00.873 IST ] [OracleHome.getVersion:877]
OracleHome.getVersion called. Current Version: 11.2.0.1.0
[main] [ 2016-12-11 18:03:00.873 IST ] [OracleHome.getVersion:943] Current Version
From Inventory: 11.2.0.1.0
[main] [ 2016-12-11 18:03:00.874 IST ] [OracleHome.getVersion:948] using
sqlplus: /u01/app/oracle/product/11.2.0/db_1/bin/sqlplus
[main] [ 2016-12-11 18:03:00.874 IST ] [OracleHome.getVersion:877]
OracleHome.getVersion called. Current Version: 11.2.0.1.0
[main] [ 2016-12-11 18:03:00.874 IST ] [OracleHome.getVersion:943] Current Version
From Inventory: 11.2.0.1.0
[main] [ 2016-12-11 18:03:00.874 IST ] [OracleHome.getVersion:948] using
sqlplus: /u01/app/oracle/product/11.2.0/db_1/bin/sqlplus
[main] [ 2016-12-11 18:03:00.875 IST ] [OracleHome.getVersion:877]
OracleHome.getVersion called. Current Version: 11.2.0.1.0
[main] [ 2016-12-11 18:03:00.875 IST ] [OracleHome.getVersion:943] Current Version
From Inventory: 11.2.0.1.0
[main] [ 2016-12-11 18:03:00.875 IST ] [OracleHome.getVersion:948] using
sqlplus: /u01/app/oracle/product/11.2.0/db_1/bin/sqlplus
[main] [ 2016-12-11 18:03:00.875 IST ] [SQLPlusEngine.getCmmdParams:222] m_home
11.2.0.1.0
[main] [ 2016-12-11 18:03:00.875 IST ] [SQLPlusEngine.getCmmdParams:223] version >
112 true
[main] [ 2016-12-11 18:03:00.876 IST ] [SQLEngine.getEnvParams:547] Default
NLS_LANG: AMERICAN_AMERICA.AL32UTF8
[main] [ 2016-12-11 18:03:00.876 IST ] [SQLEngine.getEnvParams:557] NLS_LANG:
AMERICAN_AMERICA.AL32UTF8
[main] [ 2016-12-11 18:03:00.877 IST ] [SQLEngine.initialize:317] Execing
SQLPLUS/SVRMGR process...
[main] [ 2016-12-11 18:03:00.887 IST ] [SQLEngine.initialize:354]
m_bReaderStarted: false
[main] [ 2016-12-11 18:03:00.887 IST ] [SQLEngine.initialize:358] Starting Reader
Thread...
[main] [ 2016-12-11 18:03:00.888 IST ] [SQLEngine.initialize:407] Waiting for
m_bReaderStarted to be true
[Thread-101] [ 2016-12-11 18:03:01.008 IST ]
[Instance$RConfigErrorListener.gotError:435] Got error
[Thread-101] [ 2016-12-11 18:03:01.008 IST ]
[Instance$RConfigErrorListener.handleNonIgnorableError:450] Number of ERRORS:2
[Thread-101] [ 2016-12-11 18:03:01.008 IST ]

```

```
[Instance$RConfigErrorListener.handleNonIgnorableError:453] ERROR=ORA-01623: log 3
is current log for instance pawdb1 (thread 1) - cannot drop
[Thread-101] [ 2016-12-11 18:03:01.008 IST ]
[Instance$RConfigErrorListener.handleNonIgnorableError:453] ERROR=ORA-00312:
online log 3 thread 1: '/u01/app/oracle/oradata/pawdb/redo03.log'
[main] [ 2016-12-11 18:03:01.008 IST ] [SQLEngine.done:2148] Done called
[main] [ 2016-12-11 18:03:01.008 IST ] [SQLEngine.spoolOff:2008] Setting spool off
= /u01/app/oracle/cfgtoollogs/rconfig/pawdb1/sqlLog
[main] [ 2016-12-11 18:03:01.008 IST ] [StorageManagement.dropOnLineLogGroup:1065]
got exception, while trying to drop current log=ORA-01623: log 3 is current log for
instance pawdb1 (thread 1) - cannot drop
ORA-00312: online log 3 thread 1: '/u01/app/oracle/oradata/pawdb/redo03.log'

[main]
 [ 2016-12-11 18:03:01.008 IST ] [SQLEngine.done:2148] Done called
[main] [ 2016-12-11 18:03:01.009 IST ] [SQLEngine.spoolOff:2008] Setting spool off
= /u01/app/oracle/cfgtoollogs/rconfig/pawdb1/sqlLog
[main] [ 2016-12-11 18:03:01.009 IST ] [OracleHome.getVersion:877]
OracleHome.getVersion called. Current Version: 11.2.0.1.0
[main] [ 2016-12-11 18:03:01.009 IST ] [OracleHome.getVersion:943] Current Version
From Inventory: 11.2.0.1.0
[main] [ 2016-12-11 18:03:01.009 IST ] [OracleHome.getVersion:948] using
sqlplus: /u01/app/oracle/product/11.2.0/db_1/bin/sqlplus
[main] [ 2016-12-11 18:03:01.009 IST ] [OracleHome.getVersion:877]
OracleHome.getVersion called. Current Version: 11.2.0.1.0
[main] [ 2016-12-11 18:03:01.009 IST ] [OracleHome.getVersion:943] Current Version
From Inventory: 11.2.0.1.0
[main] [ 2016-12-11 18:03:01.009 IST ] [OracleHome.getVersion:948] using
sqlplus: /u01/app/oracle/product/11.2.0/db_1/bin/sqlplus
[main] [ 2016-12-11 18:03:01.010 IST ] [OracleHome.getVersion:877]
OracleHome.getVersion called. Current Version: 11.2.0.1.0
[main] [ 2016-12-11 18:03:01.010 IST ] [OracleHome.getVersion:943] Current Version
From Inventory: 11.2.0.1.0
[main] [ 2016-12-11 18:03:01.010 IST ] [OracleHome.getVersion:948] using
sqlplus: /u01/app/oracle/product/11.2.0/db_1/bin/sqlplus
[main] [ 2016-12-11 18:03:01.010 IST ] [SQLPlusEngine.getCmmdParams:222] m_home
11.2.0.1.0
[main] [ 2016-12-11 18:03:01.010 IST ] [SQLPlusEngine.getCmmdParams:223] version >
112 true
[main] [ 2016-12-11 18:03:01.010 IST ] [SQLEngine.getEnvParams:547] Default
NLS_LANG: AMERICAN_AMERICA.AL32UTF8
[main] [ 2016-12-11 18:03:01.011 IST ] [SQLEngine.getEnvParams:557] NLS_LANG:
AMERICAN_AMERICA.AL32UTF8
[main] [ 2016-12-11 18:03:01.015 IST ] [SQLEngine.initialize:317] Execing
SQLPLUS/SVRMGR process...
[main] [ 2016-12-11 18:03:01.033 IST ] [SQLEngine.initialize:354]
m_bReaderStarted: false
[main] [ 2016-12-11 18:03:01.033 IST ] [SQLEngine.initialize:358] Starting Reader
Thread...
[main] [ 2016-12-11 18:03:01.101 IST ] [Instance.getSQLEngine:381] SQLEngine
spooling to=/u01/app/oracle/cfgtoollogs/rconfig/pawdb1/sqlLog
[main] [ 2016-12-11 18:03:01.101 IST ] [SQLEngine.setSpool:1940] old Spool = null
[main] [ 2016-12-11 18:03:01.101 IST ] [SQLEngine.setSpool:1941] Setting Spool
= /u01/app/oracle/cfgtoollogs/rconfig/pawdb1/sqlLog
[main] [ 2016-12-11 18:03:01.102 IST ] [SQLEngine.setSpool:1942] Is spool
appendable? --> true
[main] [ 2016-12-11 18:03:01.102 IST ] [StorageManagement.dropOnLineLogGroup:1073]
Handling ORA-01623
[Thread-103] [ 2016-12-11 18:03:01.260 IST ]
```

```
[Instance$RConfigErrorListener.gotError:435] Got error
[Thread-103] [ 2016-12-11 18:03:01.260 IST ]
[Instance$RConfigErrorListener.handleNonIgnorableError:450] Number of ERRORS:2
[Thread-103] [ 2016-12-11 18:03:01.260 IST ]
[Instance$RConfigErrorListener.handleNonIgnorableError:453] ERROR=ORA-00350: log 3
of instance pawdbl (thread 1) needs to be archived
[Thread-103] [ 2016-12-11 18:03:01.260 IST ]
[Instance$RConfigErrorListener.handleNonIgnorableError:453] ERROR=ORA-00312:
online log 3 thread 1: '/u01/app/oracle/oradata/pawdb/redo03.log'
[main] [ 2016-12-11 18:03:01.261 IST ] [SQLEngine.done:2148] Done called
[main] [ 2016-12-11 18:03:01.261 IST ] [SQLEngine.spoolOff:2008] Setting spool off
= /u01/app/oracle/cfgtoollogs/rconfig/pawdbl/sqlLog
[main] [ 2016-12-11 18:03:01.261 IST ] [StorageManagement.dropOnLineLogGroup:1065]
got exception, while trying to drop current log=ORA-00350: log 3 of instance pawdbl
(thread 1) needs to be archived
ORA-00312: online log 3 thread 1: '/u01/app/oracle/oradata/pawdb/redo03.log'

[main] [ 2016-12-11 18:03:01.261 IST ] [SQLEngine.done:2148] Done called
[main] [ 2016-12-11 18:03:01.261 IST ] [OracleHome.getVersion:877]
OracleHome.getVersion called. Current Version: 11.2.0.1.0
[main] [ 2016-12-11 18:03:01.261 IST ] [OracleHome.getVersion:943] Current Version
From Inventory: 11.2.0.1.0
[main] [ 2016-12-11 18:03:01.261 IST ] [OracleHome.getVersion:948] using
sqlplus: /u01/app/oracle/product/11.2.0/db_1/bin/sqlplus
[main] [ 2016-12-11 18:03:01.261 IST ] [OracleHome.getVersion:877]
OracleHome.getVersion called. Current Version: 11.2.0.1.0
[main] [ 2016-12-11 18:03:01.261 IST ] [OracleHome.getVersion:943] Current Version
From Inventory: 11.2.0.1.0
[main] [ 2016-12-11 18:03:01.262 IST ] [OracleHome.getVersion:948] using
sqlplus: /u01/app/oracle/product/11.2.0/db_1/bin/sqlplus
[main] [ 2016-12-11 18:03:01.262 IST ] [OracleHome.getVersion:877]
OracleHome.getVersion called. Current Version: 11.2.0.1.0
[main] [ 2016-12-11 18:03:01.262 IST ] [OracleHome.getVersion:943] Current Version
From Inventory: 11.2.0.1.0
[main] [ 2016-12-11 18:03:01.262 IST ] [OracleHome.getVersion:948] using
sqlplus: /u01/app/oracle/product/11.2.0/db_1/bin/sqlplus
[main] [ 2016-12-11 18:03:01.262 IST ] [SQLPlusEngine.getCmmdParams:222] m_home
11.2.0.1.0
[main] [ 2016-12-11 18:03:01.262 IST ] [SQLPlusEngine.getCmmdParams:223] version >
112 true
[main] [ 2016-12-11 18:03:01.262 IST ] [SQLEngine.getEnvParams:547] Default
NLS_LANG: AMERICAN_AMERICA.AL32UTF8
[main] [ 2016-12-11 18:03:01.263 IST ] [SQLEngine.getEnvParams:557] NLS_LANG:
AMERICAN_AMERICA.AL32UTF8
[main] [ 2016-12-11 18:03:01.263 IST ] [SQLEngine.initialize:317] Execing
SQLPLUS/SVRMGR process...
[main] [ 2016-12-11 18:03:01.280 IST ] [SQLEngine.initialize:354]
m_bReaderStarted: false
[main] [ 2016-12-11 18:03:01.281 IST ] [SQLEngine.initialize:358] Starting Reader
Thread...
[main] [ 2016-12-11 18:03:01.322 IST ] [Instance.getSQLEngine:381] SQLEngine
spooling to=/u01/app/oracle/cfgtoollogs/rconfig/pawdbl/sqlLog
[main] [ 2016-12-11 18:03:01.322 IST ] [SQLEngine.setSpool:1940] old Spool = null
[main] [ 2016-12-11 18:03:01.323 IST ] [SQLEngine.setSpool:1941] Setting Spool
= /u01/app/oracle/cfgtoollogs/rconfig/pawdbl/sqlLog
[main] [ 2016-12-11 18:03:01.323 IST ] [SQLEngine.setSpool:1942] Is spool
appendable? --> true
[main] [ 2016-12-11 18:03:01.323 IST ] [StorageManagement.dropOnLineLogGroup:1086]
Handling ORA-00350
```

```
[main] [ 2016-12-11 18:03:02.570 IST ] [StorageManagement.addOnLineLog:1003] ****
Add Logfile to thread=1 Group=1 path=null bytes=52428800
[main] [ 2016-12-11 18:03:02.570 IST ] [SQLEngine.reInitialize:730] Reinitializing
SQLEngine...
[main] [ 2016-12-11 18:03:02.570 IST ] [OracleHome.getVersion:877]
OracleHome.getVersion called. Current Version: 11.2.0.1.0
[main] [ 2016-12-11 18:03:02.570 IST ] [OracleHome.getVersion:943] Current Version
From Inventory: 11.2.0.1.0
[main] [ 2016-12-11 18:03:02.571 IST ] [OracleHome.getVersion:948] using
sqlplus: /u01/app/oracle/product/11.2.0/db_1/bin/sqlplus
[main] [ 2016-12-11 18:03:02.571 IST ] [OracleHome.getVersion:877]
OracleHome.getVersion called. Current Version: 11.2.0.1.0
[main] [ 2016-12-11 18:03:02.571 IST ] [OracleHome.getVersion:943] Current Version
From Inventory: 11.2.0.1.0
[main] [ 2016-12-11 18:03:02.571 IST ] [OracleHome.getVersion:948] using
sqlplus: /u01/app/oracle/product/11.2.0/db_1/bin/sqlplus
[main] [ 2016-12-11 18:03:02.571 IST ] [OracleHome.getVersion:877]
OracleHome.getVersion called. Current Version: 11.2.0.1.0
[main] [ 2016-12-11 18:03:02.571 IST ] [OracleHome.getVersion:943] Current Version
From Inventory: 11.2.0.1.0
[main] [ 2016-12-11 18:03:02.571 IST ] [OracleHome.getVersion:948] using
sqlplus: /u01/app/oracle/product/11.2.0/db_1/bin/sqlplus
[main] [ 2016-12-11 18:03:02.571 IST ] [SQLPlusEngine.getCmmdParams:222] m_home
11.2.0.1.0
[main] [ 2016-12-11 18:03:02.572 IST ] [SQLPlusEngine.getCmmdParams:223] version >
112 true
[main] [ 2016-12-11 18:03:02.572 IST ] [SQLEngine.getEnvParams:547] Default
NLS_LANG: AMERICAN_AMERICA.AL32UTF8
[main] [ 2016-12-11 18:03:02.572 IST ] [SQLEngine.getEnvParams:557] NLS_LANG:
AMERICAN_AMERICA.AL32UTF8
[main] [ 2016-12-11 18:03:02.572 IST ] [SQLEngine.initialize:317] Execing
SQLPLUS/SVRMGR process...
[main] [ 2016-12-11 18:03:02.590 IST ] [SQLEngine.initialize:354]
m_bReaderStarted: false
[main] [ 2016-12-11 18:03:02.590 IST ] [SQLEngine.initialize:358] Starting Reader
Thread...
[main] [ 2016-12-11 18:03:02.593 IST ] [SQLEngine.initialize:407] Waiting for
m_bReaderStarted to be true
[main] [ 2016-12-11 18:03:06.527 IST ] [StorageManagement.addOnLineLog:1003] ****
Add Logfile to thread=1 Group=2 path=null bytes=52428800
[main] [ 2016-12-11 18:03:14.715 IST ] [StorageManagement.addOnLineLog:1003] ****
Add Logfile to thread=1 Group=3 path=null bytes=52428800
[main] [ 2016-12-11 18:03:27.058 IST ] [StorageManagement.dropOnLineLogGroup:1054]
**** Drop online group6
[main] [ 2016-12-11 18:03:27.188 IST ] [StorageManagement.dropOnLineLogGroup:1054]
**** Drop online group5
[Thread-107] [ 2016-12-11 18:03:27.210 IST ]
[Instance$RConfigErrorListener.gotError:435] Got error
[Thread-107] [ 2016-12-11 18:03:27.210 IST ]
[Instance$RConfigErrorListener.handleNonIgnorableError:450] Number of ERRORS:3
[Thread-107] [ 2016-12-11 18:03:27.210 IST ]
[Instance$RConfigErrorListener.handleNonIgnorableError:453] ERROR=ORA-01623: log 5
is current log for instance pawdb1 (thread 1) - cannot drop
[Thread-107] [ 2016-12-11 18:03:27.210 IST ]
[Instance$RConfigErrorListener.handleNonIgnorableError:453] ERROR=ORA-00312:
online log 5 thread 1: '+PAWDB_DATA/pawdb/onlineolog/group_5.264.930333751'
[Thread-107] [ 2016-12-11 18:03:27.210 IST ]
[Instance$RConfigErrorListener.handleNonIgnorableError:453] ERROR=ORA-00312:
online log 5 thread 1: '+FRA/pawdb/onlineolog/group_5.390.930333761'
```

```
[main] [ 2016-12-11 18:03:27.210 IST ] [SQLEngine.done:2148] Done called
[main] [ 2016-12-11 18:03:27.210 IST ] [SQLEngine.spoolOff:2008] Setting spool off
= /u01/app/oracle/cfgtoollogs/rconfig/pawdb1/sqlLog
[main] [ 2016-12-11 18:03:27.211 IST ] [StorageManagement.dropOnLineLogGroup:1065]
got exception, while trying to drop current log=ORA-01623: log 5 is current log for
instance pawdb1 (thread
  1) - cannot drop
ORA-00312: online log 5 thread 1:
'+PAWDB_DATA/pawdb/onlineolog/group_5.264.930333751'
ORA-00312: online log 5 thread 1: '+FRA/pawdb/onlineolog/group_5.390.930333761'

[main] [ 2016-12-11 18:03:27.211 IST ] [SQLEngine.done:2148] Done called
[main] [ 2016-12-11 18:03:27.211 IST ] [SQLEngine.spoolOff:2008] Setting spool off
= /u01/app/oracle/cfgtoollogs/rconfig/pawdb1/sqlLog
[main] [ 2016-12-11 18:03:27.211 IST ] [OracleHome.getVersion:877]
OracleHome.getVersion called. Current Version: 11.2.0.1.0
[main] [ 2016-12-11 18:03:27.211 IST ] [OracleHome.getVersion:943] Current Version
From Inventory: 11.2.0.1.0
[main] [ 2016-12-11 18:03:27.211 IST ] [OracleHome.getVersion:948] using
sqlplus: /u01/app/oracle/product/11.2.0/db_1/bin/sqlplus
[main] [ 2016-12-11 18:03:27.211 IST ] [OracleHome.getVersion:877]
OracleHome.getVersion called. Current Version: 11.2.0.1.0
[main] [ 2016-12-11 18:03:27.212 IST ] [OracleHome.getVersion:943] Current Version
From Inventory: 11.2.0.1.0
[main] [ 2016-12-11 18:03:27.212 IST ] [OracleHome.getVersion:948] using
sqlplus: /u01/app/oracle/product/11.2.0/db_1/bin/sqlplus
[main] [ 2016-12-11 18:03:27.212 IST ] [OracleHome.getVersion:877]
OracleHome.getVersion called. Current Version: 11.2.0.1.0
[main] [ 2016-12-11 18:03:27.212 IST ] [OracleHome.getVersion:943] Current Version
From Inventory: 11.2.0.1.0
[main] [ 2016-12-11 18:03:27.212 IST ] [OracleHome.getVersion:948] using
sqlplus: /u01/app/oracle/product/11.2.0/db_1/bin/sqlplus
[main] [ 2016-12-11 18:03:27.212 IST ] [SQLPlusEngine.getCmmdParams:222] m_home
11.2.0.1.0
[main] [ 2016-12-11 18:03:27.212 IST ] [SQLPlusEngine.getCmmdParams:223] version >
112 true
[main] [ 2016-12-11 18:03:27.213 IST ] [SQLEngine.getEnvParams:547] Default
NLS_LANG: AMERICAN_AMERICA.AL32UTF8
[main] [ 2016-12-11 18:03:27.213 IST ] [SQLEngine.getEnvParams:557] NLS_LANG:
AMERICAN_AMERICA.AL32UTF8
[main] [ 2016-12-11 18:03:27.217 IST ] [SQLEngine.initialize:317] Execing
SQLPLUS/SVRMGR process...
[main] [ 2016-12-11 18:03:27.223 IST ] [SQLEngine.initialize:354]
m_bReaderStarted: false
[main] [ 2016-12-11 18:03:27.223 IST ] [SQLEngine.initialize:358] Starting Reader
Thread...
[main] [ 2016-12-11 18:03:27.329 IST ] [Instance.getSQLEngine:381] SQLEngine
spooling to=/u01/app/oracle/cfgtoollogs/rconfig/pawdb1/sqlLog
[main] [ 2016-12-11 18:03:27.329 IST ] [SQLEngine.setSpool:1940] old Spool = null
[main] [ 2016-12-11 18:03:27.329 IST ] [SQLEngine.setSpool:1941] Setting Spool
= /u01/app/oracle/cfgtoollogs/rconfig/pawdb1/sqlLog
[main] [ 2016-12-11 18:03:27.329 IST ] [SQLEngine.setSpool:1942] Is spool
appendable? --> true
[main] [ 2016-12-11 18:03:27.329 IST ] [StorageManagement.dropOnLineLogGroup:1073]
Handling ORA-01623
[main] [ 2016-12-11 18:03:27.509 IST ] [StorageManagement.dropOnLineLogGroup:1054]
**** Drop online group4
[main] [ 2016-12-11 18:03:27.510 IST ] [SQLEngine.reInitialize:730] Reinitializing
SQLEngine...
```



```

[main] [ 2016-12-11 18:03:27.510 IST ] [OracleHome.getVersion:877]
OracleHome.getVersion called. Current Version: 11.2.0.1.0
[main] [ 2016-12-11 18:03:27.510 IST ] [OracleHome.getVersion:943] Current Version
From Inventory: 11.2.0.1.0
[main] [ 2016-12-11 18:03:27.510 IST ] [OracleHome.getVersion:948] using
sqlplus: /u01/app/oracle/product/11.2.0/db_1/bin/sqlplus
[main] [ 2016-12-11 18:03:27.510 IST ] [OracleHome.getVersion:877]
OracleHome.getVersion called. Current Version: 11.2.0.1.0
[main] [ 2016-12-11 18:03:27.510 IST ] [OracleHome.getVersion:943] Current Version
From Inventory: 11.2.0.1.0
[main] [ 2016-12-11 18:03:27.510 IST ] [OracleHome.getVersion:948] using
sqlplus: /u01/app/oracle/product/11.2.0/db_1/bin/sqlplus
[main] [ 2016-12-11 18:03:27.511 IST ] [OracleHome.getVersion:877]
OracleHome.getVersion called. Current Version: 11.2.0.1.0
[main] [ 2016-12-11 18:03:27.511 IST ] [OracleHome.getVersion:943] Current Version
From Inventory: 11.2.0.1.0
[main] [ 2016-12-11 18:03:27.511 IST ] [OracleHome.getVersion:948] using
sqlplus: /u01/app/oracle/product/11.2.0/db_1/bin/sqlplus
[main] [ 2016-12-11 18:03:27.511 IST ] [SQLPlusEngine.getCmmdParams:222] m_home
11.2.0.1.0
[main] [ 2016-12-11 18:03:27.511 IST ] [SQLPlusEngine.getCmmdParams:223] version >
112 true
[main] [ 2016-12-11 18:03:27.511 IST ] [SQLEngine.getEnvParams:547] Default
NLS_LANG: AMERICAN_AMERICA.AL32UTF8
[main] [ 2016-12-11 18:03:27.511 IST ] [SQLEngine.getEnvParams:557] NLS_LANG:
AMERICAN_AMERICA.AL32UTF8
[main] [ 2016-12-11 18:03:27.512 IST ] [SQLEngine.initialize:317] Execing
SQLPLUS/SVRMGR process...
[main] [ 2016-12-11 18:03:27.525 IST ] [SQLEngine.initialize:354]
m_bReaderStarted: false
[main] [ 2016-12-11 18:03:27.525 IST ] [SQLEngine.initialize:358] Starting Reader
Thread...
[main] [ 2016-12-11 18:03:27.526 IST ] [SQLEngine.initialize:407] Waiting for
m_bReaderStarted to be true
[main] [ 2016-12-11 18:03:27.733 IST ] [StorageManagement.addOnLineLog:1003] ****
Add Logfile to thread=2 Group=4 path=null bytes=52428800
[main] [ 2016-12-11 18:03:28.810 IST ] [StorageManagement.addOnLineLog:1003] ****
Add Logfile to thread=2 Group=5 path=null bytes=52428800
[main] [ 2016-12-11 18:03:40.478 IST ] [StorageManagement.addOnLineLog:1003] ****
Add Logfile to thread=2 Group=6 path=null bytes=52428800
[main] [ 2016-12-11 18:03:48.477 IST ] [StorageManagement.createRedoLogs:727] ****
(new instance) shutdown immediate
[main] [ 2016-12-11 18:04:03.301 IST ] [StorageManagement.createRedoLogs:744] ****
(new instance) mount
[main] [ 2016-12-11 18:04:15.870 IST ] [StorageManagement.createRedoLogs:746] ****
(new instance) alter database noarchivelog
[main] [ 2016-12-11 18:04:15.918 IST ] [StorageManagement.createRedoLogs:748] ****
(new instance) shutdown immediate
[Thread-111] [ 2016-12-11 18:04:15.973 IST ]
[Instance$RConfigErrorListener.getError:435] Got error
[Thread-111] [ 2016-12-11 18:04:15.973 IST ]
[Instance$RConfigErrorListener.handleNonIgnorableError:450] Number of ERRORS:1
[Thread-111] [ 2016-12-11 18:04:15.973 IST ]
[Instance$RConfigErrorListener.handleNonIgnorableError:453] ERROR=ORA-01109:
database not open
[Thread-111] [ 2016-12-11 18:04:15.973 IST ]
[Instance$RConfigErrorListener.handleNonIgnorableError:461] Ignoring shutdown
error : database not open
[main] [ 2016-12-11 18:04:22.226 IST ] [SQLEngine.done:2148] Done called

```

```
[main] [ 2016-12-11 18:04:22.226 IST ] [SQLEngine.spoolOff:2008] Setting spool off
= /u01/app/oracle/cfgtoollogs/rconfig/pawdb/sqlLog
[main] [ 2016-12-11 18:04:22.227 IST ] [SQLEngine.done:2148] Done called
[main] [ 2016-12-11 18:04:22.227 IST ] [SQLEngine.spoolOff:2008] Setting spool off
= /u01/app/oracle/cfgtoollogs/rconfig/pawdb1/sqlLog
[main] [ 2016-12-11 18:04:22.227 IST ] [InstanceManagement.enableInstances:229]
Enabling instances
[main] [ 2016-12-11 18:04:22.228 IST ] [OracleHome.getVersion:877]
OracleHome.getVersion called. Current Version: 11.2.0.1.0
[main] [ 2016-12-11 18:04:22.228 IST ] [OracleHome.getVersion:943] Current Version
From Inventory: 11.2.0.1.0
[main] [ 2016-12-11 18:04:22.228 IST ] [OracleHome.getVersion:948] using
sqlplus: /u01/app/oracle/product/11.2.0/db_1/bin/sqlplus
[main] [ 2016-12-11 18:04:22.228 IST ] [OracleHome.getVersion:877]
OracleHome.getVersion called. Current Version: 11.2.0.1.0
[main] [ 2016-12-11 18:04:22.228 IST ] [OracleHome.getVersion:943] Current Version
From Inventory: 11.2.0.1.0
[main] [ 2016-12-11 18:04:22.228 IST ] [OracleHome.getVersion:948] using
sqlplus: /u01/app/oracle/product/11.2.0/db_1/bin/sqlplus
[main] [ 2016-12-11 18:04:22.228 IST ] [OracleHome.getVersion:877]
OracleHome.getVersion called. Current Version: 11.2.0.1.0
[main] [ 2016-12-11 18:04:22.228 IST ] [OracleHome.getVersion:943] Current Version
From Inventory: 11.2.0.1.0
[main] [ 2016-12-11 18:04:22.229 IST ] [OracleHome.getVersion:948] using
sqlplus: /u01/app/oracle/product/11.2.0/db_1/bin/sqlplus
[main] [ 2016-12-11 18:04:22.229 IST ] [SQLPlusEngine.getCmmdParams:222] m_home
11.2.0.1.0
[main] [ 2016-12-11 18:04:22.229 IST ] [SQLPlusEngine.getCmmdParams:223] version >
112 true
[main] [ 2016-12-11 18:04:22.229 IST ] [SQLEngine.getEnvParams:547] Default
NLS_LANG: AMERICAN AMERICA.AL32UTF8
[main] [ 2016-12-11 18:04:22.229 IST ] [SQLEngine.getEnvParams:557] NLS_LANG:
AMERICAN_AMERICA.AL32UTF8
[main] [ 2016-12-11 18:04:22.230 IST ] [SQLEngine.initialize:317] Execing
SQLPLUS/SVRMGR process...
[main] [ 2016-12-11 18:04:22.250 IST ] [SQLEngine.initialize:354]
m_bReaderStarted: false
[main] [ 2016-12-11 18:04:22.250 IST ] [SQLEngine.initialize:358] Starting Reader
Thread...
[main] [ 2016-12-11 18:04:22.287 IST ] [Instance.getSQLEngine:381] SQLEngine
spooling to=/u01/app/oracle/cfgtoollogs/rconfig/pawdb1/sqlLog
[main] [ 2016-12-11 18:04:22.287 IST ] [SQLEngine.setSpool:1940] old Spool = null
[main] [ 2016-12-11 18:04:22.287 IST ] [SQLEngine.setSpool:1941] Setting Spool
= /u01/app/oracle/cfgtoollogs/rconfig/pawdb1/sqlLog
[main] [ 2016-12-11 18:04:22.288 IST ] [SQLEngine.setSpool:1942] Is spool
appendable? --> true
[main] [ 2016-12-11 18:04:36.406 IST ] [InstanceManagement.enableInstances:235]
instances.length2
[main] [ 2016-12-11 18:04:36.406 IST ] [InstanceManagement.enableInstances:239]
Enabling thread : alter database enable thread 2
[main] [ 2016-12-11 18:04:53.939 IST ] [SQLEngine.done:2148] Done called
[main] [ 2016-12-11 18:04:53.940 IST ] [SQLEngine.spoolOff:2008] Setting spool off
= /u01/app/oracle/cfgtoollogs/rconfig/pawdb1/sqlLog
[main] [ 2016-12-11 18:04:53.940 IST ] [OracleHome.getVersion:877]
OracleHome.getVersion called. Current Version: 11.2.0.1.0
[main] [ 2016-12-11 18:04:53.940 IST ] [OracleHome.getVersion:943] Current Version
From Inventory: 11.2.0.1.0
[main] [ 2016-12-11 18:04:53.940 IST ] [OracleHome.getVersion:948] using
sqlplus: /u01/app/oracle/product/11.2.0/db_1/bin/sqlplus
```

```
[main] [ 2016-12-11 18:04:53.941 IST ] [OracleHome.getVersion:877]
OracleHome.getVersion called. Current Version: 11.2.0.1.0
[main] [ 2016-12-11 18:04:53.941 IST ] [OracleHome.getVersion:943] Current Version
From Inventory: 11.2.0.1.0
[main] [ 2016-12-11 18:04:53.941 IST ] [OracleHome.getVersion:948] using
sqlplus: /u01/app/oracle/product/11.2.0/db_1/bin/sqlplus
[main] [ 2016-12-11 18:04:53.941 IST ] [OracleHome.getVersion:877]
OracleHome.getVersion called. Current Version: 11.2.0.1.0
[main] [ 2016-12-11 18:04:53.941 IST ] [OracleHome.getVersion:943] Current Version
From Inventory: 11.2.0.1.0
[main] [ 2016-12-11 18:04:53.941 IST ] [OracleHome.getVersion:948] using
sqlplus: /u01/app/oracle/product/11.2.0/db_1/bin/sqlplus
[main] [ 2016-12-11 18:04:53.941 IST ] [SQLPlusEngine.getCmmdParams:222] m_home
11.2.0.1.0
[main] [ 2016-12-11 18:04:53.941 IST ] [SQLPlusEngine.getCmmdParams:223] version >
112 true
[main] [ 2016-12-11 18:04:53.942 IST ] [SQLEngine.getEnvParams:547] Default
NLS_LANG: AMERICAN_AMERICA.AL32UTF8
[main] [ 2016-12-11 18:04:53.942 IST ] [SQLEngine.getEnvParams:557] NLS_LANG:
AMERICAN_AMERICA.AL32UTF8
[main] [ 2016-12-11 18:04:53.942 IST ] [SQLEngine.initialize:317] Execing
SQLPLUS/SVRMGR process...
[main] [ 2016-12-11 18:04:53.954 IST ] [SQLEngine.initialize:354]
m_bReaderStarted: false
[main] [ 2016-12-11 18:04:53.955 IST ] [SQLEngine.initialize:358] Starting Reader
Thread...
[main] [ 2016-12-11 18:04:54.006 IST ] [Instance.getSQLEngine:381] SQLEngine
spooling to=/u01/app/oracle/cfgtoollogs/rconfig/pawdb1/sqlLog
[main] [ 2016-12-11 18:04:54.006 IST ] [SQLEngine.setSpool:1940] old Spool = null
[main] [ 2016-12-11 18:04:54.006 IST ] [SQLEngine.setSpool:1941] Setting Spool
= /u01/app/oracle/cfgtoollogs/rconfig/pawdb1/sqlLog
[main] [ 2016-12-11 18:04:54.007 IST ] [SQLEngine.setSpool:1942] Is spool
appendable? --> true
[main] [ 2016-12-11 18:05:09.497 IST ] [StorageManagement.createTempFiles:1159]
**** (new instance) creating tempfiles
[main] [ 2016-12-11 18:05:12.902 IST ] [StorageManagement.createTempFiles:1185]
**** (new instance) shutdown immediate
[main] [ 2016-12-11 18:05:22.689 IST ] [SQLEngine.done:2148] Done called
[main] [ 2016-12-11 18:05:22.689 IST ] [SQLEngine.spoolOff:2008] Setting spool off
= /u01/app/oracle/cfgtoollogs/rconfig/pawdb1/sqlLog
[main] [ 2016-12-11 18:05:22.690 IST ]
[StorageManagement.createUndoTablespaces:1223] Original undo log filesize=30720K
filename=/u01/app/oracle/oradata/pawdb/undotbs01.dbf
[main] [ 2016-12-11 18:05:22.692 IST ]
[StorageManagement.createUndoTablespaces:1225] **** Set undo log filesize=30720K
filename=/u01/app/oracle/oradata/pawdb/undotbs01.dbf
[main] [ 2016-12-11 18:05:22.692 IST ] [OracleHome.getVersion:877]
OracleHome.getVersion called. Current Version: 11.2.0.1.0
[main] [ 2016-12-11 18:05:22.692 IST ] [OracleHome.getVersion:943] Current Version
From Inventory: 11.2.0.1.0
[main] [ 2016-12-11 18:05:22.692 IST ] [OracleHome.getVersion:948] using
sqlplus: /u01/app/oracle/product/11.2.0/db_1/bin/sqlplus
[main] [ 2016-12-11 18:05:22.692 IST ] [OracleHome.getVersion:877]
OracleHome.getVersion called. Current Version: 11.2.0.1.0
[main] [ 2016-12-11 18:05:22.692 IST ] [OracleHome.getVersion:943] Current Version
From Inventory: 11.2.0.1.0
[main] [ 2016-12-11 18:05:22.692 IST ] [OracleHome.getVersion:948] using
sqlplus: /u01/app/oracle/product/11.2.0/db_1/bin/sqlplus
[main] [ 2016-12-11 18:05:22.693 IST ] [OracleHome.getVersion:877]
```

```

OracleHome.getVersion called. Current Version: 11.2.0.1.0
[main] [ 2016-12-11 18:05:22.693 IST ] [OracleHome.getVersion:943] Current Version
From Inventory: 11.2.0.1.0
[main] [ 2016-12-11 18:05:22.693 IST ] [OracleHome.getVersion:948] using
sqlplus: /u01/app/oracle/product/11.2.0/db_1/bin/sqlplus
[main] [ 2016-12-11 18:05:22.693 IST ] [SQLPlusEngine.getCmmdParams:222] m_home
11.2.0.1.0
[main] [ 2016-12-11 18:05:22.693 IST ] [SQLPlusEngine.getCmmdParams:223] version >
112 true
[main] [ 2016-12-11 18:05:22.693 IST ] [SQLEngine.getEnvParams:547] Default
NLS_LANG: AMERICAN_AMERICA.AL32UTF8
[main] [ 2016-12-11 18:05:22.693 IST ] [SQLEngine.getEnvParams:557] NLS_LANG:
AMERICAN_AMERICA.AL32UTF8
[main] [ 2016-12-11 18:05:22.694 IST ] [SQLEngine.initialize:317] Execing
SQLPLUS/SVRMGR process...
[main] [ 2016-12-11 18:05:22.713 IST ] [SQLEngine.initialize:354]
m_bReaderStarted: false
[main] [ 2016-12-11 18:05:22.713 IST ] [SQLEngine.initialize:358] Starting Reader
Thread...
[main] [ 2016-12-11 18:05:22.751 IST ] [Instance.getSQLEngine:381] SQLEngine
spooling to=/u01/app/oracle/cfgtoollogs/rconfig/pawdbl/sqlLog
[main] [ 2016-12-11 18:05:22.751 IST ] [SQLEngine.setSpool:1940] old Spool = null
[main] [ 2016-12-11 18:05:22.751 IST ] [SQLEngine.setSpool:1941] Setting Spool
= /u01/app/oracle/cfgtoollogs/rconfig/pawdbl/sqlLog
[main] [ 2016-12-11 18:05:22.752 IST ] [SQLEngine.setSpool:1942] Is spool
appendable? --> true
[main] [ 2016-12-11 18:05:22.752 IST ]
[StorageManagement.createUndoTablespaces:1229] **** (new instance) startup open
[main] [ 2016-12-11 18:05:36.914 IST ]
[StorageManagement.createUndoTablespaces:1236] **** (new instance) setting undoLoc
[main] [ 2016-12-11 18:05:36.914 IST ]
[StorageManagement.createUndoTablespaces:1252] **** (new instance) undo loc = null
[main] [ 2016-12-11 18:05:37.976 IST ] [StorageManagement.addUndoTablespace:1339]
undotbsLoc=null
[main] [ 2016-12-11 18:05:37.976 IST ] [StorageManagement.addUndoTablespace:1367]
undotbsLoc=
[main] [ 2016-12-11 18:05:37.976 IST ] [StorageManagement.addUndoTablespace:1368]
**** (new instance) create undo tablespace UNDOTBS2 datafile size 30720K
AUTOEXTEND ON MAXSIZE UNLIMITED
[main] [ 2016-12-11 18:05:43.037 IST ]
[StorageManagement.createUndoTablespaces:1291] **** (new instance) alter system
reset undo_tablespace scope=spfile sid= '*'
[main] [ 2016-12-11 18:05:43.043 IST ]
[StorageManagement.createUndoTablespaces:1308] **** (new instance) shutdown
immediate
[main] [ 2016-12-11 18:05:57.711 IST ] [SQLEngine.done:2148] Done called
[main] [ 2016-12-11 18:05:57.711 IST ] [SQLEngine.spoolOff:2008] Setting spool off
= /u01/app/oracle/cfgtoollogs/rconfig/pawdbl/sqlLog
[main] [ 2016-12-11 18:05:57.712 IST ] [StorageManagement.createTraceFiles:1501]
DBversion: 11.2.0.1.0
[main] [ 2016-12-11 18:05:57.712 IST ] [Environment.isPre11:460]
Version=11.2.0.1.0
[main] [ 2016-12-11 18:05:57.712 IST ] [Environment.isPre11:465] Major Version=11
[main] [ 2016-12-11 18:05:57.712 IST ] [StorageManagement.createTraceFiles:1509]
bIsPre11 :false
[main] [ 2016-12-11 18:05:57.712 IST ] [StorageManagement.mkdir:1725] Making
dir :/u01/app/oracle/admin/pawdb/hadump
[main] [ 2016-12-11 18:05:57.735 IST ] [OracleHome.getVersion:877]
OracleHome.getVersion called. Current Version: 11.2.0.1.0

```

```

[main] [ 2016-12-11 18:05:57.735 IST ] [OracleHome.getVersion:943] Current Version
From Inventory: 11.2.0.1.0
[main] [ 2016-12-11 18:05:57.735 IST ] [OracleHome.getVersion:948] using
sqlplus: /u01/app/oracle/product/11.2.0/db_1/bin/sqlplus
[main] [ 2016-12-11 18:05:57.735 IST ] [OracleHome.getVersion:877]
OracleHome.getVersion called. Current Version: 11.2.0.1.0
[main] [ 2016-12-11 18:05:57.735 IST ] [OracleHome.getVersion:943] Current Version
From Inventory: 11.2.0.1.0
[main] [ 2016-12-11 18:05:57.735 IST ] [OracleHome.getVersion:948] using
sqlplus: /u01/app/oracle/product/11.2.0/db_1/bin/sqlplus
[main] [ 2016-12-11 18:05:57.736 IST ] [OracleHome.getVersion:877]
OracleHome.getVersion called. Current Version: 11.2.0.1.0
[main] [ 2016-12-11 18:05:57.736 IST ] [OracleHome.getVersion:943] Current Version
From Inventory: 11.2.0.1.0
[main] [ 2016-12-11 18:05:57.736 IST ] [OracleHome.getVersion:948] using
sqlplus: /u01/app/oracle/product/11.2.0/db_1/bin/sqlplus
[main] [ 2016-12-11 18:05:57.736 IST ] [SQLPlusEngine.getCmdParams:222] m_home
11.2.0.1.0
[main] [ 2016-12-11 18:05:57.736 IST ] [SQLPlusEngine.getCmdParams:223] version >
112 true
[main] [ 2016-12-11 18:05:57.736 IST ] [SQLEngine.getEnvParams:547] Default
NLS_LANG: AMERICAN AMERICA.AL32UTF8
[main] [ 2016-12-11 18:05:57.736 IST ] [SQLEngine.getEnvParams:557] NLS_LANG:
AMERICAN AMERICA.AL32UTF8
[main] [ 2016-12-11 18:05:57.737 IST ] [SQLEngine.initialize:317] Execing
SQLPLUS/SVRMGR process...
[main] [ 2016-12-11 18:05:57.791 IST ] [SQLEngine.initialize:354]
m_bReaderStarted: false
[main] [ 2016-12-11 18:05:57.791 IST ] [SQLEngine.initialize:358] Starting Reader
Thread...
[main] [ 2016-12-11 18:05:57.837 IST ] [Instance.getSQLEngine:381] SQLEngine
spooling to=/u01/app/oracle/cfgtoollogs/rconfig/pawdb1/sqlLog
[main] [ 2016-12-11 18:05:57.837 IST ] [SQLEngine.setSpool:1940] old Spool = null
[main] [ 2016-12-11 18:05:57.837 IST ] [SQLEngine.setSpool:1941] Setting Spool
= /u01/app/oracle/cfgtoollogs/rconfig/pawdb1/sqlLog
[main] [ 2016-12-11 18:05:57.837 IST ] [SQLEngine.setSpool:1942] Is spool
appendable? --> true
[main] [ 2016-12-11 18:06:03.854 IST ] [ClusterUtils.areSharedPaths:552] 1.
path=/u01/app/oracle/admin/pawdb/pfile
[main] [ 2016-12-11 18:06:03.855 IST ] [ClusterUtils.areSharedPaths:573] 2.
path=/u01/app/oracle/admin/pawdb/pfile
[main] [ 2016-12-11 18:06:03.855 IST ] [ClusterUtils.areSharedPaths:578] hashKey =
[paw-racnode1, paw-racnode2]/u01/app/oracle/admin/pawdb/pfile
[main] [ 2016-12-11 18:06:03.855 IST ] [GetActiveNodes.create:226] Returning an
existing instance of GetActiveNodes
[main] [ 2016-12-11 18:06:03.855 IST ] [Cluster.verifyNodeList:1147]
clusterNodes[0]=paw-racnode1
[main] [ 2016-12-11 18:06:03.855 IST ] [Cluster.verifyNodeList:1147]
clusterNodes[1]=paw-racnode2
[main] [ 2016-12-11 18:06:03.855 IST ] [Cluster.verifyNodeList:1152]
nodeList[0]=paw-racnode1
[main] [ 2016-12-11 18:06:03.855 IST ] [Cluster.verifyNodeList:1152]
nodeList[1]=paw-racnode2
[main] [ 2016-12-11 18:06:03.855 IST ] [GetActiveNodes.create:226] Returning an
existing instance of GetActiveNodes
[main] [ 2016-12-11 18:06:03.855 IST ] [Cluster.isSharedPath:1071]
NodeList=[paw-racnode1, paw-racnode2]
[main] [ 2016-12-11 18:06:03.856 IST ] [Cluster.isSharedPath:1107]
pathName=/u01/app/oracle/admin/pawdb/pfile/ dirPath =

```

```
/u01/app/oracle/admin/pawdb/pfile
[main] [ 2016-12-11 18:06:03.856 IST ] [UnixSystem.isSharedPath:1532]
dirPath=/u01/app/oracle/admin/pawdb/pfile
[main] [ 2016-12-11 18:06:03.856 IST ] [UnixSystem.isSharedPath:1537]
UnixSystem.isShared: pathName=/u01/app/oracle/admin/pawdb/pfile
tempFile=CFSFileName14814597638562095526767431765397.tmp
[main] [ 2016-12-11 18:06:03.857 IST ] [UnixSystem.isSharedPath:1542]
UnixSystem.isShared: dirPathName is
/u01/app/oracle/admin/pawdb/pfile/CFSFileName14814597638562095526767431765397.tmp
[main] [ 2016-12-11 18:06:03.857 IST ] [UnixSystem.isSharedPath:1546]
UnixSystem.isShared: removing file
/u01/app/oracle/admin/pawdb/pfile/CFSFileName14814597638562095526767431765397.tmp on
paw-racnode2
[main] [ 2016-12-11 18:06:03.859 IST ] [Utils.getLocalHost:356] Hostname
retrieved: paw-racnode1.airydba.com, returned: paw-racnode1
[main] [ 2016-12-11 18:06:03.859 IST ] [RuntimeExec.runCommand:75] Calling
Runtime.exec() with the command
[main] [ 2016-12-11 18:06:03.859 IST ] [RuntimeExec.runCommand:77] /usr/bin/ssh
[main] [ 2016-12-11 18:06:03.859 IST ] [RuntimeExec.runCommand:77] -o
[main] [ 2016-12-11 18:06:03.859 IST ] [RuntimeExec.runCommand:77]
FallBackToRsh=no
[main] [ 2016-12-11 18:06:03.860 IST ] [RuntimeExec.runCommand:77] -o
[main] [ 2016-12-11 18:06:03.860 IST ] [RuntimeExec.runCommand:77]
PasswordAuthentication=no
[main] [ 2016-12-11 18:06:03.860 IST ] [RuntimeExec.runCommand:77] -o
[main] [ 2016-12-11 18:06:03.860 IST ] [RuntimeExec.runCommand:77]
StrictHostKeyChecking=yes
[main] [ 2016-12-11 18:06:03.860 IST ] [RuntimeExec.runCommand:77] -o
[main] [ 2016-12-11 18:06:03.860 IST ] [RuntimeExec.runCommand:77]
NumberOfPasswordPrompts=0
[main] [ 2016-12-11 18:06:03.860 IST ] [RuntimeExec.runCommand:77] paw-racnode2
[main] [ 2016-12-11 18:06:03.860 IST ] [RuntimeExec.runCommand:77] -n
[main] [ 2016-12-11 18:06:03.860 IST ] [RuntimeExec.runCommand:77] /bin/rm
[main] [ 2016-12-11 18:06:03.860 IST ] [RuntimeExec.runCommand:77] -f
[main] [ 2016-12-11 18:06:03.861 IST ] [RuntimeExec.runCommand:77]
/u01/app/oracle/admin/pawdb/pfile/CFSFileName14814597638562095526767431765397.tmp
[Thread-122] [ 2016-12-11 18:06:03.871 IST ] [StreamReader.run:61] In
StreamReader.run
[main] [ 2016-12-11 18:06:03.871 IST ] [RuntimeExec.runCommand:142] runCommand:
Waiting for the process
[Thread-121] [ 2016-12-11 18:06:03.871 IST ] [StreamReader.run:61] In
StreamReader.run
[main] [ 2016-12-11 18:06:04.032 IST ] [RuntimeExec.runCommand:144] runCommand:
process returns 0
[main] [ 2016-12-11 18:06:04.033 IST ] [RuntimeExec.runCommand:161] RunTimeExec:
output>
[main] [ 2016-12-11 18:06:04.033 IST ] [RuntimeExec.runCommand:170] RunTimeExec:
error>
[main] [ 2016-12-11 18:06:04.033 IST ] [RuntimeExec.runCommand:192] Returning from
RunTimeExec.runCommand
[main] [ 2016-12-11 18:06:04.033 IST ] [NativeSystem.isCmdScv:471] isCmdScv:
cmd=[/usr/bin/ssh -o FallBackToRsh=no -o PasswordAuthentication=no -o
StrictHostKeyChecking=yes -o NumberOfPasswordPrompts=0 paw-racnode2 -n /bin/rm
-f
/u01/app/oracle/admin/pawdb/pfile/CFSFileName14814597638562095526767431765397.tmp]
[main] [ 2016-12-11 18:06:04.034 IST ] [NativeSystem.isCmdScv:521] isCmdScv:
/usr/bin/ssh is present.
[main] [ 2016-12-11 18:06:04.034 IST ] [NativeSystem.isCmdScv:523] isCmdScv:
/usr/bin/ssh is a file.
```

```
[main] [ 2016-12-11 18:06:04.034 IST ] [NativeSystem.isCmdScv:540] isCmdScv:
returned true
[main] [ 2016-12-11 18:06:04.034 IST ] [NativeSystem.rununixcmd:1058]
NativeSystem.rununixcmd: RetString 1| :successful
[main] [ 2016-12-11 18:06:04.034 IST ] [UnixSystem.isSharedPath:1546]
UnixSystem.isShared: removing file
/u01/app/oracle/admin/pawdb/pfile/CFSFileName14814597638562095526767431765397.tmp on
paw-racnode1
[main] [ 2016-12-11 18:06:04.034 IST ] [RuntimeExec.runCommand:75] Calling
Runtime.exec() with the command
[main] [ 2016-12-11 18:06:04.034 IST ] [RuntimeExec.runCommand:77] /bin/rm
[main] [ 2016-12-11 18:06:04.035 IST ] [RuntimeExec.runCommand:77] -f
[main] [ 2016-12-11 18:06:04.035 IST ] [RuntimeExec.runCommand:77]
/u01/app/oracle/admin/pawdb/pfile/CFSFileName14814597638562095526767431765397.tmp
[Thread-124] [ 2016-12-11 18:06:04.040 IST ] [StreamReader.run:61] In
StreamReader.run
[main] [ 2016-12-11 18:06:04.040 IST ] [RuntimeExec.runCommand:142] runCommand:
Waiting for the process
[Thread-123] [ 2016-12-11 18:06:04.040 IST ] [StreamReader.run:61] In
StreamReader.run
[main] [ 2016-12-11 18:06:04.160 IST ] [RuntimeExec.runCommand:144] runCommand:
process returns 0
[main] [ 2016-12-11 18:06:04.161 IST ] [RuntimeExec.runCommand:161] RunTimeExec:
output>
[main] [ 2016-12-11 18:06:04.161 IST ] [RuntimeExec.runCommand:170] RunTimeExec:
error>
[main] [ 2016-12-11 18:06:04.161 IST ] [RuntimeExec.runCommand:192] Returning from
RunTimeExec.runCommand
[main] [ 2016-12-11 18:06:04.161 IST ] [NativeSystem.isCmdScv:471] isCmdScv:
cmd=[/bin/rm -f
/u01/app/oracle/admin/pawdb/pfile/CFSFileName14814597638562095526767431765397.tmp]
[main] [ 2016-12-11 18:06:04.162 IST ] [NativeSystem.isCmdScv:540] isCmdScv:
returned false
[main] [ 2016-12-11 18:06:04.162 IST ] [NativeSystem.rununixcmd:1058]
NativeSystem.rununixcmd: RetString 1| :successful
[main] [ 2016-12-11 18:06:04.162 IST ] [UnixSystem.isSharedPath:1551]
UnixSystem.isShared: creating file
/u01/app/oracle/admin/pawdb/pfile/CFSFileName14814597638562095526767431765397.tmp
[main] [ 2016-12-11 18:06:04.162 IST ] [UnixSystem.testCFSFile:1646] The unix
command is /usr/bin/ssh -o FallBackToRsh=no -o PasswordAuthentication=no -o
StrictHostKeyChecking=yes -o NumberOfPasswordPrompts=0 paw-racnode2 -n /bin/sh -c
"/bin/ls /u01/app/oracle/admin/pawdb/pfile > /dev/null 2>&1 && /bin/cat
/u01/app/oracle/admin/pawdb/pfile/CFSFileName14814597638562095526767431765397.tmp"
[main] [ 2016-12-11 18:06:04.162 IST ] [RuntimeExec.runCommand:75] Calling
Runtime.exec() with the command
[main] [ 2016-12-11 18:06:04.162 IST ] [RuntimeExec.runCommand:77] /usr/bin/ssh
[main] [ 2016-12-11 18:06:04.162 IST ] [RuntimeExec.runCommand:77] -o
[main] [ 2016-12-11 18:06:04.162 IST ] [RuntimeExec.runCommand:77]
FallBackToRsh=no
[main] [ 2016-12-11 18:06:04.162 IST ] [RuntimeExec.runCommand:77] -o
[main] [ 2016-12-11 18:06:04.163 IST ] [RuntimeExec.runCommand:77]
PasswordAuthentication=no
[main] [ 2016-12-11 18:06:04.163 IST ] [RuntimeExec.runCommand:77] -o
[main] [ 2016-12-11 18:06:04.163 IST ] [RuntimeExec.runCommand:77]
StrictHostKeyChecking=yes
[main] [ 2016-12-11 18:06:04.163 IST ] [RuntimeExec.runCommand:77] -o
[main] [ 2016-12-11 18:06:04.163 IST ] [RuntimeExec.runCommand:77]
NumberOfPasswordPrompts=0
[main] [ 2016-12-11 18:06:04.163 IST ] [RuntimeExec.runCommand:77] paw-racnode2
```

```
[main] [ 2016-12-11 18:06:04.163 IST ] [RuntimeExec.runCommand:77] -n
[main] [ 2016-12-11 18:06:04.163 IST ] [RuntimeExec.runCommand:77] /bin/sh
[main] [ 2016-12-11 18:06:04.163 IST ] [RuntimeExec.runCommand:77] -c
[main] [ 2016-12-11 18:06:04.163 IST ] [RuntimeExec.runCommand:77] "/bin/ls
[main] [ 2016-12-11 18:06:04.163 IST ] [RuntimeExec.runCommand:77]
/u01/app/oracle/admin/pawdb/pfile
[main] [ 2016-12-11 18:06:04.164 IST ] [RuntimeExec.runCommand:77] >
[main] [ 2016-12-11 18:06:04.164 IST ] [RuntimeExec.runCommand:77] /dev/null
[main] [ 2016-12-11 18:06:04.164 IST ] [RuntimeExec.runCommand:77] 2>&1
[main] [ 2016-12-11 18:06:04.164 IST ] [RuntimeExec.runCommand:77] &&
[main] [ 2016-12-11 18:06:04.164 IST ] [RuntimeExec.runCommand:77] /bin/cat
[main] [ 2016-12-11 18:06:04.164 IST ] [RuntimeExec.runCommand:77]
/u01/app/oracle/admin/pawdb/pfile/CFSFileName14814597638562095526767431765397.tmp"
[Thread-126] [ 2016-12-11 18:06:04.175 IST ] [StreamReader.run:61] In
StreamReader.run
[main] [ 2016-12-11 18:06:04.175 IST ] [RuntimeExec.runCommand:142] runCommand:
Waiting for the process
[Thread-125] [ 2016-12-11 18:06:04.175 IST ] [StreamReader.run:61] In
StreamReader.run
[main] [ 2016-12-11 18:06:04.260 IST ] [RuntimeExec.runCommand:144] runCommand:
process returns 2
[main] [ 2016-12-11 18:06:04.260 IST ] [RuntimeExec.runCommand:161] RunTimeExec:
output>
[main] [ 2016-12-11 18:06:04.260 IST ] [RuntimeExec.runCommand:170] RunTimeExec:
error>
[main] [ 2016-12-11 18:06:04.260 IST ] [RuntimeExec.runCommand:192] Returning from
RunTimeExec.runCommand
[main] [ 2016-12-11 18:06:04.260 IST ] [UnixSystem.testCFSFile:1658] Command
output is empty
[main] [ 2016-12-11 18:06:04.261 IST ] [UnixSystem.testCFSFile:1659] ERROR: from
node paw-racnode2
[main] [ 2016-12-11 18:06:04.261 IST ] [ClusterUtils.areSharedPaths:587] Got
shared=false from SRVM call
[main] [ 2016-12-11 18:06:04.261 IST ] [ClusterConfig.isClusterInstalled:361]
hasJarPresent=true
[main] [ 2016-12-11 18:06:04.261 IST ] [Version.isPre:274] version to be checked
11.2.0.1.0 major version to check against10
[main] [ 2016-12-11 18:06:04.261 IST ] [Version.isPre:285] isPre.java: Returning
FALSE
[main] [ 2016-12-11 18:06:04.261 IST ] [OCR.loadLibrary:308]
Inside constructor of OCR
[main] [ 2016-12-11 18:06:04.262 IST ] [OCR.isCluster:939] Calling OCRNative for
isCluster()
[main] [ 2016-12-11 18:06:04.262 IST ] [nativesystem.OCRNative.Native] JNI:
isCluster() Successfully initialized meta context
[main] [ 2016-12-11 18:06:04.262 IST ] [nativesystem.OCRNative.Native] JNI:
procr_get_conf() retValue = 0
[main] [ 2016-12-11 18:06:04.262 IST ] [nativesystem.OCRNative.Native] The OCR
file is configured & local_only=false

[main] [ 2016-12-11 18:06:04.262 IST ] [OCR.isCluster:943] OCR Result status =
true
[main] [ 2016-12-11 18:06:04.263 IST ] [OCR.isCluster:955] Boolean result = true
[main] [ 2016-12-11 18:06:04.263 IST ] [GetActiveNodes.create:226]
Returning an existing instance of GetActiveNodes
[main] [ 2016-12-11 18:06:04.263 IST ] [ClusterConfig.init:421] Returning same
instance to clientmain
[Worker 2] [ 2016-12-11 18:06:04.264 IST ] [Semaphore.acquire:109]
SyncBufferFull:Acquire called by thread Worker 2 m_count=0
```



```
[main] [ 2016-12-11 18:06:04.264 IST ] [ClusterConfig.createWorkers:315] Started
additional worker threads count=2
[main] [ 2016-12-11 18:06:04.264 IST ] [ClusterConfig.createDirInNode:1683]
Creating dir in nodes: paw-racnode2, /u01/app/oracle/admin/pawdb/pfile, false, null
[main] [ 2016-12-11 18:06:04.265 IST ] [Semaphore.acquire:109]
SyncBufferEmpty:Acquire called by thread main m_count=2
[main] [ 2016-12-11 18:06:04.265 IST ] [Semaphore.release:85]
SyncBufferFull:Release called by thread main m_count=1
[Worker 0] [ 2016-12-11 18:06:04.267 IST ] [Semaphore.release:85]
SyncBufferEmpty:Release called by thread Worker 0 m_count=2
[Worker 0] [ 2016-12-11 18:06:04.267 IST ] [DirCreateCommand.execute:67] In
DirCreateCommand.execute, recurseFlag=false, modeFlag=false
[main] [ 2016-12-11 18:06:04.268 IST ] [ClusterConfig.block:594] block called by
thread main commandNum 1
[main] [ 2016-12-11 18:06:04.268 IST ] [Semaphore.acquire:109] ClientResource
Constructor:Blocking Semaphore owned by main:Acquire called by thread main
m_count=0
[Worker 3] [ 2016-12-11 18:06:04.268 IST ] [Semaphore.acquire:109]
SyncBufferFull:Acquire called by thread Worker 3 m_count=0
[Worker 0] [ 2016-12-11 18:06:04.269 IST ] [Utils.getLocalHost:356] Hostname
retrieved: paw-racnode1.airydba.com, returned: paw-racnode1
[Worker 0] [ 2016-12-11 18:06:04.269 IST ] [RuntimeExec.runCommand:75] Calling
Runtime.exec() with the command
[Worker 0] [ 2016-12-11 18:06:04.269 IST ] [RuntimeExec.runCommand:77]
/usr/bin/ssh
[Worker 0] [ 2016-12-11 18:06:04.269 IST ] [RuntimeExec.runCommand:77] -o
[Worker 0] [ 2016-12-11 18:06:04.269 IST ] [RuntimeExec.runCommand:77]
FallBackToRsh=no
[Worker 0] [ 2016-12-11 18:06:04.269 IST ] [RuntimeExec.runCommand:77] -o
[Worker 0] [ 2016-12-11 18:06:04.269 IST ] [RuntimeExec.runCommand:77]
PasswordAuthentication=no
[Worker 0] [ 2016-12-11 18:06:04.269 IST ] [RuntimeExec.runCommand:77] -o
[Worker 0] [ 2016-12-11 18:06:04.269 IST ] [RuntimeExec.runCommand:77]
StrictHostKeyChecking=yes
[Worker 0] [ 2016-12-11 18:06:04.269 IST ] [RuntimeExec.runCommand:77] -o
[Worker 0] [ 2016-12-11 18:06:04.269 IST ] [RuntimeExec.runCommand:77]
NumberOfPasswordPrompts=0
[Worker 0] [ 2016-12-11 18:06:04.270 IST ] [RuntimeExec.runCommand:77] paw-
racnode2
[Worker 0] [ 2016-12-11 18:06:04.270 IST ] [RuntimeExec.runCommand:77] -n
[Worker 0] [ 2016-12-11 18:06:04.270 IST ] [RuntimeExec.runCommand:77] /bin/mkdir
[Worker 0] [ 2016-12-11 18:06:04.270 IST ] [RuntimeExec.runCommand:77] -p
[Worker 0] [ 2016-12-11 18:06:04.270 IST ] [RuntimeExec.runCommand:77]
/u01/app/oracle/admin/pawdb/pfile
[Thread-128] [ 2016-12-11 18:06:04.277 IST ] [StreamReader.run:61] In
StreamReader.run
[Worker 0] [ 2016-12-11 18:06:04.277 IST ] [RuntimeExec.runCommand:142]
runCommand: Waiting for the process
[Thread-127] [ 2016-12-11 18:06:04.278 IST ] [StreamReader.run:61] In
StreamReader.run
[Worker 0] [ 2016-12-11 18:06:04.465 IST ] [RuntimeExec.runCommand:144]
runCommand: process returns 0
[Worker 0] [ 2016-12-11 18:06:04.466 IST ] [RuntimeExec.runCommand:161]
RunTimeExec: output>
[Worker 0] [ 2016-12-11 18:06:04.466 IST ] [RuntimeExec.runCommand:170]
RunTimeExec: error>
[Worker 0] [ 2016-12-11 18:06:04.466 IST ] [RuntimeExec.runCommand:192] Returning
from RunTimeExec.runCommand
[Worker 0] [ 2016-12-11 18:06:04.466 IST ] [NativeSystem.isCmdScv:471] isCmdScv:
```

```
cmd=[/usr/bin/ssh -o FallBackToRsh=no -o PasswordAuthentication=no -o
StrictHostKeyChecking=yes -o NumberOfPasswordPrompts=0 paw-racnode2 -n /bin/mkdir
-p /u01/app/oracle/admin/pawdb/pfile]
[Worker 0] [ 2016-12-11 18:06:04.467 IST ] [NativeSystem.isCmdScv:521]
isCmdScv: /usr/bin/ssh is present.
[Worker 0] [ 2016-12-11 18:06:04.467 IST ] [NativeSystem.isCmdScv:523]
isCmdScv: /usr/bin/ssh is a file.
[Worker 0] [ 2016-12-11 18:06:04.467 IST ] [NativeSystem.isCmdScv:540] isCmdScv:
returned true
[Worker 0] [ 2016-12-11 18:06:04.467 IST ] [NativeSystem.rununixcmd:1058]
NativeSystem.rununixcmd: RetString 1| :successful
[Worker 0] [ 2016-12-11 18:06:04.467 IST ] [NativeResult.<init>:91] NativeResult:
The String obtained is1| :successful
[Worker 0] [ 2016-12-11 18:06:04.467 IST ] [NativeResult.<init>:99] The status
string is: 1
[Worker 0] [ 2016-12-11 18:06:04.467 IST ] [NativeResult.<init>:112] The result
string is: :successful 1
[Worker 0] [ 2016-12-11 18:06:04.467 IST ]
[ClusterConfig$ExecuteCommand.returnCommandToClient:2939] returnCommandToClient;
fillCount=0 is full=false
[Worker 0] [ 2016-12-11 18:06:04.467 IST ] [Semaphore.acquire:109]
SyncBufferEmpty:Acquire called by thread Worker 0 m_count=100
[Worker 0] [ 2016-12-11 18:06:04.468 IST ] [Semaphore.release:85]
SyncBufferFull:Release called by thread Worker 0 m_count=1
[Worker 0] [ 2016-12-11 18:06:04.468 IST ] [ClientResource.getListener:157]
Calling getListener
[Worker 0] [ 2016-12-11 18:06:04.468 IST ] [ClusterConfig$ExecuteCommand.run:3034]
Owner Thread name of the blocking Semaphore main
[Worker 0] [ 2016-12-11 18:06:04.468 IST ] [ClusterConfig$ExecuteCommand.run:3042]
Obtained Semaphore
[Worker 0] [ 2016-12-11 18:06:04.468 IST ] [Semaphore.release:85] ClientResource
Constructor:Blocking Semaphore owned by main:Release called by thread Worker 0
m_count=1
[Worker 0] [ 2016-12-11 18:06:04.468 IST ] [ClusterConfig$ExecuteCommand.run:3057]
Released Semaphore by worker=Worker 0
[Worker 0] [ 2016-12-11 18:06:04.468 IST ] [Semaphore.acquire:109]
SyncBufferFull:Acquire called by thread Worker 0 m_count=0
[main] [ 2016-12-11 18:06:04.468 IST ] [ClusterConfig.block:606] block acquired
semnum=0
[main] [ 2016-12-11 18:06:04.468 IST ] [ClusterConfig.destroy:450] destroying
resources for client thread Thread[main,5,main]
[main] [ 2016-12-11 18:06:04.469 IST ] [ClusterUtils.areSharedPaths:552] 1.
path=/u01/app/oracle/admin/pawdb/adump
[main] [ 2016-12-11 18:06:04.469 IST ] [ClusterUtils.areSharedPaths:573] 2.
path=/u01/app/oracle/admin/pawdb/adump
[main] [ 2016-12-11 18:06:04.469 IST ] [ClusterUtils.areSharedPaths:578] hashKey =
[paw-racnode1, paw-racnode2]/u01/app/oracle/admin/pawdb/adump
[main] [ 2016-12-11 18:06:04.469 IST ] [GetActiveNodes.create:226] Returning an
existing instance of GetActiveNodes
[main] [ 2016-12-11 18:06:04.469 IST ] [Cluster.verifyNodeList:1147]
clusterNodes[0]=paw-racnode1
[main] [ 2016-12-11 18:06:04.469 IST ] [Cluster.verifyNodeList:1147]
clusterNodes[1]=paw-racnode2
[main] [ 2016-12-11 18:06:04.469 IST ] [Cluster.verifyNodeList:1152]
nodeList[0]=paw-racnode1
[main] [ 2016-12-11 18:06:04.469 IST ] [Cluster.verifyNodeList:1152]
nodeList[1]=paw-racnode2
[main] [ 2016-12-11 18:06:04.469 IST ] [GetActiveNodes.create:226] Returning an
existing instance of GetActiveNodes
```

```
[main] [ 2016-12-11 18:06:04.469 IST ] [Cluster.isSharedPath:1071] NodeList=[paw-
racnode1, paw-racnode2]
[main] [ 2016-12-11 18:06:04.470 IST ] [Cluster.isSharedPath:1107]
pathName=/u01/app/oracle/admin/pawdb/adump/ dirPath =
/u01/app/oracle/admin/pawdb/adump
[main] [ 2016-12-11 18:06:04.470 IST ] [UnixSystem.isSharedPath:1532]
dirPath=/u01/app/oracle/admin/pawdb/adump
[main] [ 2016-12-11 18:06:04.470 IST ] [UnixSystem.isSharedPath:1537]
UnixSystem.isShared: pathName=/u01/app/oracle/admin/pawdb/adump
tempFile=CFSFileName14814597644705141694994737759555.tmp
[main] [ 2016-12-11 18:06:04.470 IST ] [UnixSystem.isSharedPath:1542]
UnixSystem.isShared: dirPathName is
/u01/app/oracle/admin/pawdb/adump/CFSFileName14814597644705141694994737759555.tmp
[main] [ 2016-12-11 18:06:04.470 IST ] [UnixSystem.isSharedPath:1546]
UnixSystem.isShared: removing file
/u01/app/oracle/admin/pawdb/adump/CFSFileName14814597644705141694994737759555.tmon
paw-racnode2
[main] [ 2016-12-11 18:06:04.471 IST ] [Utils.getLocalHost:356] Hostname
retrieved: paw-racnode1.airydba.com, returned: paw-racnode1
[main] [ 2016-12-11 18:06:04.471 IST ] [RuntimeExec.runCommand:75] Calling
Runtime.exec() with the command
[main] [ 2016-12-11 18:06:04.471 IST ] [RuntimeExec.runCommand:77] /usr/bin/ssh
[main] [ 2016-12-11 18:06:04.471 IST ] [RuntimeExec.runCommand:77] -o
[main] [ 2016-12-11 18:06:04.472 IST ] [RuntimeExec.runCommand:77]
FallBackToRsh=no
[main] [ 2016-12-11 18:06:04.472 IST ] [RuntimeExec.runCommand:77] -o
[main] [ 2016-12-11 18:06:04.472 IST ] [RuntimeExec.runCommand:77]
PasswordAuthentication=no
[main] [ 2016-12-11 18:06:04.472 IST ] [RuntimeExec.runCommand:77] -o
[main] [ 2016-12-11 18:06:04.472 IST ] [RuntimeExec.runCommand:77]
StrictHostKeyChecking=yes
[main] [ 2016-12-11 18:06:04.472 IST ] [RuntimeExec.runCommand:77] -o
[main] [ 2016-12-11 18:06:04.472 IST ] [RuntimeExec.runCommand:77]
NumberOfPasswordPrompts=0
[main] [ 2016-12-11 18:06:04.472 IST ] [RuntimeExec.runCommand:77] paw-racnode2
[main] [ 2016-12-11 18:06:04.472 IST ] [RuntimeExec.runCommand:77] -n
[main] [ 2016-12-11 18:06:04.472 IST ] [RuntimeExec.runCommand:77] /bin/rm
[main] [ 2016-12-11 18:06:04.473 IST ] [RuntimeExec.runCommand:77] -f
[main] [ 2016-12-11 18:06:04.473 IST ] [RuntimeExec.runCommand:77]
/u01/app/oracle/admin/pawdb/adump/CFSFileName14814597644705141694994737759555.tmp
[Thread-130] [ 2016-12-11 18:06:04.479 IST ] [StreamReader.run:61] In
StreamReader.run
[main] [ 2016-12-11 18:06:04.480 IST ] [RuntimeExec.runCommand:142] runCommand:
Waiting for the process
[Thread-129] [ 2016-12-11 18:06:04.480 IST ] [StreamReader.run:61] In
StreamReader.run
[main] [ 2016-12-11 18:06:04.606 IST ] [RuntimeExec.runCommand:144] runCommand:
process returns 0
[main] [ 2016-12-11 18:06:04.606 IST ] [RuntimeExec.runCommand:161] RunTimeExec:
output>
[main] [ 2016-12-11 18:06:04.606
IST ] [RuntimeExec.runCommand:170] RunTimeExec: error>
[main] [ 2016-12-11 18:06:04.607 IST ] [RuntimeExec.runCommand:192] Returning from
RunTimeExec.runCommand
[main] [ 2016-12-11 18:06:04.607 IST ] [NativeSystem.isCmdScv:471] isCmdScv:
cmd=[/usr/bin/ssh -o FallBackToRsh=no -o PasswordAuthentication=no -o
StrictHostKeyChecking=yes -o NumberOfPasswordPrompts=0 paw-racnode2 -n /bin/rm
-f
/u01/app/oracle/admin/pawdb/adump/CFSFileName14814597644705141694994737759555.tmp]
```

```
[main] [ 2016-12-11 18:06:04.608 IST ] [NativeSystem.isCmdScv:521] isCmdScv:
/usr/bin/ssh is present.
[main] [ 2016-12-11 18:06:04.608 IST ] [NativeSystem.isCmdScv:523] isCmdScv:
/usr/bin/ssh is a file.
[main] [ 2016-12-11 18:06:04.608 IST ] [NativeSystem.isCmdScv:540] isCmdScv:
returned true
[main] [ 2016-12-11 18:06:04.609 IST ] [NativeSystem.rununixcmd:1058]
NativeSystem.rununixcmd: RetString 1| :successful
[main] [ 2016-12-11 18:06:04.609 IST ] [UnixSystem.isSharedPath:1546]
UnixSystem.isShared: removing file
/u01/app/oracle/admin/pawdb/adump/CFSFileName14814597644705141694994737759555.tmp
on paw-racnode1
[main] [ 2016-12-11 18:06:04.609 IST ] [RuntimeExec.runCommand:75] Calling
Runtime.exec() with the command
[main] [ 2016-12-11 18:06:04.609 IST ] [RuntimeExec.runCommand:77] /bin/rm
[main] [ 2016-12-11 18:06:04.610 IST ] [RuntimeExec.runCommand:77] -f
[main] [ 2016-12-11 18:06:04.610 IST ] [RuntimeExec.runCommand:77]
/u01/app/oracle/admin/pawdb/adump/CFSFileName14814597644705141694994737759555.tmp
[Thread-132] [ 2016-12-11 18:06:04.621 IST ] [StreamReader.run:61] In
StreamReader.run
[main] [ 2016-12-11 18:06:04.621 IST ] [RuntimeExec.runCommand:142] runCommand:
Waiting for the process
[main] [ 2016-12-11 18:06:04.621 IST ] [RuntimeExec.runCommand:144] runCommand:
process returns 0
[Thread-131] [ 2016-12-11 18:06:04.622 IST ] [StreamReader.run:61] In
StreamReader.run
[main] [ 2016-12-11 18:06:04.622 IST ] [RuntimeExec.runCommand:161] RunTimeExec:
output>
[main] [ 2016-12-11 18:06:04.622 IST ] [RuntimeExec.runCommand:170] RunTimeExec:
error>
[main] [ 2016-12-11 18:06:04.622 IST ] [RuntimeExec.runCommand:192] Returning from
RunTimeExec.runCommand
[main] [ 2016-12-11 18:06:04.623 IST ] [NativeSystem.isCmdScv:471] isCmdScv:
cmd=[/bin/rm -f
/u01/app/oracle/admin/pawdb/adump/CFSFileName14814597644705141694994737759555.tmp]
[main] [ 2016-12-11 18:06:04.624 IST ] [NativeSystem.isCmdScv:540] isCmdScv:
returned false
[main] [ 2016-12-11 18:06:04.624 IST ] [NativeSystem.rununixcmd:1058]
NativeSystem.rununixcmd: RetString 1| :successful
[main] [ 2016-12-11 18:06:04.624 IST ] [UnixSystem.isSharedPath:1551]
UnixSystem.isShared: creating file
/u01/app/oracle/admin/pawdb/adump/CFSFileName14814597644705141694994737759555.tmp
[main] [ 2016-12-11 18:06:04.625 IST ] [UnixSystem.testCFSFile:1646] The unix
command is /usr/bin/ssh -o FallBackToRsh=no -o PasswordAuthentication=no -o
StrictHostKeyChecking=yes -o NumberOfPasswordPrompts=0 paw-racnode2 -n /bin/sh -c
"/bin/ls /u01/app/oracle/admin/pawdb/adump > /dev/null 2>&1 && /bin/cat
/u01/app/oracle/admin/pawdb/adump/CFSFileName14814597644705141694994737759555.tmp"
[main] [ 2016-12-11 18:06:04.625 IST ] [RuntimeExec.runCommand:75] Calling
Runtime.exec() with the command
[main] [ 2016-12-11 18:06:04.625 IST ] [RuntimeExec.runCommand:77] /usr/bin/ssh
[main] [ 2016-12-11 18:06:04.625 IST ] [RuntimeExec.runCommand:77] -o
[main] [ 2016-12-11 18:06:04.626 IST ] [RuntimeExec.runCommand:77]
FallBackToRsh=no
[main] [ 2016-12-11 18:06:04.626 IST ] [RuntimeExec.runCommand:77] -o
[main] [ 2016-12-11 18:06:04.626 IST ] [RuntimeExec.runCommand:77]
PasswordAuthentication=no
[main] [ 2016-12-11 18:06:04.626 IST ] [RuntimeExec.runCommand:77] -o
[main] [ 2016-12-11 18:06:04.627 IST ] [RuntimeExec.runCommand:77]
StrictHostKeyChecking=yes
```

```

[main] [ 2016-12-11 18:06:04.627 IST ] [RuntimeExec.runCommand:77] -o
[main] [ 2016-12-11 18:06:04.633 IST ] [RuntimeExec.runCommand:77]
NumberOfPasswordPrompts=0
[main] [ 2016-12-11 18:06:04.633 IST ] [RuntimeExec.runCommand:77] paw-racnode2
[main] [ 2016-12-11 18:06:04.633 IST ] [RuntimeExec.runCommand:77] -n
[main] [ 2016-12-11 18:06:04.633 IST ] [RuntimeExec.runCommand:77] /bin/sh
[main] [ 2016-12-11 18:06:04.634 IST ] [RuntimeExec.runCommand:77] -c
[main] [ 2016-12-11 18:06:04.634 IST ] [RuntimeExec.runCommand:77] "/bin/ls
[main] [ 2016-12-11 18:06:04.634 IST ] [RuntimeExec.runCommand:77]
/u01/app/oracle/admin/pawdb/adump
[main] [ 2016-12-11 18:06:04.634 IST ] [RuntimeExec.runCommand:77] >
[main] [ 2016-12-11 18:06:04.634 IST ] [RuntimeExec.runCommand:77] /dev/null
[main] [ 2016-12-11 18:06:04.634 IST ] [RuntimeExec.runCommand:77] 2>&1
[main] [ 2016-12-11 18:06:04.634 IST ] [RuntimeExec.runCommand:77] &&
[main] [ 2016-12-11 18:06:04.634 IST ] [RuntimeExec.runCommand:77] /bin/cat
[main] [ 2016-12-11 18:06:04.634 IST ] [RuntimeExec.runCommand:77]
/u01/app/oracle/admin/pawdb/adump/CFSFileName14814597644705141694994737759555.tmp"
[Thread-134] [ 2016-12-11 18:06:04.641 IST ] [StreamReader.run:61] In
StreamReader.run
[main] [ 2016-12-11 18:06:04.644 IST ] [RuntimeExec.runCommand:142] runCommand:
Waiting for the process
[Thread-133] [ 2016-12-11 18:06:04.644 IST ] [StreamReader.run:61] In
StreamReader.run
[main] [ 2016-12-11 18:06:04.742 IST ] [RuntimeExec.runCommand:144] runCommand:
process returns 2
[main] [ 2016-12-11 18:06:04.742 IST ] [RuntimeExec.runCommand:161] RunTimeExec:
output>
[main] [ 2016-12-11 18:06:04.742 IST ] [RuntimeExec.runCommand:170] RunTimeExec:
error>
[main] [ 2016-12-11 18:06:04.742 IST ] [RuntimeExec.runCommand:192] Returning from
RunTimeExec.runCommand
[main] [ 2016-12-11 18:06:04.743 IST ] [UnixSystem.testCFSFile:1658] Command
output is empty
[main] [ 2016-12-11 18:06:04.743 IST ] [UnixSystem.testCFSFile:1659] ERROR: from
node paw-racnode2
[main] [ 2016-12-11 18:06:04.743 IST ] [ClusterUtils.areSharedPaths:587] Got
shared=false from SRVM call
[main] [ 2016-12-11 18:06:04.743 IST ] [ClusterConfig.isClusterInstalled:361]
hasJarPresent=true
[main] [ 2016-12-11 18:06:04.744 IST ] [Version.isPre:274] version to be checked
11.2.0.1.0 major version to check against10
[main] [ 2016-12-11 18:06:04.744 IST ] [Version.isPre:285] isPre.java: Returning
FALSE
[main] [ 2016-12-11 18:06:04.744 IST ] [OCR.loadLibrary:308]
Inside constructor of OCR
[main] [ 2016-12-11 18:06:04.744 IST ] [OCR.isCluster:939] Calling OCRNative for
isCluster()
[main] [ 2016-12-11 18:06:04.744 IST ] [nativesystem.OCRNative.Native] JNI:
isCluster() Successfully initialized meta context
[main] [ 2016-12-11 18:06:04.744 IST ] [nativesystem.OCRNative.Native] JNI:
procr_get_conf() retValue = 0
[main] [ 2016-12-11 18:06:04.745 IST ] [nativesystem.OCRNative.Native] The OCR
file is configured & local_only=false

[main] [ 2016-12-11 18:06:04.745 IST ] [OCR.isCluster:943] OCR Result status =
true
[main] [ 2016-12-11 18:06:04.745 IST ] [OCR.isCluster:955] Boolean result = true
[main] [ 2016-12-11 18:06:04.745 IST ] [GetActiveNodes.create:226] Returning an
existing instance of GetActiveNodes

```

```
[main] [ 2016-12-11 18:06:04.745 IST ] [ClusterConfig.init:421] Returning same
instance to clientmain
[main] [ 2016-12-11 18:06:04.745 IST ] [ClusterConfig.createDirInNode:1683]
Creating dir in nodes: paw-racnode2, /u01/app/oracle/admin/pawdb/adump, false, null
[main] [ 2016-12-11 18:06:04.745 IST ] [Semaphore.acquire:109]
SyncBufferEmpty:Acquire called by thread main m_count=2
[main] [ 2016-12-11 18:06:04.745 IST ] [Semaphore.release:85]
SyncBufferFull:Release called by thread main m_count=1
[Worker 1] [ 2016-12-11 18:06:04.746 IST ] [Semaphore.release:85]
SyncBufferEmpty:Release called by thread Worker 1 m_count=2
[Worker 1] [ 2016-12-11 18:06:04.746 IST ] [DirCreateCommand.execute:67] In
DirCreateCommand.execute, recurseFlag=false, modeFlag=false
[main] [ 2016-12-11 18:06:04.746 IST ] [ClusterConfig.block:594] block called by
thread main commandNum 1
[main] [ 2016-12-11 18:06:04.746 IST ] [Semaphore.acquire:109] ClientResource
Constructor:Blocking Semaphore owned by main:Acquire called by thread main
m_count=0
[Worker 1] [ 2016-12-11 18:06:04.747 IST ] [Utils.getLocalHost:356] Hostname
retrieved: paw-racnode1.airydba.com, returned: paw-racnode1
[Worker 1] [ 2016-12-11 18:06:04.747 IST ] [RuntimeExec.runCommand:75] Calling
Runtime.exec() with the command
[Worker 1] [ 2016-12-11 18:06:04.747 IST ] [RuntimeExec.runCommand:77]
/usr/bin/ssh
[Worker 1] [ 2016-12-11 18:06:04.747 IST ] [RuntimeExec.runCommand:77] -o
[Worker 1] [ 2016-12-11 18:06:04.747 IST ] [RuntimeExec.runCommand:77]
FallBackToRsh=no
[Worker 1] [ 2016-12-11 18:06:04.748 IST ] [RuntimeExec.runCommand:77] -o
[Worker 1] [ 2016-12-11 18:06:04.748 IST ] [RuntimeExec.runCommand:77]
PasswordAuthentication=no
[Worker 1] [ 2016-12-11 18:06:04.748 IST ] [RuntimeExec.runCommand:77] -o
[Worker 1] [ 2016-12-11 18:06:04.748 IST ] [RuntimeExec.runCommand:77]
StrictHostKeyChecking=yes
[Worker 1] [ 2016-12-11 18:06:04.748 IST ] [RuntimeExec.runCommand:77] -o
[Worker 1] [ 2016-12-11 18:06:04.748 IST ] [RuntimeExec.runCommand:77]
NumberOfPasswordPrompts=0
[Worker 1] [ 2016-12-11 18:06:04.748 IST ] [RuntimeExec.runCommand:77] paw-
racnode2
[Worker 1] [ 2016-12-11 18:06:04.748 IST ] [RuntimeExec.runCommand:77] -n
[Worker 1] [ 2016-12-11 18:06:04.748 IST ] [RuntimeExec.runCommand:77] /bin/mkdir
[Worker 1] [ 2016-12-11 18:06:04.748 IST ] [RuntimeExec.runCommand:77] -p
[Worker 1] [ 2016-12-11 18:06:04.748 IST ] [RuntimeExec.runCommand:77]
/u01/app/oracle/admin/pawdb/adump
[Thread-136] [ 2016-12-11 18:06:04.759 IST ] [StreamReader.run:61] In
StreamReader.run
[Worker 1] [ 2016-12-11 18:06:04.759 IST ] [RuntimeExec.runCommand:142]
runCommand: Waiting for the process
[Thread-135] [ 2016-12-11 18:06:04.759 IST ] [StreamReader.run:61] In
StreamReader.run
[Worker
 1] [ 2016-12-11 18:06:04.904 IST ] [RuntimeExec.runCommand:144] runCommand:
process returns 0
[Worker 1] [ 2016-12-11 18:06:04.904 IST ] [RuntimeExec.runCommand:161]
RunTimeExec: output>
[Worker 1] [ 2016-12-11 18:06:04.904 IST ] [RuntimeExec.runCommand:170]
RunTimeExec: error>
[Worker 1] [ 2016-12-11 18:06:04.905 IST ] [RuntimeExec.runCommand:192] Returning
from RunTimeExec.runCommand
[Worker 1] [ 2016-12-11 18:06:04.905 IST ] [NativeSystem.isCmdScv:471] isCmdScv:
cmd=[/usr/bin/ssh -o FallBackToRsh=no -o PasswordAuthentication=no -o
```

```
StrictHostKeyChecking=yes -o NumberOfPasswordPrompts=0 paw-racnode2 -n /bin/mkdir
-p /u01/app/oracle/admin/pawdb/adump]
[Worker 1] [ 2016-12-11 18:06:04.905 IST ] [NativeSystem.isCmdScv:521]
isCmdScv: /usr/bin/ssh is present.
[Worker 1] [ 2016-12-11 18:06:04.905 IST ] [NativeSystem.isCmdScv:523]
isCmdScv: /usr/bin/ssh is a file.
[Worker 1] [ 2016-12-11 18:06:04.905 IST ] [NativeSystem.isCmdScv:540] isCmdScv:
returned true
[Worker 1] [ 2016-12-11 18:06:04.905 IST ] [NativeSystem.rununixcmd:1058]
NativeSystem.rununixcmd: RetString 1| :successful
[Worker 1] [ 2016-12-11 18:06:04.906 IST ] [NativeResult.<init>:91] NativeResult:
The String obtained is1| :successful
[Worker 1] [ 2016-12-11 18:06:04.906 IST ] [NativeResult.<init>:99] The status
string is: 1
[Worker 1] [ 2016-12-11 18:06:04.906 IST ] [NativeResult.<init>:112] The result
string is: :successful 1
[Worker 1] [ 2016-12-11 18:06:04.906 IST ]
[ClusterConfig$ExecuteCommand.returnCommandToClient:2939] returnCommandToClient;
fillCount=0 is full=false
[Worker 1] [ 2016-12-11 18:06:04.906 IST ] [Semaphore.acquire:109]
SyncBufferEmpty:Acquire called by thread Worker 1 m_count=100
[Worker 1] [ 2016-12-11 18:06:04.906 IST ] [Semaphore.release:85]
SyncBufferFull:Release called by thread Worker 1 m_count=1
[Worker 1] [ 2016-12-11 18:06:04.906 IST ] [ClientResource.getListener:157]
Calling getListener
[Worker 1] [ 2016-12-11 18:06:04.907 IST ] [ClusterConfig$ExecuteCommand.run:3034]
Owner Thread name of the blocking Semaphore main
[Worker 1] [ 2016-12-11 18:06:04.907 IST ] [ClusterConfig$ExecuteCommand.run:3042]
Obtained Semaphore
[Worker 1] [ 2016-12-11 18:06:04.907 IST ] [Semaphore.release:85] ClientResource
Constructor:Blocking Semaphore owned by main:Release called by thread Worker 1
m_count=1
[Worker 1] [ 2016-12-11 18:06:04.907 IST ] [ClusterConfig$ExecuteCommand.run:3057]
Released Semaphore by worker=Worker 1
[Worker 1] [ 2016-12-11 18:06:04.907 IST ] [Semaphore.acquire:109]
SyncBufferFull:Acquire called by thread Worker 1 m_count=0
[main] [ 2016-12-11 18:06:04.912 IST ] [ClusterConfig.block:606] block acquired
semnum=0
[main] [ 2016-12-11 18:06:04.912 IST ] [ClusterConfig.destroy:450] destroying
resources for client thread Thread[main,5,main]
[main] [ 2016-12-11 18:06:04.912 IST ] [ClusterUtils.areSharedPaths:552] 1.
path=/u01/app/oracle
[main] [ 2016-12-11 18:06:04.912 IST ] [ClusterUtils.areSharedPaths:573] 2.
path=/u01/app/oracle
[main] [ 2016-12-11 18:06:04.912 IST ] [ClusterUtils.areSharedPaths:578] hashKey =
[paw-racnode1, paw-racnode2]/u01/app/oracle
[main] [ 2016-12-11 18:06:04.912 IST ] [GetActiveNodes.create:226] Returning an
existing instance of GetActiveNodes
[main] [ 2016-12-11 18:06:04.912 IST ] [Cluster.verifyNodeList:1147]
clusterNodes[0]=paw-racnode1
[main] [ 2016-12-11 18:06:04.912 IST ] [Cluster.verifyNodeList:1147]
clusterNodes[1]=paw-racnode2
[main] [ 2016-12-11 18:06:04.913 IST ] [Cluster.verifyNodeList:1152]
nodeList[0]=paw-racnode1
[main] [ 2016-12-11 18:06:04.914 IST ] [Cluster.verifyNodeList:1152]
nodeList[1]=paw-racnode2
[main] [ 2016-12-11 18:06:04.914 IST ] [GetActiveNodes.create:226] Returning an
existing instance of GetActiveNodes
[main] [ 2016-12-11 18:06:04.915 IST ] [Cluster.isSharedPath:1071] NodeList=[paw-
```

```
racnode1, paw-racnode2]
[main] [ 2016-12-11 18:06:04.915 IST ] [Cluster.isSharedPath:1107]
pathName=/u01/app/oracle/ dirPath = /u01/app/oracle
[main] [ 2016-12-11 18:06:04.915 IST ] [UnixSystem.isSharedPath:1532]
dirPath=/u01/app/oracle
[main] [ 2016-12-11 18:06:04.952 IST ] [UnixSystem.isSharedPath:1537]
UnixSystem.isShared: pathName=/u01/app/oracle
tempFile=CFSFileName14814597649151134310037822823238.tmp
[main] [ 2016-12-11 18:06:04.953 IST ] [UnixSystem.isSharedPath:1542]
UnixSystem.isShared: dirPathName is
/u01/app/oracle/CFSFileName14814597649151134310037822823238.tmp
[main] [ 2016-12-11 18:06:04.953 IST ] [UnixSystem.isSharedPath:1546]
UnixSystem.isShared: removing file
/u01/app/oracle/CFSFileName14814597649151134310037822823238.tmp on paw-racnode2
[main] [ 2016-12-11 18:06:04.954 IST ] [Utils.getLocalHost:356] Hostname
retrieved: paw-racnode1.airydba.com, returned: paw-racnode1
[main] [ 2016-12-11 18:06:04.954 IST ] [RuntimeExec.runCommand:75] Calling
Runtime.exec() with the command
[main] [ 2016-12-11 18:06:04.954 IST ] [RuntimeExec.runCommand:77] /usr/bin/ssh
[main] [ 2016-12-11 18:06:04.954 IST ] [RuntimeExec.runCommand:77] -o
[main] [ 2016-12-11 18:06:04.954 IST ] [RuntimeExec.runCommand:77]
FallBackToRsh=no
[main] [ 2016-12-11 18:06:04.954 IST ] [RuntimeExec.runCommand:77] -o
[main] [ 2016-12-11 18:06:04.955 IST ] [RuntimeExec.runCommand:77]
PasswordAuthentication=no
[main] [ 2016-12-11 18:06:04.955 IST ] [RuntimeExec.runCommand:77] -o
[main] [ 2016-12-11 18:06:04.955 IST ] [RuntimeExec.runCommand:77]
StrictHostKeyChecking=yes
[main] [ 2016-12-11 18:06:04.955 IST ] [RuntimeExec.runCommand:77] -o
[main] [ 2016-12-11 18:06:04.955 IST ] [RuntimeExec.runCommand:77]
NumberOfPasswordPrompts=0
[main] [ 2016-12-11 18:06:04.955 IST ] [RuntimeExec.runCommand:77] paw-racnode2
[main] [ 2016-12-11 18:06:04.955 IST ] [RuntimeExec.runCommand:77] -n
[main] [ 2016-12-11 18:06:04.955 IST ] [RuntimeExec.runCommand:77] /bin/rm
[main] [ 2016-12-11 18:06:04.955 IST ] [RuntimeExec.runCommand:77] -f
[main] [ 2016-12-11 18:06:04.956 IST ] [RuntimeExec.runCommand:77]
/u01/app/oracle/CFSFileName14814597649151134310037822823238.tmp
[Thread-138] [ 2016-12-11 18:06:04.965 IST ] [StreamReader.run:61] In
StreamReader.run
[main] [ 2016-12-11 18:06:04.965 IST ] [RuntimeExec.runCommand:142] runCommand:
Waiting for the process
[Thread-137] [ 2016-12-11 18:06:04.965 IST ] [StreamReader.run:61] In
StreamReader.run
[main] [ 2016-12-11 18:06:05.108 IST ] [RuntimeExec.runCommand:144] runCommand:
process returns 0
[main] [ 2016-12-11 18:06:05.108 IST ] [RuntimeExec.runCommand:161] RunTimeExec:
output>
[main] [ 2016-12-11 18:06:05.108 IST ] [RuntimeExec.runCommand:170] RunTimeExec:
error>
[main] [ 2016-12-11 18:06:05.109 IST ] [RuntimeExec.runCommand:192] Returning from
RunTimeExec.runCommand
[main] [ 2016-12-11 18:06:05.110 IST ] [NativeSystem.isCmdScv:471] isCmdScv:
cmd=[/usr/bin/ssh -o FallBackToRsh=no -o PasswordAuthentication=no -o
StrictHostKeyChecking=yes -o NumberOfPasswordPrompts=0 paw-racnode2 -n /bin/rm
-f /u01/app/oracle/CFSFileName14814597649151134310037822823238.tmp]
[main] [ 2016-12-11 18:06:05.110 IST ] [NativeSystem.isCmdScv:521] isCmdScv:
/usr/bin/ssh is present.
[main] [ 2016-12-11 18:06:05.110 IST ] [NativeSystem.isCmdScv:523] isCmdScv:
/usr/bin/ssh is a file.
```



```
[main] [ 2016-12-11 18:06:05.110 IST ] [NativeSystem.isCmdScv:540] isCmdScv:
returned true
[main] [ 2016-12-11 18:06:05.110 IST ] [NativeSystem.rununixcmd:1058]
NativeSystem.rununixcmd: RetString 1| :successful
[main] [ 2016-12-11 18:06:05.111 IST ] [UnixSystem.isSharedPath:1546]
UnixSystem.isShared: removing file
/u01/app/oracle/CFSFileName14814597649151134310037822823238.tmp on paw-racnode1
[main] [ 2016-12-11 18:06:05.111 IST ] [RuntimeExec.runCommand:75] Calling
Runtime.exec() with the command
[main] [ 2016-12-11 18:06:05.111 IST ] [RuntimeExec.runCommand:77] /bin/rm
[main] [ 2016-12-11 18:06:05.111 IST ] [RuntimeExec.runCommand:77] -f
[main] [ 2016-12-11 18:06:05.111 IST ] [RuntimeExec.runCommand:77]
/u01/app/oracle/CFSFileName14814597649151134310037822823238.tmp
[Thread-140] [ 2016-12-11 18:06:05.117 IST ] [StreamReader.run:61] In
StreamReader.run
[main] [ 2016-12-11 18:06:05.118 IST ] [RuntimeExec.runCommand:142] runCommand:
Waiting for the process
[main] [ 2016-12-11 18:06:05.118 IST ] [RuntimeExec.runCommand:144] runCommand:
process returns 0
[Thread-139] [ 2016-12-11 18:06:05.118 IST ] [StreamReader.run:61] In
StreamReader.run
[main] [ 2016-12-11 18:06:05.118 IST ] [RuntimeExec.runCommand:161] RunTimeExec:
output>
[main] [ 2016-12-11 18:06:05.118 IST ] [RuntimeExec.runCommand:170] RunTimeExec:
error>
[main] [ 2016-12-11 18:06:05.125 IST ] [RuntimeExec.runCommand:192] Returning from
RunTimeExec.runCommand
[main] [ 2016-12-11 18:06:05.125 IST ] [NativeSystem.isCmdScv:471] isCmdScv:
cmd=[/bin/rm -f /u01/app/oracle/CFSFileName14814597649151134310037822823238.tmp]
[main] [ 2016-12-11 18:06:05.126 IST ] [NativeSystem.isCmdScv:540] isCmdScv:
returned false
[main] [ 2016-12-11 18:06:05.126 IST ] [NativeSystem.rununixcmd:1058]
NativeSystem.rununixcmd: RetString 1| :successful
[main] [ 2016-12-11 18:06:05.126 IST ] [UnixSystem.isSharedPath:1551]
UnixSystem.isShared: creating file
/u01/app/oracle/CFSFileName14814597649151134310037822823238.tmp
[main] [ 2016-12-11 18:06:05.126 IST ] [UnixSystem.testCFSFile:1646] The unix
command is /usr/bin/ssh -o FallBackToRsh=no -o PasswordAuthentication=no -o
StrictHostKeyChecking=yes -o NumberOfPasswordPrompts=0 paw-racnode2 -n /bin/sh -c
"/bin/ls /u01/app/oracle > /dev/null 2>&1 && /bin/cat
/u01/app/oracle/CFSFileName14814597649151134310037822823238.tmp"
[main] [ 2016-12-11 18:06:05.127 IST ] [RuntimeExec.runCommand:75] Calling
Runtime.exec() with the command
[main] [ 2016-12-11 18:06:05.127 IST ] [RuntimeExec.runCommand:77] /usr/bin/ssh
[main] [ 2016-12-11 18:06:05.127 IST ] [RuntimeExec.runCommand:77] -o
[main] [ 2016-12-11 18:06:05.127 IST ] [RuntimeExec.runCommand:77]
FallBackToRsh=no
[main]
[ 2016-12-11 18:06:05.127 IST ] [RuntimeExec.runCommand:77] -o
[main] [ 2016-12-11 18:06:05.127 IST ] [RuntimeExec.runCommand:77]
PasswordAuthentication=no
[main] [ 2016-12-11 18:06:05.127 IST ] [RuntimeExec.runCommand:77] -o
[main] [ 2016-12-11 18:06:05.127 IST ] [RuntimeExec.runCommand:77]
StrictHostKeyChecking=yes
[main] [ 2016-12-11 18:06:05.127 IST ] [RuntimeExec.runCommand:77] -o
[main] [ 2016-12-11 18:06:05.127 IST ] [RuntimeExec.runCommand:77]
NumberOfPasswordPrompts=0
[main] [ 2016-12-11 18:06:05.128 IST ] [RuntimeExec.runCommand:77] paw-racnode2
[main] [ 2016-12-11 18:06:05.128 IST ] [RuntimeExec.runCommand:77] -n
```

```

[main] [ 2016-12-11 18:06:05.128 IST ] [RuntimeExec.runCommand:77] /bin/sh
[main] [ 2016-12-11 18:06:05.128 IST ] [RuntimeExec.runCommand:77] -c
[main] [ 2016-12-11 18:06:05.128 IST ] [RuntimeExec.runCommand:77] "/bin/ls
[main] [ 2016-12-11 18:06:05.128 IST ] [RuntimeExec.runCommand:77] /u01/app/oracle

[main] [ 2016-12-11 18:06:05.128 IST ] [RuntimeExec.runCommand:77] >
[main] [ 2016-12-11 18:06:05.128 IST ] [RuntimeExec.runCommand:77] /dev/null
[main] [ 2016-12-11 18:06:05.129 IST ] [RuntimeExec.runCommand:77] 2>&1
[main] [ 2016-12-11 18:06:05.129 IST ] [RuntimeExec.runCommand:77] &&
[main] [ 2016-12-11 18:06:05.129 IST ] [RuntimeExec.runCommand:77] /bin/cat
[main] [ 2016-12-11 18:06:05.130 IST ] [RuntimeExec.runCommand:77]
/u01/app/oracle/CFSFileName14814597649151134310037822823238.tmp"
[Thread-142] [ 2016-12-11 18:06:05.140 IST ] [StreamReader.run:61] In
StreamReader.run
[main] [ 2016-12-11 18:06:05.140 IST ] [RuntimeExec.runCommand:142] runCommand:
Waiting for the process
[Thread-141] [ 2016-12-11 18:06:05.140 IST ] [StreamReader.run:61] In
StreamReader.run
[Thread-142] [ 2016-12-11 18:06:05.276 IST ] [StreamReader.run:65] ERROR>/bin/cat:
/u01/app/oracle/CFSFileName14814597649151134310037822823238.tmp: No such file or
directory
[main] [ 2016-12-11 18:06:05.277 IST ] [RuntimeExec.runCommand:144] runCommand:
process returns 1
[main] [ 2016-12-11 18:06:05.277 IST ] [RuntimeExec.runCommand:161] RunTimeExec:
output>
[main] [ 2016-12-11 18:06:05.277 IST ] [RuntimeExec.runCommand:170] RunTimeExec:
error>
[main] [ 2016-12-11 18:06:05.277 IST ] [RuntimeExec.runCommand:173] /bin/cat:
/u01/app/oracle/CFSFileName14814597649151134310037822823238.tmp: No such file or
directory
[main] [ 2016-12-11 18:06:05.278 IST ] [RuntimeExec.runCommand:192] Returning from
RunTimeExec.runCommand
[main] [ 2016-12-11 18:06:05.278 IST ] [UnixSystem.testCFSFile:1658] Command
output is empty
[main] [ 2016-12-11 18:06:05.278 IST ] [UnixSystem.testCFSFile:1659] ERROR:
/bin/cat: /u01/app/oracle/CFSFileName14814597649151134310037822823238.tmp: No such
file or directory from node paw-racnode2
[main] [ 2016-12-11 18:06:05.278 IST ] [ClusterUtils.areSharedPaths:587] Got
shared=false from SRVM call
[main] [ 2016-12-11 18:06:05.278 IST ] [ClusterConfig.isClusterInstalled:361]
hasJarPresent=true
[main] [ 2016-12-11 18:06:05.278 IST ] [Version.isPre:274] version to be checked
11.2.0.1.0 major version to check against10
[main] [ 2016-12-11 18:06:05.278 IST ] [Version.isPre:285] isPre.java: Returning
FALSE
[main] [ 2016-12-11 18:06:05.279 IST ] [OCR.loadLibrary:308]
Inside constructor of OCR
[main] [ 2016-12-11 18:06:05.279 IST ] [OCR.isCluster:939] Calling OCRNative for
isCluster()
[main] [ 2016-12-11 18:06:05.279 IST ] [nativesystem.OCRNative.Native] JNI:
isCluster() Successfully initialized meta context
[main] [ 2016-12-11 18:06:05.279 IST ] [nativesystem.OCRNative.Native] JNI:
procr_get_conf() retValue = 0
[main] [ 2016-12-11 18:06:05.279 IST ] [nativesystem.OCRNative.Native] The OCR
file is configured & local_only=false

[main] [ 2016-12-11 18:06:05.279 IST ] [OCR.isCluster:943] OCR Result status =
true
[main] [ 2016-12-11 18:06:05.279 IST ] [OCR.isCluster:955] Boolean result = true

```

```
[main] [ 2016-12-11 18:06:05.280 IST ] [GetActiveNodes.create:226] Returning an
existing instance of GetActiveNodes
[main] [ 2016-12-11 18:06:05.280 IST ] [ClusterConfig.init:421] Returning same
instance to clientmain
[main] [ 2016-12-11 18:06:05.280 IST ] [ClusterConfig.createDirInNode:1683]
Creating dir in nodes: paw-racnode2, /u01/app/oracle, false, null
[main] [ 2016-12-11 18:06:05.280 IST ] [Semaphore.acquire:109]
SyncBufferEmpty:Acquire called by thread main m_count=2
[main] [ 2016-12-11 18:06:05.280 IST ] [Semaphore.release:85]
SyncBufferFull:Release called by thread main m_count=1
[Worker 2] [ 2016-12-11 18:06:05.280 IST ] [Semaphore.release:85]
SyncBufferEmpty:Release called by thread Worker 2 m_count=2
[Worker 2] [ 2016-12-11 18:06:05.280 IST ] [DirCreateCommand.execute:67] In
DirCreateCommand.execute, recurseFlag=false, modeFlag=false
[main] [ 2016-12-11 18:06:05.281 IST ] [ClusterConfig.block:594] block called by
thread main commandNum 1
[main] [ 2016-12-11 18:06:05.281 IST ] [Semaphore.acquire:109] ClientResource
Constructor:Blocking Semaphore owned by main:Acquire called by thread main
m_count=0
[Worker 2] [ 2016-12-11 18:06:05.281 IST ] [Utils.getLocalHost:356] Hostname
retrieved: paw-racnode1.airydba.com, returned: paw-racnode1
[Worker 2] [ 2016-12-11 18:06:05.282 IST ] [RuntimeExec.runCommand:75] Calling
Runtime.exec() with the command
[Worker 2] [ 2016-12-11 18:06:05.282 IST ] [RuntimeExec.runCommand:77]
/usr/bin/ssh
[Worker 2] [ 2016-12-11 18:06:05.282 IST ] [RuntimeExec.runCommand:77] -o
[Worker 2] [ 2016-12-11 18:06:05.282 IST ] [RuntimeExec.runCommand:77]
FallBackToRsh=no
[Worker 2] [ 2016-12-11 18:06:05.282 IST ] [RuntimeExec.runCommand:77] -o
[Worker 2] [ 2016-12-11 18:06:05.282 IST ] [RuntimeExec.runCommand:77]
PasswordAuthentication=no
[Worker 2] [ 2016-12-11 18:06:05.282 IST ] [RuntimeExec.runCommand:77] -o
[Worker 2] [ 2016-12-11 18:06:05.282 IST ] [RuntimeExec.runCommand:77]
StrictHostKeyChecking=yes
[Worker 2] [ 2016-12-11 18:06:05.282 IST ] [RuntimeExec.runCommand:77] -o
[Worker 2] [ 2016-12-11 18:06:05.282 IST ] [RuntimeExec.runCommand:77]
NumberOfPasswordPrompts=0
[Worker 2] [ 2016-12-11 18:06:05.282 IST ] [RuntimeExec.runCommand:77] paw-
racnode2
[Worker 2] [ 2016-12-11 18:06:05.283 IST ] [RuntimeExec.runCommand:77] -n
[Worker 2] [ 2016-12-11 18:06:05.283 IST ] [RuntimeExec.runCommand:77] /bin/mkdir
[Worker 2] [ 2016-12-11 18:06:05.283 IST ] [RuntimeExec.runCommand:77] -p
[Worker 2] [ 2016-12-11 18:06:05.283 IST ] [RuntimeExec.runCommand:77]
/u01/app/oracle
[Thread-144] [ 2016-12-11 18:06:05.289 IST ] [StreamReader.run:61] In
StreamReader.run
[Thread-143] [ 2016-12-11 18:06:05.290 IST ] [StreamReader.run:61] In
StreamReader.run
[Worker 2] [ 2016-12-11 18:06:05.289 IST ] [RuntimeExec.runCommand:142]
runCommand: Waiting for the process
[Worker 2] [ 2016-12-11 18:06:05.478 IST ] [RuntimeExec.runCommand:144]
runCommand: process returns 0
[Worker 2] [ 2016-12-11 18:06:05.478 IST ] [RuntimeExec.runCommand:161]
RunTimeExec: output>
[Worker 2] [ 2016-12-11 18:06:05.478 IST ] [RuntimeExec.runCommand:170]
RunTimeExec: error>
[Worker 2] [ 2016-12-11 18:06:05.478 IST ] [RuntimeExec.runCommand:192] Returning
from RunTimeExec.runCommand
[Worker 2] [ 2016-12-11 18:06:05.479 IST ] [NativeSystem.isCmdScv:471] isCmdScv:
```

```
cmd=[/usr/bin/ssh -o FallBackToRsh=no -o PasswordAuthentication=no -o
StrictHostKeyChecking=yes -o NumberOfPasswordPrompts=0 paw-racnode2 -n /bin/mkdir
-p /u01/app/oracle]
[Worker 2] [ 2016-12-11 18:06:05.479 IST ] [NativeSystem.isCmdScv:521]
isCmdScv: /usr/bin/ssh is present.
[Worker 2] [ 2016-12-11 18:06:05.479 IST ] [NativeSystem.isCmdScv:523]
isCmdScv: /usr/bin/ssh is a file.
[Worker 2] [ 2016-12-11 18:06:05.479 IST ] [NativeSystem.isCmdScv:540] isCmdScv:
returned true
[Worker 2] [ 2016-12-11 18:06:05.479 IST ] [NativeSystem.rununixcmd:1058]
NativeSystem.rununixcmd: RetString 1| :successful
[Worker 2] [ 2016-12-11 18:06:05.480 IST ] [NativeResult.<init>:91] NativeResult:
The String obtained is1| :successful
[Worker 2] [ 2016-12-11 18:06:05.480 IST ] [NativeResult.<init>:99] The status
string is: 1
[Worker 2] [ 2016-12-11 18:06:05.480 IST ] [NativeResult.<init>:112] The result
string is: :successful 1
[Worker 2] [ 2016-12-11 18:06:05.480 IST ]
[ClusterConfig$ExecuteCommand.returnCommandToClient:2939] returnCommandToClient;
fillCount=0 is full=false
[Worker 2] [ 2016-12-11 18:06:05.480 IST ] [Semaphore.acquire:109]
SyncBufferEmpty:Acquire called by thread Worker 2 m_count=100
[Worker 2] [ 2016-12-11 18:06:05.480 IST ] [Semaphore.release:85]
SyncBufferFull:Release called by thread Worker 2 m_count=1
[Worker 2] [ 2016-12-11 18:06:05.480 IST ] [ClientResource.getListener:157]
Calling getListener
[Worker 2] [ 2016-12-11 18:06:05.480 IST ] [ClusterConfig$ExecuteCommand.run:3034]
Owner Thread name of the blocking Semaphore main
[Worker 2] [ 2016-12-11 18:06:05.481 IST ] [ClusterConfig$ExecuteCommand.run:3042]
Obtained Semaphore
[Worker 2] [ 2016-12-11 18:06:05.481 IST ] [Semaphore.release:85] ClientResource
Constructor:Blocking Semaphore owned by main:Release called by thread Worker 2
m_count=1
[Worker 2] [ 2016-12-11 18:06:05.481 IST ] [ClusterConfig$ExecuteCommand.run:3057]
Released Semaphore by worker=Worker 2
[Worker 2] [ 2016-12-11 18:06:05.481 IST ] [Semaphore.acquire:109]
SyncBufferFull:Acquire called by thread Worker 2 m_count=0
[main] [ 2016-12-11 18:06:05.481 IST ] [ClusterConfig.block:606] block acquired
semnum=0
[main] [ 2016-12-11 18:06:05.481 IST ] [ClusterConfig.destroy:450] destroying
resources for client thread Thread[main,5,main]
[main] [ 2016-12-11 18:06:05.482 IST ] [ClusterUtils.areSharedPaths:552] 1.
path=/u01/app/oracle/admin/pawdb/hadump
[main] [ 2016-12-11 18:06:05.482 IST ] [ClusterUtils.areSharedPaths:573] 2.
path=/u01/app/oracle/admin/pawdb/hadump
[main] [ 2016-12-11 18:06:05.482 IST ] [ClusterUtils.areSharedPaths:578] hashKey =
[paw-racnode1, paw-racnode2]/u01/app/oracle/admin/pawdb/hadump
[main]
[ 2016-12-11 18:06:05.482 IST ] [GetActiveNodes.create:226] Returning an existing
instance of GetActiveNodes
[main] [ 2016-12-11 18:06:05.482 IST ] [Cluster.verifyNodeList:1147]
clusterNodes[0]=paw-racnode1
[main] [ 2016-12-11 18:06:05.482 IST ] [Cluster.verifyNodeList:1147]
clusterNodes[1]=paw-racnode2
[main] [ 2016-12-11 18:06:05.483 IST ] [Cluster.verifyNodeList:1152]
nodeList[0]=paw-racnode1
[main] [ 2016-12-11 18:06:05.483 IST ] [Cluster.verifyNodeList:1152]
nodeList[1]=paw-racnode2
[main] [ 2016-12-11 18:06:05.483 IST ] [GetActiveNodes.create:226] Returning an
```

```
existing instance of GetActiveNodes
[main] [ 2016-12-11 18:06:05.483 IST ] [Cluster.isSharedPath:1071] NodeList=[paw-
racnode1, paw-racnode2]
[main] [ 2016-12-11 18:06:05.483 IST ] [Cluster.isSharedPath:1107]
pathName=/u01/app/oracle/admin/pawdb/hadump/ dirPath =
/u01/app/oracle/admin/pawdb/hadump
[main] [ 2016-12-11 18:06:05.483 IST ] [UnixSystem.isSharedPath:1532]
dirPath=/u01/app/oracle/admin/pawdb/hadump
[main] [ 2016-12-11 18:06:05.484 IST ] [UnixSystem.isSharedPath:1537]
UnixSystem.isShared: pathName=/u01/app/oracle/admin/pawdb/hadump
tempFile=CFSFileName14814597654848096654630248940974.tmp
[main] [ 2016-12-11 18:06:05.484 IST ] [UnixSystem.isSharedPath:1542]
UnixSystem.isShared: dirPathName is
/u01/app/oracle/admin/pawdb/hadump/CFSFileName14814597654848096654630248940974.tmp
[main] [ 2016-12-11 18:06:05.484 IST ] [UnixSystem.isSharedPath:1546]
UnixSystem.isShared: removing file
/u01/app/oracle/admin/pawdb/hadump/CFSFileName14814597654848096654630248940974.tmpo
n paw-racnode2
[main] [ 2016-12-11 18:06:05.485 IST ] [Utils.getLocalHost:356] Hostname
retrieved: paw-racnode1.airydba.com, returned: paw-racnode1
[main] [ 2016-12-11 18:06:05.485 IST ] [RuntimeExec.runCommand:75] Calling
Runtime.exec() with the command
[main] [ 2016-12-11 18:06:05.485 IST ] [RuntimeExec.runCommand:77] /usr/bin/ssh
[main] [ 2016-12-11 18:06:05.486 IST ] [RuntimeExec.runCommand:77] -o
[main] [ 2016-12-11 18:06:05.486 IST ] [RuntimeExec.runCommand:77]
FallBackToRsh=no
[main] [ 2016-12-11 18:06:05.486 IST ] [RuntimeExec.runCommand:77] -o
[main] [ 2016-12-11 18:06:05.486 IST ] [RuntimeExec.runCommand:77]
PasswordAuthentication=no
[main] [ 2016-12-11 18:06:05.486 IST ] [RuntimeExec.runCommand:77] -o
[main] [ 2016-12-11 18:06:05.487 IST ] [RuntimeExec.runCommand:77]
StrictHostKeyChecking=yes
[main] [ 2016-12-11 18:06:05.487 IST ] [RuntimeExec.runCommand:77] -o
[main] [ 2016-12-11 18:06:05.487 IST ] [RuntimeExec.runCommand:77]
NumberOfPasswordPrompts=0
[main] [ 2016-12-11 18:06:05.487 IST ] [RuntimeExec.runCommand:77] paw-racnode2
[main] [ 2016-12-11 18:06:05.487 IST ] [RuntimeExec.runCommand:77] -n
[main] [ 2016-12-11 18:06:05.487 IST ] [RuntimeExec.runCommand:77] /bin/rm
[main] [ 2016-12-11 18:06:05.487 IST ] [RuntimeExec.runCommand:77] -f
/u01/app/oracle/admin/pawdb/hadump/CFSFileName14814597654848096654630248940974.tmp
[Thread-146] [ 2016-12-11 18:06:05.495 IST ] [StreamReader.run:61] In
StreamReader.run
[main] [ 2016-12-11 18:06:05.496 IST ] [RuntimeExec.runCommand:142] runCommand:
Waiting for the process
[Thread-145] [ 2016-12-11 18:06:05.496 IST ] [StreamReader.run:61] In
StreamReader.run
[main] [ 2016-12-11 18:06:05.581 IST ] [RuntimeExec.runCommand:144] runCommand:
process returns 0
[main] [ 2016-12-11 18:06:05.581 IST ] [RuntimeExec.runCommand:161] RunTimeExec:
output>
[main] [ 2016-12-11 18:06:05.582 IST ] [RuntimeExec.runCommand:170] RunTimeExec:
error>
[main] [ 2016-12-11 18:06:05.582 IST ] [RuntimeExec.runCommand:192] Returning from
RunTimeExec.runCommand
[main] [ 2016-12-11 18:06:05.582 IST ] [NativeSystem.isCmdScv:471] isCmdScv:
cmd=[/usr/bin/ssh -o FallBackToRsh=no -o PasswordAuthentication=no -o
StrictHostKeyChecking=yes -o NumberOfPasswordPrompts=0 paw-racnode2 -n /bin/rm
-f
```

```
/u01/app/oracle/admin/pawdb/hadump/CFSFileName14814597654848096654630248940974.tmp]
[main] [ 2016-12-11 18:06:05.582 IST ] [NativeSystem.isCmdScv:521] isCmdScv:
/usr/bin/ssh is present.
[main] [ 2016-12-11 18:06:05.582 IST ] [NativeSystem.isCmdScv:523] isCmdScv:
/usr/bin/ssh is a file.
[main] [ 2016-12-11 18:06:05.583 IST ] [NativeSystem.isCmdScv:540] isCmdScv:
returned true
[main] [ 2016-12-11 18:06:05.583 IST ] [NativeSystem.rununixcmd:1058]
NativeSystem.rununixcmd: RetString 1| :successful
[main] [ 2016-12-11 18:06:05.583 IST ] [UnixSystem.isSharedPath:1546]
UnixSystem.isShared: removing file
/u01/app/oracle/admin/pawdb/hadump/CFSFileName14814597654848096654630248940974.tmpo
n paw-racnode1
[main] [ 2016-12-11 18:06:05.583 IST ] [RuntimeExec.runCommand:75] Calling
Runtime.exec() with the command
[main] [ 2016-12-11 18:06:05.583 IST ] [RuntimeExec.runCommand:77] /bin/rm
[main] [ 2016-12-11 18:06:05.583 IST ] [RuntimeExec.runCommand:77] -f
[main] [ 2016-12-11 18:06:05.583 IST ] [RuntimeExec.runCommand:77]
/u01/app/oracle/admin/pawdb/hadump/CFSFileName14814597654848096654630248940974.tmp
[main] [ 2016-12-11 18:06:05.591 IST ] [RuntimeExec.runCommand:142] runCommand:
Waiting for the process
[Thread-148] [ 2016-12-11 18:06:05.591 IST ] [StreamReader.run:61] In
StreamReader.run
[main] [ 2016-12-11 18:06:05.591 IST ] [RuntimeExec.runCommand:144] runCommand:
process returns 0
[Thread-147] [ 2016-12-11 18:06:05.592 IST ] [StreamReader.run:61] In
StreamReader.run
[main] [ 2016-12-11 18:06:05.592 IST ] [RuntimeExec.runCommand:161] RunTimeExec:
output>
[main] [ 2016-12-11 18:06:05.592 IST ] [RuntimeExec.runCommand:170] RunTimeExec:
error>
[main] [ 2016-12-11 18:06:05.592 IST ] [RuntimeExec.runCommand:192] Returning from
RunTimeExec.runCommand
[main] [ 2016-12-11 18:06:05.592 IST ] [NativeSystem.isCmdScv:471] isCmdScv:
cmd=/bin/rm -f
/u01/app/oracle/admin/pawdb/hadump/CFSFileName14814597654848096654630248940974.tmp]
[main] [ 2016-12-11 18:06:05.592 IST ] [NativeSystem.isCmdScv:540] isCmdScv:
returned false
[main] [ 2016-12-11 18:06:05.592 IST ] [NativeSystem.rununixcmd:1058]
NativeSystem.rununixcmd: RetString 1| :successful
[main] [ 2016-12-11 18:06:05.593 IST ] [UnixSystem.isSharedPath:1551]
UnixSystem.isShared: creating file
/u01/app/oracle/admin/pawdb/hadump/CFSFileName14814597654848096654630248940974.tmp
[main] [ 2016-12-11 18:06:05.593 IST ] [UnixSystem.testCFSFile:1646] The unix
command is /usr/bin/ssh -o FallBackToRsh=no -o PasswordAuthentication=no -o
StrictHostKeyChecking=yes -o NumberOfPasswordPrompts=0 paw-racnode2 -n /bin/sh -c
"/bin/ls /u01/app/oracle/admin/pawdb/hadump > /dev/null 2>&1 && /bin/cat
/u01/app/oracle/admin/pawdb/hadump/CFSFileName14814597654848096654630248940974.tmp"
[main] [ 2016-12-11 18:06:05.593 IST ] [RuntimeExec.runCommand:75] Calling
Runtime.exec() with the command
[main] [ 2016-12-11 18:06:05.593 IST ] [RuntimeExec.runCommand:77] /usr/bin/ssh
[main] [ 2016-12-11 18:06:05.593 IST ] [RuntimeExec.runCommand:77] -o
[main] [ 2016-12-11 18:06:05.593 IST ] [RuntimeExec.runCommand:77]
FallBackToRsh=no
[main] [ 2016-12-11 18:06:05.593 IST ] [RuntimeExec.runCommand:77] -o
[main] [ 2016-12-11 18:06:05.601 IST ] [RuntimeExec.runCommand:77]
PasswordAuthentication=no
[main] [ 2016-12-11 18:06:05.602 IST ] [RuntimeExec.runCommand:77] -o
[main] [ 2016-12-11 18:06:05.602 IST ] [RuntimeExec.runCommand:77]
```

```

StrictHostKeyChecking=yes
[main] [ 2016-12-11 18:06:05.602 IST ] [RuntimeExec.runCommand:77] -o
[main] [ 2016-12-11 18:06:05.602 IST ] [RuntimeExec.runCommand:77]
NumberOfPasswordPrompts=0
[main] [ 2016-12-11 18:06:05.603 IST ] [RuntimeExec.runCommand:77] paw-racnode2
[main] [ 2016-12-11 18:06:05.603 IST ] [RuntimeExec.runCommand:77] -n
[main] [ 2016-12-11 18:06:05.603 IST ] [RuntimeExec.runCommand:77] /bin/sh
[main] [ 2016-12-11 18:06:05.603 IST ] [RuntimeExec.runCommand:77] -c
[main] [ 2016-12-11 18:06:05.603 IST ] [RuntimeExec.runCommand:77] "/bin/ls
[main] [ 2016-12-11 18:06:05.603 IST ] [RuntimeExec.runCommand:77]
/u01/app/oracle/admin/pawdb/hadump
[main] [ 2016-12-11 18:06:05.603 IST ] [RuntimeExec.runCommand:77] >
[main] [ 2016-12-11 18:06:05.603 IST ] [RuntimeExec.runCommand:77] /dev/null
[main] [ 2016-12-11 18:06:05.603 IST ] [RuntimeExec.runCommand:77] 2>&1
[main] [ 2016-12-11 18:06:05.603 IST ] [RuntimeExec.runCommand:77] &&
[main] [ 2016-12-11 18:06:05.603 IST ] [RuntimeExec.runCommand:77] /bin/cat
[main] [ 2016-12-11 18:06:05.637 IST ] [RuntimeExec.runCommand:77]
/u01/app/oracle/admin/pawdb/hadump/CFSFileName14814597654848096654630248940974.tmp"

[Thread-150] [ 2016-12-11 18:06:05.646 IST ] [StreamReader.run:61] In
StreamReader.run
[main] [ 2016-12-11 18:06:05.646 IST ] [RuntimeExec.runCommand:142] runCommand:
Waiting for the process
[Thread-149] [ 2016-12-11 18:06:05.647 IST ] [StreamReader.run:61] In
StreamReader.run
[main] [ 2016-12-11 18:06:05.773 IST ] [RuntimeExec.runCommand:144] runCommand:
process returns 2
[main] [ 2016-12-11 18:06:05.773 IST ] [RuntimeExec.runCommand:161] RunTimeExec:
output>
[main] [ 2016-12-11 18:06:05.773 IST ] [RuntimeExec.runCommand:170] RunTimeExec:
error>
[main] [ 2016-12-11 18:06:05.774 IST ] [RuntimeExec.runCommand:192] Returning from
RunTimeExec.runCommand
[main] [ 2016-12-11 18:06:05.774 IST ] [UnixSystem.testCFSFile:1658] Command
output is empty
[main] [ 2016-12-11 18:06:05.775 IST ] [UnixSystem.testCFSFile:1659] ERROR: from
node paw-racnode2
[main] [ 2016-12-11 18:06:05.775 IST ] [ClusterUtils.areSharedPaths:587] Got
shared=false from SRVM call
[main] [ 2016-12-11 18:06:05.776 IST ] [ClusterConfig.isClusterInstalled:361]
hasJarPresent=true
[main] [ 2016-12-11 18:06:05.776 IST ] [Version.isPre:274] version to be checked
11.2.0.1.0 major version to check against10
[main] [ 2016-12-11 18:06:05.776 IST ] [Version.isPre:285] isPre.java: Returning
FALSE
[main] [ 2016-12-11 18:06:05.777 IST ] [OCR.loadLibrary:308]
Inside constructor
of OCR
[main] [ 2016-12-11 18:06:05.777 IST ] [OCR.isCluster:939] Calling OCRNative for
isCluster()
[main] [ 2016-12-11 18:06:05.777 IST ] [nativesystem.OCRNative.Native] JNI:
isCluster() Successfully initialized meta context
[main] [ 2016-12-11 18:06:05.778 IST ] [nativesystem.OCRNative.Native] JNI:
procr_get_conf() retValue = 0
[main] [ 2016-12-11 18:06:05.778 IST ] [nativesystem.OCRNative.Native] The OCR
file is configured & local_only=false

[main] [ 2016-12-11 18:06:05.778 IST ] [OCR.isCluster:943] OCR Result status =
true

```

```
[main] [ 2016-12-11 18:06:05.778 IST ] [OCR.isCluster:955] Boolean result = true
[main] [ 2016-12-11 18:06:05.779 IST ] [GetActiveNodes.create:226] Returning an
existing instance of GetActiveNodes
[main] [ 2016-12-11 18:06:05.779 IST ] [ClusterConfig.init:421] Returning same
instance to clientmain
[main] [ 2016-12-11 18:06:05.779 IST ] [ClusterConfig.createDirInNode:1683]
Creating dir in nodes: paw-racnode2, /u01/app/oracle/admin/pawdb/hadump, false,
null
[main] [ 2016-12-11 18:06:05.779 IST ] [Semaphore.acquire:109]
SyncBufferEmpty:Acquire called by thread main m_count=2
[main] [ 2016-12-11 18:06:05.780 IST ] [Semaphore.release:85]
SyncBufferFull:Release called by thread main m_count=1
[Worker 3] [ 2016-12-11 18:06:05.780 IST ] [Semaphore.release:85]
SyncBufferEmpty:Release called by thread Worker 3 m_count=2
[Worker 3] [ 2016-12-11 18:06:05.780 IST ] [DirCreateCommand.execute:67] In
DirCreateCommand.execute, recurseFlag=false, modeFlag=false
[main] [ 2016-12-11 18:06:05.781 IST ] [ClusterConfig.block:594] block called by
thread main commandNum 1
[main] [ 2016-12-11 18:06:05.781 IST ] [Semaphore.acquire:109] ClientResource
Constructor:Blocking Semaphore owned by main:Acquire called by thread main
m_count=0
[Worker 3] [ 2016-12-11 18:06:05.783 IST ] [Utils.getLocalHost:356] Hostname
retrieved: paw-racnode1.airydba.com, returned: paw-racnode1
[Worker 3] [ 2016-12-11 18:06:05.783 IST ] [RuntimeExec.runCommand:75] Calling
Runtime.exec() with the command
[Worker 3] [ 2016-12-11 18:06:05.783 IST ] [RuntimeExec.runCommand:77]
/usr/bin/ssh
[Worker 3] [ 2016-12-11 18:06:05.783 IST ] [RuntimeExec.runCommand:77] -o
[Worker 3] [ 2016-12-11 18:06:05.783 IST ] [RuntimeExec.runCommand:77]
FallBackToRsh=no
[Worker 3] [ 2016-12-11 18:06:05.783 IST ] [RuntimeExec.runCommand:77] -o
[Worker 3] [ 2016-12-11 18:06:05.784 IST ] [RuntimeExec.runCommand:77]
PasswordAuthentication=no
[Worker 3] [ 2016-12-11 18:06:05.784 IST ] [RuntimeExec.runCommand:77] -o
[Worker 3] [ 2016-12-11 18:06:05.784 IST ] [RuntimeExec.runCommand:77]
StrictHostKeyChecking=yes
[Worker 3] [ 2016-12-11 18:06:05.785 IST ] [RuntimeExec.runCommand:77] -o
[Worker 3] [ 2016-12-11 18:06:05.785 IST ] [RuntimeExec.runCommand:77]
NumberOfPasswordPrompts=0
[Worker 3] [ 2016-12-11 18:06:05.785 IST ] [RuntimeExec.runCommand:77] paw-
racnode2
[Worker 3] [ 2016-12-11 18:06:05.785 IST ] [RuntimeExec.runCommand:77] -n
[Worker 3] [ 2016-12-11 18:06:05.786 IST ] [RuntimeExec.runCommand:77] /bin/mkdir
[Worker 3] [ 2016-12-11 18:06:05.786 IST ] [RuntimeExec.runCommand:77] -p
[Worker 3] [ 2016-12-11 18:06:05.786 IST ] [RuntimeExec.runCommand:77]
/u01/app/oracle/admin/pawdb/hadump
[Thread-152] [ 2016-12-11 18:06:05.801 IST ] [StreamReader.run:61] In
StreamReader.run
[Worker 3] [ 2016-12-11 18:06:05.801 IST ] [RuntimeExec.runCommand:142]
runCommand: Waiting for the process
[Thread-151] [ 2016-12-11 18:06:05.801 IST ] [StreamReader.run:61] In
StreamReader.run
[Worker 3] [ 2016-12-11 18:06:05.923 IST ] [RuntimeExec.runCommand:144]
runCommand: process returns 0
[Worker 3] [ 2016-12-11 18:06:05.923 IST ] [RuntimeExec.runCommand:161]
RunTimeExec: output>
[Worker 3] [ 2016-12-11 18:06:05.923 IST ] [RuntimeExec.runCommand:170]
RunTimeExec: error>
[Worker 3] [ 2016-12-11 18:06:05.923 IST ] [RuntimeExec.runCommand:192] Returning
```



```
from RunTimeExec.runCommand
[Worker 3] [ 2016-12-11 18:06:05.923 IST ] [NativeSystem.isCmdScv:471] isCmdScv:
cmd=[/usr/bin/ssh -o FallBackToRsh=no -o PasswordAuthentication=no -o
StrictHostKeyChecking=yes -o NumberOfPasswordPrompts=0 paw-racnode2 -n /bin/mkdir
-p /u01/app/oracle/admin/pawdb/hadump]
[Worker 3] [ 2016-12-11 18:06:05.924 IST ] [NativeSystem.isCmdScv:521]
isCmdScv: /usr/bin/ssh is present.
[Worker 3] [ 2016-12-11 18:06:05.924 IST ] [NativeSystem.isCmdScv:523]
isCmdScv: /usr/bin/ssh is a file.
[Worker 3] [ 2016-12-11 18:06:05.924 IST ] [NativeSystem.isCmdScv:540] isCmdScv:
returned true
[Worker 3] [ 2016-12-11 18:06:05.924 IST ] [NativeSystem.rununixcmd:1058]
NativeSystem.rununixcmd: RetString 1| :successful
[Worker 3] [ 2016-12-11 18:06:05.924 IST ] [NativeResult.<init>:91] NativeResult:
The String obtained is1| :successful
[Worker 3] [ 2016-12-11 18:06:05.924 IST ] [NativeResult.<init>:99] The status
string is: 1
[Worker 3] [ 2016-12-11 18:06:05.924 IST ] [NativeResult.<init>:112] The result
string is: :successful 1
[Worker 3] [ 2016-12-11 18:06:05.924 IST ]
[ClusterConfig$ExecuteCommand.returnCommandToClient:2939] returnCommandToClient;
fillCount=0 is full=false
[Worker 3] [ 2016-12-11 18:06:05.924 IST ] [Semaphore.acquire:109]
SyncBufferEmpty:Acquire called by thread Worker 3 m_count=100
[Worker 3] [ 2016-12-11 18:06:05.924 IST ] [Semaphore.release:85]
SyncBufferFull:Release called by thread Worker 3 m_count=1
[Worker 3] [ 2016-12-11 18:06:05.930 IST ] [ClientResource.getListener:157]
Calling getListener
[Worker 3] [ 2016-12-11 18:06:05.931 IST ] [ClusterConfig$ExecuteCommand.run:3034]
Owner Thread name of the blocking Semaphore main
[Worker 3] [ 2016-12-11 18:06:05.931 IST ] [ClusterConfig$ExecuteCommand.run:3042]
Obtained Semaphore
[Worker 3] [ 2016-12-11 18:06:05.931 IST ] [Semaphore.release:85] ClientResource
Constructor:Blocking Semaphore owned by main:Release called by thread Worker 3
m_count=1
[Worker 3] [ 2016-12-11 18:06:05.931 IST ] [ClusterConfig$ExecuteCommand.run:3057]
Released Semaphore by worker=Worker 3
[Worker 3] [ 2016-12-11 18:06:05.931 IST ] [Semaphore.acquire:109]
SyncBufferFull:Acquire called by thread Worker 3 m_count=0
[main] [ 2016-12-11 18:06:05.931 IST ] [ClusterConfig.block:606] block acquired
semnum=0
[main] [ 2016-12-11 18:06:05.931 IST ] [ClusterConfig.destroy:450] destroying
resources for client thread Thread[main,5,main]
[main] [ 2016-12-11 18:06:05.931 IST ] [ClusterUtils.areSharedPaths:552] 1.
path=/u01/app/oracle/admin/pawdb/dpdump
[main] [ 2016-12-11 18:06:05.932 IST ] [ClusterUtils.areSharedPaths:573] 2.
path=/u01/app/oracle/admin/pawdb/dpdump
[main] [ 2016-12-11 18:06:05.932 IST ] [ClusterUtils.areSharedPaths:578] hashKey =
[paw-racnode1, paw-racnode2]/u01/app/oracle/admin/pawdb/dpdump
[main] [ 2016-12-11 18:06:05.932 IST ] [GetActiveNodes.create:226] Returning an
existing instance of GetActiveNodes
[main] [ 2016-12-11 18:06:05.932 IST ] [Cluster.verifyNodeList:1147]
clusterNodes[0]=paw-racnode1
[main] [ 2016-12-11 18:06:05.932 IST ] [Cluster.verifyNodeList:1147]
clusterNodes[1]=paw-racnode2
[main] [ 2016-12-11 18:06:05.932 IST ] [Cluster.verifyNodeList:1152]
nodeList[0]=paw-racnode1
[main] [ 2016-12-11 18:06:05.932 IST ] [Cluster.verifyNodeList:1152]
nodeList[1]=paw-racnode2
```

```

[main] [ 2016-12-11 18:06:05.932 IST ] [GetActiveNodes.create:226] Returning an
existing instance of GetActiveNodes
[main] [ 2016-12-11 18:06:05.932 IST ] [Cluster.isSharedPath:1071] NodeList=[paw-
racnode1, paw-racnode2]
[main] [ 2016-12-11 18:06:05.933 IST ] [Cluster.isSharedPath:1107]
pathName=/u01/app/oracle/admin/pawdb/dpdump/ dirPath =
/u01/app/oracle/admin/pawdb/dpdump
[main] [ 2016-12-11 18:06:05.933 IST ] [UnixSystem.isSharedPath:1532]
dirPath=/u01/app/oracle/admin/pawdb/dpdump
[main] [ 2016-12-11 18:06:05.934 IST ] [UnixSystem.isSharedPath:1537]
UnixSystem.isShared: pathName=/u01/app/oracle/admin/pawdb/dpdump
tempFile=CFSFileName14814597659331455511316913401524.tmp
[main] [ 2016-12-11 18:06:05.934 IST ] [UnixSystem.isSharedPath:1542]
UnixSystem.isShared: dirPathName is
/u01/app/oracle/admin/pawdb/dpdump/CFSFileName14814597659331455511316913401524.tmp
[main] [ 2016-12-11 18:06:05.934 IST ] [UnixSystem.isSharedPath:1546]
UnixSystem.isShared: removing file
/u01/app/oracle/admin/pawdb/dpdump/CFSFileName14814597659331455511316913401524.tmpo
n paw-racnode2
[main] [ 2016-12-11 18:06:05.935 IST ] [Utils.getLocalHost:356] Hostname
retrieved: paw-racnode1.airydba.com, returned: paw-racnode1
[main] [ 2016-12-11 18:06:05.935 IST ] [RuntimeExec.runCommand:75] Calling
Runtime.exec() with the command
[main] [ 2016-12-11 18:06:05.935 IST ] [RuntimeExec.runCommand:77] /usr/bin/ssh
[main] [ 2016-12-11 18:06:05.935 IST ] [RuntimeExec.runCommand:77] -o
[main] [ 2016-12-11 18:06:05.935 IST ] [RuntimeExec.runCommand:77]
FallBackToRsh=no
[main] [ 2016-12-11 18:06:05.936 IST ] [RuntimeExec.runCommand:77] -o
[main] [ 2016-12-11 18:06:05.936 IST ] [RuntimeExec.runCommand:77]
PasswordAuthentication=no
[main] [ 2016-12-11 18:06:05.936 IST ] [RuntimeExec.runCommand:77] -o
[main] [ 2016-12-11 18:06:05.936 IST ] [RuntimeExec.runCommand:77]
StrictHostKeyChecking=yes
[main] [ 2016-12-11 18:06:05.936 IST ] [RuntimeExec.runCommand:77] -o
[main] [ 2016-12-11 18:06:05.936 IST ] [RuntimeExec.runCommand:77]
NumberOfPasswordPrompts=0
[main] [ 2016-12-11 18:06:05.936 IST ] [RuntimeExec.runCommand:77] paw-racnode2
[main] [ 2016-12-11 18:06:05.936 IST ] [RuntimeExec.runCommand:77] -n
[main] [ 2016-12-11 18:06:05.936 IST ] [RuntimeExec.runCommand:77] /bin/rm
[main] [ 2016-12-11 18:06:05.937 IST ] [RuntimeExec.runCommand:77] -f
[main] [ 2016-12-11 18:06:05.937 IST ] [RuntimeExec.runCommand:77]
/u01/app/oracle/admin/pawdb/dpdump/CFSFileName14814597659331455511316913401524.tmp
[Thread-154] [ 2016-12-11 18:06:05.946 IST ] [StreamReader.run:61] In
StreamReader.run
[main] [ 2016-12-11 18:06:05.946 IST ] [RuntimeExec.runCommand:142] runCommand:
Waiting for the process
[Thread-153] [ 2016-12-11 18:06:05.946 IST ] [StreamReader.run:61] In
StreamReader.run
[main] [ 2016-12-11 18:06:06.030 IST ] [RuntimeExec.runCommand:144] runCommand:
process returns 0
[main] [ 2016-12-11 18:06:06.030 IST ] [RuntimeExec.runCommand:161] RunTimeExec:
output>
[main] [ 2016-12-11 18:06:06.030 IST ] [RuntimeExec.runCommand:170] RunTimeExec:
error>
[main] [ 2016-12-11 18:06:06.031 IST ] [RuntimeExec.runCommand:192] Returning from
RunTimeExec.runCommand
[main] [ 2016-12-11 18:06:06.031 IST ] [NativeSystem.isCmdScv:471] isCmdScv:
cmd=[/usr/bin/ssh -o FallBackToRsh=no -o PasswordAuthentication=no -o
StrictHostKeyChecking=yes -o NumberOfPasswordPrompts=0 paw-racnode2 -n /bin/rm

```

```
-f
/u01/app/oracle/admin/pawdb/dpdump/CFSFileName14814597659331455511316913401524.tmp]
[main] [ 2016-12-11 18:06:06.031 IST ] [NativeSystem.isCmdScv:521] isCmdScv:
/usr/bin/ssh is present.
[main] [ 2016-12-11 18:06:06.031 IST ] [NativeSystem.isCmdScv:523] isCmdScv:
/usr/bin/ssh is a file.
[main] [ 2016-12-11 18:06:06.031 IST ] [NativeSystem.isCmdScv:540] isCmdScv:
returned true
[main] [ 2016-12-11 18:06:06.031 IST ] [NativeSystem.rununixcmd:1058]
NativeSystem.rununixcmd: RetString 1| :successful
[main] [ 2016-12-11 18:06:06.032 IST ] [UnixSystem.isSharedPath:1546]
UnixSystem.isShared: removing file
/u01/app/oracle/admin/pawdb/dpdump/CFSFileName14814597659331455511316913401524.tmpo
n paw-racnode1
[main] [ 2016-12-11 18:06:06.032 IST ] [RuntimeExec.runCommand:75] Calling
Runtime.exec() with the command
[main] [ 2016-12-11 18:06:06.032 IST ] [RuntimeExec.runCommand:77] /bin/rm
[main] [ 2016-12-11 18:06:06.032 IST ] [RuntimeExec.runCommand:77] -f
[main] [ 2016-12-11 18:06:06.032 IST ] [RuntimeExec.runCommand:77]
/u01/app/oracle/admin/pawdb/dpdump/CFSFileName14814597659331455511316913401524.tmp
[Thread-156] [ 2016-12-11 18:06:06.038 IST ] [StreamReader.run:61] In
StreamReader.run
[main] [ 2016-12-11 18:06:06.039 IST ] [RuntimeExec.runCommand:142] runCommand:
Waiting for the process
[main] [ 2016-12-11 18:06:06.039 IST ] [RuntimeExec.runCommand:144] runCommand:
process returns 0
[Thread-155] [ 2016-12-11 18:06:06.039 IST ] [StreamReader.run:61] In
StreamReader.run
[main] [ 2016-12-11 18:06:06.039 IST ] [RuntimeExec.runCommand:161] RunTimeExec:
output>
[main] [ 2016-12-11 18:06:06.040 IST ] [RuntimeExec.runCommand:170] RunTimeExec:
error>
[main] [ 2016-12-11 18:06:06.040 IST ] [RuntimeExec.runCommand:192] Returning from
RunTimeExec.runCommand
[main] [ 2016-12-11 18:06:06.040 IST ] [NativeSystem.isCmdScv:471] isCmdScv:
cmd=/bin/rm -f
/u01/app/oracle/admin/pawdb/dpdump/CFSFileName14814597659331455511316913401524.tmp]
[main] [ 2016-12-11 18:06:06.040 IST ] [NativeSystem.isCmdScv:540] isCmdScv:
returned false
[main] [ 2016-12-11 18:06:06.040 IST ] [NativeSystem.rununixcmd:1058]
NativeSystem.rununixcmd: RetString 1| :successful
[main] [ 2016-12-11 18:06:06.040 IST ] [UnixSystem.isSharedPath:1551]
UnixSystem.isShared: creating file
/u01/app/oracle/admin/pawdb/dpdump/CFSFileName14814597659331455511316913401524.tmp
[main] [ 2016-12-11 18:06:06.041 IST ] [UnixSystem.testCFSFile:1646] The unix
command is /usr/bin/ssh -o FallBackToRsh=no -o PasswordAuthentication=no -o
StrictHostKeyChecking=yes -o NumberOfPasswordPrompts=0 paw-racnode2 -n /bin/sh -c
"/bin/ls /u01/app/oracle/admin/pawdb/dpdump > /dev/null 2>&1 && /bin/cat
/u01/app/oracle/admin/pawdb/dpdump/CFSFileName14814597659331455511316913401524.tmp"
[main] [ 2016-12-11 18:06:06.041 IST ] [RuntimeExec.runCommand:75] Calling
Runtime.exec() with the command
[main] [ 2016-12-11 18:06:06.041 IST ] [RuntimeExec.runCommand:77] /usr/bin/ssh
[main] [ 2016-12-11 18:06:06.041 IST ] [RuntimeExec.runCommand:77] -o
[main] [ 2016-12-11 18:06:06.041 IST ] [RuntimeExec.runCommand:77]
FallBackToRsh=no
[main] [ 2016-12-11 18:06:06.041 IST ] [RuntimeExec.runCommand:77] -o
[main] [ 2016-12-11 18:06:06.041 IST ] [RuntimeExec.runCommand:77]
PasswordAuthentication=no
[main] [ 2016-12-11 18:06:06.041 IST ] [RuntimeExec.runCommand:77] -o
```

```

[main] [ 2016-12-11 18:06:06.041 IST ] [RuntimeExec.runCommand:77]
StrictHostKeyChecking=yes
[main] [ 2016-12-11 18:06:06.041 IST ] [RuntimeExec.runCommand:77] -o
[main] [ 2016-12-11 18:06:06.041 IST ] [RuntimeExec.runCommand:77]
NumberOfPasswordPrompts=0
[main] [ 2016-12-11 18:06:06.042 IST ] [RuntimeExec.runCommand:77] paw-racnode2
[main] [ 2016-12-11 18:06:06.042 IST ] [RuntimeExec.runCommand:77] -n
[main] [ 2016-12-11 18:06:06.042 IST ] [RuntimeExec.runCommand:77] /bin/sh
[main] [ 2016-12-11 18:06:06.042 IST ] [RuntimeExec.runCommand:77] -c
[main] [ 2016-12-11 18:06:06.042 IST ] [RuntimeExec.runCommand:77] "/bin/ls
[main] [ 2016-12-11 18:06:06.042 IST ] [RuntimeExec.runCommand:77]
/u01/app/oracle/admin/pawdb/dpdump
[main] [ 2016-12-11 18:06:06.042 IST ] [RuntimeExec.runCommand:77] >
[main] [ 2016-12-11 18:06:06.042 IST ] [RuntimeExec.runCommand:77] /dev/null
[main] [ 2016-12-11 18:06:06.042 IST ] [RuntimeExec.runCommand:77] 2>&1
[main] [ 2016-12-11 18:06:06.042 IST ] [RuntimeExec.runCommand:77] &&
[main] [ 2016-12-11 18:06:06.042 IST ] [RuntimeExec.runCommand:77] /bin/cat
[main] [ 2016-12-11 18:06:06.042 IST ] [RuntimeExec.runCommand:77]
/u01/app/oracle/admin/pawdb/dpdump/CFSFileName14814597659331455511316913401524.tmp"

[Thread-158] [ 2016-12-11 18:06:06.051 IST ] [StreamReader.run:61] In
StreamReader.run
[main] [ 2016-12-11 18:06:06.052 IST ] [RuntimeExec.runCommand:142] runCommand:
Waiting for the process
[Thread-157] [ 2016-12-11 18:06:06.052 IST ] [StreamReader.run:61] In
StreamReader.run
[main] [ 2016-12-11 18:06:06.197 IST ] [RuntimeExec.runCommand:144] runCommand:
process returns 2
[main] [ 2016-12-11 18:06:06.198 IST ] [RuntimeExec.runCommand:161] RunTimeExec:
output>
[main] [ 2016-12-11 18:06:06.198 IST ] [RuntimeExec.runCommand:170] RunTimeExec:
error>
[main] [ 2016-12-11 18:06:06.198 IST ] [RuntimeExec.runCommand:192] Returning from
RunTimeExec.runCommand
[main] [ 2016-12-11 18:06:06.198 IST ] [UnixSystem.testCFSFile:1658] Command
output is empty
[main] [ 2016-12-11 18:06:06.198 IST ] [UnixSystem.testCFSFile:1659] ERROR: from
node paw-racnode2
[main] [ 2016-12-11 18:06:06.199 IST ] [ClusterUtils.areSharedPaths:587] Got
shared=false from SRVM call
[main] [ 2016-12-11 18:06:06.199 IST ] [ClusterConfig.isClusterInstalled:361]
hasJarPresent=true
[main] [ 2016-12-11 18:06:06.199 IST ] [Version.isPre:274] version to be checked
11.2.0.1.0 major version to check against10
[main] [ 2016-12-11 18:06:06.199 IST ] [Version.isPre:285] isPre.java: Returning
FALSE
[main] [ 2016-12-11 18:06:06.201 IST ] [OCR.loadLibrary:308]
Inside constructor of OCR
[main] [ 2016-12-11 18:06:06.201 IST ] [OCR.isCluster:939] Calling OCRNative for
isCluster()
[main] [ 2016-12-11 18:06:06.201 IST ] [nativesystem.OCRNative.Native] JNI:
isCluster() Successfully initialized meta context
[main] [ 2016-12-11 18:06:06.201 IST ] [nativesystem.OCRNative.Native] JNI:
procr_get_conf() retValue = 0
[main] [ 2016-12-11 18:06:06.201 IST ] [nativesystem.OCRNative.Native] The OCR
file is configured & local_only=false

[main] [ 2016-12-11 18:06:06.202 IST ] [OCR.isCluster:943] OCR Result status =
true

```

```
[main] [ 2016-12-11 18:06:06.202 IST ] [OCR.isCluster:955] Boolean result = true
[main] [ 2016-12-11 18:06:06.202 IST ] [GetActiveNodes.create:226] Returning an
existing instance of GetActiveNodes
[main] [ 2016-12-11 18:06:06.202 IST ] [ClusterConfig.init:421] Returning same
instance to clientmain
[main] [ 2016-12-11 18:06:06.202 IST ] [ClusterConfig.createDirInNode:1683]
Creating dir in nodes: paw-racnode2, /u01/app/oracle/admin/pawdb/dpdump, false,
null
[main] [ 2016-12-11 18:06:06.202 IST ] [Semaphore.acquire:109]
SyncBufferEmpty:Acquire called by thread main m_count=2
[main] [ 2016-12-11 18:06:06.202 IST ] [Semaphore.release:85]
SyncBufferFull:Release called by thread main m_count=1
[Worker 0] [ 2016-12-11 18:06:06.202 IST ] [Semaphore.release:85]
SyncBufferEmpty:Release called by thread Worker 0 m_count=2
[Worker 0] [ 2016-12-11 18:06:06.202 IST ] [DirCreateCommand.execute:67] In
DirCreateCommand.execute, recurseFlag=false, modeFlag=false
[main] [ 2016-12-11 18:06:06.203 IST ] [ClusterConfig.block:594] block called by
thread main commandNum 1
[main] [ 2016-12-11 18:06:06.203 IST ] [Semaphore.acquire:109] ClientResource
Constructor:Blocking Semaphore owned by main:Acquire called by thread main
m_count=0
[Worker 0] [ 2016-12-11 18:06:06.203 IST ] [Utils.getLocalHost:356] Hostname
retrieved: paw-racnode1.airydba.com, returned: paw-racnode1
[Worker 0] [ 2016-12-11 18:06:06.203 IST ] [RuntimeExec.runCommand:75] Calling
Runtime.exec() with the command
[Worker 0] [ 2016-12-11 18:06:06.203 IST ] [RuntimeExec.runCommand:77]
/usr/bin/ssh
[Worker 0] [ 2016-12-11 18:06:06.204 IST ] [RuntimeExec.runCommand:77] -o
[Worker 0] [ 2016-12-11 18:06:06.204 IST ] [RuntimeExec.runCommand:77]
FallBackToRsh=no
[Worker 0] [ 2016-12-11 18:06:06.204 IST ] [RuntimeExec.runCommand:77] -o
[Worker 0] [ 2016-12-11 18:06:06.204 IST ] [RuntimeExec.runCommand:77]
PasswordAuthentication=no
[Worker 0] [ 2016-12-11 18:06:06.204 IST ] [RuntimeExec.runCommand:77] -o
[Worker 0] [ 2016-12-11 18:06:06.204 IST ] [RuntimeExec.runCommand:77]
StrictHostKeyChecking=yes
[Worker 0] [ 2016-12-11 18:06:06.204 IST ] [RuntimeExec.runCommand:77] -o
[Worker 0] [ 2016-12-11 18:06:06.204 IST ] [RuntimeExec.runCommand:77]
NumberOfPasswordPrompts=0
[Worker 0] [ 2016-12-11 18:06:06.204 IST ] [RuntimeExec.runCommand:77] paw-
racnode2
[Worker 0] [ 2016-12-11 18:06:06.204 IST ] [RuntimeExec.runCommand:77] -n
[Worker 0] [ 2016-12-11 18:06:06.204 IST ] [RuntimeExec.runCommand:77] /bin/mkdir
[Worker 0] [ 2016-12-11 18:06:06.204 IST ] [RuntimeExec.runCommand:77] -p
[Worker 0] [ 2016-12-11 18:06:06.204 IST ] [RuntimeExec.runCommand:77]
/u01/app/oracle/admin/pawdb/dpdump
[Thread-160] [ 2016-12-11 18:06:06.210 IST ] [StreamReader.run:61] In
StreamReader.run
[Worker 0] [ 2016-12-11 18:06:06.210 IST ] [RuntimeExec.runCommand:142]
runCommand: Waiting for the process
[Thread-159] [ 2016-12-11 18:06:06.210 IST ] [StreamReader.run:61] In
StreamReader.run
[Worker 0] [ 2016-12-11 18:06:06.337 IST ] [RuntimeExec.runCommand:144]
runCommand: process returns 0
[Worker 0] [ 2016-12-11 18:06:06.337 IST ] [RuntimeExec.runCommand:161]
RunTimeExec: output>
[Worker 0] [ 2016-12-11 18:06:06.337 IST ] [RuntimeExec.runCommand:170]
RunTimeExec: error>
[Worker 0] [ 2016-12-11 18:06:06.337 IST ] [RuntimeExec.runCommand:192] Returning
```

```
from RunTimeExec.runCommand
[Worker 0] [ 2016-12-11 18:06:06.338 IST ] [NativeSystem.isCmdScv:471] isCmdScv:
cmd=[/usr/bin/ssh -o FallBackToRsh=no -o PasswordAuthentication=no -o
StrictHostKeyChecking=yes -o NumberOfPasswordPrompts=0 paw-racnode2 -n /bin/mkdir
-p /u01/app/oracle/admin/pawdb/dpdump]
[Worker 0] [ 2016-12-11 18:06:06.338 IST ] [NativeSystem.isCmdScv:521]
isCmdScv: /usr/bin/ssh is present.
[Worker 0] [ 2016-12-11 18:06:06.338 IST ] [NativeSystem.isCmdScv:523]
isCmdScv: /usr/bin/ssh is a file.
[Worker 0] [ 2016-12-11 18:06:06.338 IST ] [NativeSystem.isCmdScv:540] isCmdScv:
returned true
[Worker 0] [ 2016-12-11 18:06:06.338 IST ] [NativeSystem.rununixcmd:1058]
NativeSystem.rununixcmd: RetString 1| :successful
[Worker 0] [ 2016-12-11 18:06:06.338 IST ] [NativeResult.<init>:91] NativeResult:
The String obtained is1| :successful
[Worker 0] [ 2016-12-11 18:06:06.338 IST ] [NativeResult.<init>:99] The status
string is: 1
[Worker 0] [ 2016-12-11 18:06:06.339 IST ] [NativeResult.<init>:112] The result
string is: :successful 1
[Worker 0] [ 2016-12-11 18:06:06.339 IST ]
[ClusterConfig$ExecuteCommand.returnCommandToClient:2939] returnCommandToClient;
fillCount=0 is full=false
[Worker 0] [ 2016-12-11 18:06:06.339 IST ] [Semaphore.acquire:109]
SyncBufferEmpty:Acquire called by thread Worker 0 m_count=100
[Worker 0] [ 2016-12-11 18:06:06.339 IST ] [Semaphore.release:85]
SyncBufferFull:Release called by thread Worker 0 m_count=1
[Worker 0] [ 2016-12-11 18:06:06.339 IST ] [ClientResource.getListener:157]
Calling getListener
[Worker 0] [ 2016-12-11 18:06:06.339 IST ] [ClusterConfig$ExecuteCommand.run:3034]
Owner Thread name of the blocking Semaphore main
[Worker 0] [ 2016-12-11 18:06:06.339 IST ] [ClusterConfig$ExecuteCommand.run:3042]
Obtained Semaphore
[Worker 0] [ 2016-12-11 18:06:06.339 IST ] [Semaphore.release:85] ClientResource
Constructor:Blocking Semaphore owned by main:Release called by thread Worker 0
m_count=1
[Worker 0] [ 2016-12-11 18:06:06.339 IST ] [ClusterConfig$ExecuteCommand.run:3057]
Released Semaphore by worker=Worker 0
[Worker 0] [ 2016-12-11 18:06:06.339 IST ] [Semaphore.acquire:109]
SyncBufferFull:Acquire called by thread Worker 0 m_count=0
[main] [ 2016-12-11 18:06:06.339 IST ] [ClusterConfig.block:606] block acquired
semnum=0
[main] [ 2016-12-11 18:06:06.340 IST ] [ClusterConfig.destroy:450] destroying
resources for client thread Thread[main,5,main]
[Thread-119] [ 2016-12-11 18:06:06.364 IST ]
[Instance$RConfigErrorListener.getError:435] Got error
[Thread-119] [ 2016-12-11 18:06:06.365 IST ]
[Instance$RConfigErrorListener.handleNonIgnorableError:450] Number of ERRORS:1
[Thread-119] [ 2016-12-11 18:06:06.365 IST ]
[Instance$RConfigErrorListener.handleNonIgnorableError:453] ERROR=ORA-01507:
database not mounted
[Thread-119] [ 2016-12-11 18:06:06.365 IST ]
[Instance$RConfigErrorListener.handleNonIgnorableError:456] Ignoring shutdown
error : database not mounted
[main] [ 2016-12-11 18:06:12.585 IST ] [SQLEngine.done:2148] Done called
[main] [ 2016-12-11 18:06:12.586 IST ] [SQLEngine.spoolOff:2008] Setting spool off
= /u01/app/oracle/cfgtoollogs/rconfig/pawdb1/sqlLog
[main] [ 2016-12-11 18:06:12.587 IST ] [Storage.isRecoveryAreaTransferRequired:344]
Current RecoveryArea=/u01/app/oracle/flash_recovery_area
[main] [ 2016-12-11 18:06:12.587 IST ] [StorageManagement.migrateRecoveryArea:1409]
```

```

**** Recovery area Migration required
[main] [ 2016-12-11 18:06:12.587 IST ] [OracleHome.getVersion:877]
OracleHome.getVersion called. Current Version: 11.2.0.1.0
[main] [ 2016-12-11 18:06:12.587 IST ] [OracleHome.getVersion:943] Current Version
From Inventory: 11.2.0.1.0
[main] [ 2016-12-11 18:06:12.587 IST ] [OracleHome.getVersion:948] using
sqlplus: /u01/app/oracle/product/11.2.0/db_1/bin/sqlplus
[main] [ 2016-12-11 18:06:12.587 IST ] [OracleHome.getVersion:877]
OracleHome.getVersion called. Current Version: 11.2.0.1.0
[main] [ 2016-12-11 18:06:12.587 IST ] [OracleHome.getVersion:943] Current Version
From Inventory: 11.2.0.1.0
[main] [ 2016-12-11 18:06:12.587 IST ] [OracleHome.getVersion:948] using
sqlplus: /u01/app/oracle/product/11.2.0/db_1/bin/sqlplus
[main] [ 2016-12-11 18:06:12.588 IST ] [OracleHome.getVersion:877]
OracleHome.getVersion called. Current Version: 11.2.0.1.0
[main] [ 2016-12-11 18:06:12.588 IST ] [OracleHome.getVersion:943] Current Version
From Inventory: 11.2.0.1.0
[main] [ 2016-12-11 18:06:12.588 IST ] [OracleHome.getVersion:948] using
sqlplus: /u01/app/oracle/product/11.2.0/db_1/bin/sqlplus
[main] [ 2016-12-11 18:06:12.588 IST ] [SQLPlusEngine.getCmdParams:222] m_home
11.2.0.1.0
[main] [ 2016-12-11 18:06:12.588 IST ] [SQLPlusEngine.getCmdParams:223] version >
112 true
[main] [ 2016-12-11 18:06:12.588 IST ] [SQLEngine.getEnvParams:547] Default
NLS_LANG: AMERICAN_AMERICA.AL32UTF8
[main] [ 2016-12-11 18:06:12.588 IST ] [SQLEngine.getEnvParams:557] NLS_LANG:
AMERICAN_AMERICA.AL32UTF8
[main] [ 2016-12-11 18:06:12.589 IST ] [SQLEngine.initialize:317] Execing
SQLPLUS/SVRMGR process...
[main] [ 2016-12-11 18:06:12.607 IST ] [SQLEngine.initialize:354]
m_bReaderStarted: false
[main] [ 2016-12-11 18:06:12.607 IST ] [SQLEngine.initialize:358] Starting Reader
Thread...
[main] [ 2016-12-11 18:06:12.648 IST ] [Instance.getSQLEngine:381] SQLEngine
spooling to=/u01/app/oracle/cfgtoollogs/rconfig/pawdbl/sqlLog
[main] [ 2016-12-11 18:06:12.648 IST ] [SQLEngine.setSpool:1940] old Spool = null
[main] [ 2016-12-11 18:06:12.648 IST ] [SQLEngine.setSpool:1941] Setting Spool
= /u01/app/oracle/cfgtoollogs/rconfig/pawdbl/sqlLog
[main] [ 2016-12-11 18:06:12.648 IST ] [SQLEngine.setSpool:1942] Is spool
appendable? --> true
[Thread-161] [ 2016-12-11 18:06:25.395 IST ]
[Instance$RConfigErrorListener.getError:435] Got error
[Thread-161] [ 2016-12-11 18:06:25.395 IST ]
[Instance$RConfigErrorListener.handleNonIgnorableError:450] Number of ERRORS:1
[Thread-161] [ 2016-12-11 18:06:25.395 IST ]
[Instance$RConfigErrorListener.handleNonIgnorableError:453] ERROR=ORA-01109:
database not open
[Thread-161] [ 2016-12-11 18:06:25.395 IST ]
[Instance$RConfigErrorListener.handleNonIgnorableError:461] Ignoring shutdown
error : database not open
[main] [ 2016-12-11 18:06:44.229 IST ] [RMANEngine.initialize:180] Execing RMAN
process from initialize...
[main] [ 2016-12-11 18:06:44.287 IST ] [RMANEngine.initialize:206] Created RMAN
process from initialize...
[main] [ 2016-12-11 18:06:44.288 IST ] [RMANEngine.initialize:213] Starting Reader
Thread...
[main] [ 2016-12-11 18:06:44.288 IST ] [RMANEngine.initialize:217] Started reader
thread for RMAN process in initialize...
[Thread-163] [ 2016-12-11 18:06:44.288 IST ] [RMANEngine.run:701] Started reader

```

```
thread for RMAN process from initialize...
[Thread-163] [ 2016-12-11 18:06:44.288 IST ] [RMANEngine.run:705] Set
m_bReaderStarted to true in initialize...
[main] [ 2016-12-11 18:06:44.289 IST ] [RMANEngine.initialize:225] Started error
thread for RMAN process from initialize...
[main] [ 2016-12-11 18:06:44.289 IST ] [RMANEngine.initialize:230] Created output
writer for RMAN process from initialize...
[main] [ 2016-12-11 18:06:44.289 IST ] [RMANEngine.initialize:268] Created Log
writer for RMAN process from initialize...
[main] [ 2016-12-11 18:06:44.289 IST ] [RMANEngine.initialize:273] Value of
m_bReaderStarted in initialize=true
[main] [ 2016-12-11 18:06:44.289 IST ] [RMANEngine.initialize:288] Made sure
reader has started for RMAN process from initialize...
[main] [ 2016-12-11 18:06:44.289 IST ] [RMANEngine.executeImpl:1084]
m_bExecQuery=false
[main] [ 2016-12-11 18:06:44.289 IST ] [RMANEngine.executeImpl:1092] Command being
written to rman process=connect target sys/*****
[main] [ 2016-12-11 18:06:44.289 IST ] [RMANEngine.executeImpl:1120] Notify reader
to start reading
[Thread-163] [ 2016-12-11 18:06:44.290 IST ] [RMANEngine.readSqlOutput:787] Log
RMAN Output=
[Thread-163] [ 2016-12-11 18:06:44.290 IST ] [RMANEngine.readSqlOutput:787] Log
RMAN Output=Recovery Manager: Release 11.2.0.1.0 - Production on Sun Dec 11
18:06:44 2016
[Thread-163] [ 2016-12-11 18:06:44.290 IST ] [RMANEngine.readSqlOutput:787] Log
RMAN Output=
[Thread-163] [ 2016-12-11 18:06:44.290 IST ] [RMANEngine.readSqlOutput:787] Log
RMAN Output=Copyright (c) 1982, 2009, Oracle and/or its affiliates. All rights
reserved.
[Thread-163] [ 2016-12-11 18:06:44.303 IST ] [RMANEngine.readSqlOutput:787] Log
RMAN Output=
[Thread-163] [ 2016-12-11 18:06:44.303 IST ] [RMANEngine.readSqlOutput:787] Log
RMAN Output=RMAN>
[Thread-163] [ 2016-12-11 18:06:44.836 IST ] [RMANEngine.readSqlOutput:787] Log
RMAN Output=connected to target database: PAWDB (DBID=4198016202, not open)
[Thread-163] [ 2016-12-11 18:06:44.838 IST ] [RMANEngine.readSqlOutput:787] Log
RMAN Output=
[Thread-163] [ 2016-12-11 18:06:44.842 IST ] [RMANEngine.readSqlOutput:787] Log
RMAN Output=RMAN>
[Thread-163] [ 2016-12-11 18:06:44.842 IST ] [RMANEngine.readSqlOutput:787] Log
RMAN Output=echo set on
[Thread-163] [ 2016-12-11 18:06:44.842 IST ] [RMANEngine.readSqlOutput:931]
Notifying writer to proceed because
m_bInterrupted=falsebNotify=true m_bReaderDone=false m_bFatalErrorOccured=false
[main] [ 2016-12-11
18:06:44.842 IST ] [RMANEngine.executeImpl:1132] Completed wait from reader
[main] [ 2016-12-11 18:06:44.842 IST ] [RMANEngine.executeImpl:1179] DONE
EXECUTING GIVEN COMMAND=connect target sys/*****
[main] [ 2016-12-11 18:06:44.843 IST ] [Instance.getRMANEngine:315] RMANEngine
spooling to=/u01/app/oracle/cfgtoollogs/rconfig/pawdbl/rmanLog
[main] [ 2016-12-11 18:06:44.843 IST ] [Instance.setControlAutoBackupOff:519]
CONFIGURE CONTROLFILE AUTOBACKUP OFF
[main] [ 2016-12-11 18:06:44.843 IST ] [RMANEngine.executeImpl:1084]
m_bExecQuery=false
[main] [ 2016-12-11 18:06:44.843 IST ] [RMANEngine.executeImpl:1092] Command being
written to rman process=set nocfau;
[main] [ 2016-12-11 18:06:44.843 IST ] [RMANEngine.executeImpl:1120] Notify reader
to start reading
[Thread-163] [ 2016-12-11 18:06:44.843 IST ] [RMANEngine.run:715] Return Value
```



```
from readSqlOutput=echo set on
[Thread-163] [ 2016-12-11 18:06:44.844 IST ] [RMANEngine.readSqlOutput:787] Log
RMAN Output=
[Thread-163] [ 2016-12-11 18:06:44.849 IST ] [RMANEngine.readSqlOutput:787] Log
RMAN Output=RMAN> set nocfau;
[Thread-163] [ 2016-12-11 18:06:44.849 IST ] [RMANEngine.readSqlOutput:787] Log
RMAN Output=executing command: SET NOCFAU
[Thread-163] [ 2016-12-11 18:06:44.992 IST ] [RMANEngine.readSqlOutput:787] Log
RMAN Output=using target database control file instead of recovery catalog
[Thread-163] [ 2016-12-11 18:06:45.198 IST ] [RMANEngine.readSqlOutput:787] Log
RMAN Output=
[Thread-163] [ 2016-12-11 18:06:45.202 IST ] [RMANEngine.readSqlOutput:787] Log
RMAN Output=
[Thread-163] [ 2016-12-11 18:06:45.204 IST ] [RMANEngine.readSqlOutput:787] Log
RMAN Output=RMAN> set echo on
[Thread-163] [ 2016-12-11 18:06:45.205 IST ] [RMANEngine.readSqlOutput:787] Log
RMAN Output=
[Thread-163] [ 2016-12-11 18:06:45.205 IST ] [RMANEngine.readSqlOutput:787] Log
RMAN Output=echo set on
[Thread-163] [ 2016-12-11 18:06:45.205 IST ] [RMANEngine.readSqlOutput:931]
Notifying writer to proceed because
m_bInterrupted=falsebNotify=true m_bReaderDone=false m_bFatalErrorOccured=false
[main] [ 2016-12-11 18:06:45.205 IST ] [RMANEngine.executeImpl:1132] Completed
wait from reader
[main] [ 2016-12-11 18:06:45.205 IST ] [RMANEngine.executeImpl:1179] DONE
EXECUTING GIVEN COMMAND=set nocfau;
[main] [ 2016-12-11 18:06:45.206 IST ] [RMANEngine.executeImpl:1084]
m_bExecQuery=false
[main] [ 2016-12-11 18:06:45.206 IST ] [RMANEngine.executeImpl:1092] Command being
written to rman process=crosscheck archivelog all;
[main] [ 2016-12-11 18:06:45.206 IST ] [RMANEngine.executeImpl:1120] Notify reader
to start reading
[Thread-163] [ 2016-12-11 18:06:45.206 IST ] [RMANEngine.run:715] Return Value
from readSqlOutput=echo set on
[Thread-163] [ 2016-12-11 18:06:45.206 IST ] [RMANEngine.readSqlOutput:787] Log
RMAN Output=
[Thread-163] [ 2016-12-11 18:06:45.226 IST ] [RMANEngine.readSqlOutput:787] Log
RMAN Output=RMAN> crosscheck archivelog all;
[Thread-163] [ 2016-12-11 18:06:45.328 IST ] [RMANEngine.readSqlOutput:787] Log
RMAN Output=allocated channel: ORA_DISK_1
[Thread-163] [ 2016-12-11 18:06:45.332 IST ] [RMANEngine.readSqlOutput:787] Log
RMAN Output=channel ORA_DISK_1: SID=36 instance=pawdb1 device type=DISK
[Thread-163] [ 2016-12-11 18:06:45.649 IST ] [RMANEngine.readSqlOutput:787] Log
RMAN Output=validation succeeded for archived log
[Thread-163] [ 2016-12-11 18:06:45.650 IST ] [RMANEngine.readSqlOutput:787] Log
RMAN Output=archived log file
name=+FRA/pawdb/archivelog/2016_12_11/thread_1_seq_2.392.930333775 RECID=1
STAMP=930333775
[Thread-163] [ 2016-12-11 18:06:45.662 IST ] [RMANEngine.readSqlOutput:787] Log
RMAN Output=validation succeeded for archived log
[Thread-163] [ 2016-12-11 18:06:45.663 IST ] [RMANEngine.readSqlOutput:787] Log
RMAN Output=archived log file
name=+FRA/pawdb/archivelog/2016_12_11/thread_1_seq_3.393.930333781 RECID=2
STAMP=930333781
[Thread-163] [ 2016-12-11 18:06:45.667 IST ] [RMANEngine.readSqlOutput:787] Log
RMAN Output=validation succeeded for archived log
[Thread-163] [ 2016-12-11 18:06:45.668 IST ] [RMANEngine.readSqlOutput:787] Log
RMAN Output=archived log file
name=+FRA/pawdb/archivelog/2016_12_11/thread_1_seq_4.394.930333781 RECID=3
```

STAMP=930333781
[Thread-163] [2016-12-11 18:06:45.672 IST] [RMANEngine.readSqlOutput:787] Log
RMAN Output=validation succeeded for archived log
[Thread-163] [2016-12-11 18:06:45.672 IST] [RMANEngine.readSqlOutput:787] Log
RMAN Output=archived log file
name=+FRA/pawdb/archivelog/2016_12_11/thread_1_seq_5.391.930333807 RECID=4
STAMP=930333807
[Thread-163] [2016-12-11 18:06:45.673 IST] [RMANEngine.readSqlOutput:787] Log
RMAN Output=Crosschecked 4 objects
[Thread-163] [2016-12-11 18:06:45.673 IST] [RMANEngine.readSqlOutput:787] Log
RMAN Output=
[Thread-163] [2016-12-11 18:06:45.711 IST] [RMANEngine.readSqlOutput:787] Log
RMAN Output=
[Thread-163] [2016-12-11 18:06:45.714 IST] [RMANEngine.readSqlOutput:787] Log
RMAN Output=
[Thread-163] [2016-12-11 18:06:45.717 IST] [RMANEngine.readSqlOutput:787] Log
RMAN Output=RMAN> set echo on
[Thread-163] [2016-12-11 18:06:45.717 IST] [RMANEngine.readSqlOutput:787] Log
RMAN Output=
[Thread-163] [2016-12-11 18:06:45.717 IST] [RMANEngine.readSqlOutput:787] Log
RMAN Output=echo set on
[Thread-163] [2016-12-11 18:06:45.717 IST] [RMANEngine.readSqlOutput:931]
Notifying writer to proceed because
m_bInterrupted=falsebNotify=true m_bReaderDone=false m_bFatalErrorOccured=false
[main] [2016-12-11 18:06:45.718 IST] [RMANEngine.executeImpl:1132] Completed
wait from reader
[main] [2016-12-11 18:06:45.718 IST] [RMANEngine.executeImpl:1179] DONE
EXECUTING GIVEN COMMAND=crosscheck archivelog all;
[Thread-163] [2016-12-11 18:06:45.718 IST] [RMANEngine.run:715] Return Value
from readSqlOutput=echo set on
[main] [2016-12-11 18:06:45.742 IST] [RMANEngine.executeImpl:1084]
m_bExecQuery=false
[main] [2016-12-11 18:06:45.742 IST] [RMANEngine.executeImpl:1092] Command being
written to rman process=backup as copy archivelog all delete input;
[main] [2016-12-11 18:06:45.742 IST] [RMANEngine.executeImpl:1120] Notify reader
to start reading
[Thread-163] [2016-12-11 18:06:45.742 IST] [RMANEngine.readSqlOutput:787] Log
RMAN Output=
[Thread-163] [2016-12-11 18:06:45.750 IST] [RMANEngine.readSqlOutput:787] Log
RMAN Output=RMAN> backup as copy archivelog all delete input;
[Thread-163] [2016-12-11 18:06:45.755 IST] [RMANEngine.readSqlOutput:787] Log
RMAN Output=Starting backup at 11-DEC-16
[Thread-163] [2016-12-11 18:06:45.786 IST] [RMANEngine.readSqlOutput:787] Log
RMAN Output=using channel ORA_DISK_1
[Thread-163] [2016-12-11 18:06:45.898 IST] [RMANEngine.readSqlOutput:787] Log
RMAN Output=channel ORA_DISK_1: starting archived log copy
[Thread-163] [2016-12-11 18:06:45.905 IST] [RMANEngine.readSqlOutput:787] Log
RMAN Output=input archived log thread=1 sequence=2 RECID=1 STAMP=930333775
[Thread-163] [2016-12-11 18:06:46.960 IST] [RMANEngine.readSqlOutput:787] Log
RMAN Output=output file
name=+FRA/pawdb/archivelog/2016_12_11/thread_1_seq_2.399.930334005 RECID=5
STAMP=930334006
[Thread-163] [2016-12-11 18:06:46.963 IST] [RMANEngine.readSqlOutput:787] Log
RMAN Output=channel ORA_DISK_1: archived log copy complete, elapsed time: 00:00:01
[Thread-163] [2016-12-11 18:06:46.964 IST] [RMANEngine.readSqlOutput:787] Log
RMAN Output=channel ORA_DISK_1: deleting archived log(s)
[Thread-163] [2016-12-11 18:06:46.964 IST] [RMANEngine.readSqlOutput:787] Log
RMAN Output=archived log file
name=+FRA/pawdb/archivelog/2016_12_11/thread_1_seq_2.392.930333775 RECID=1

STAMP=930333775

[Thread-163] [2016-12-11 18:06:47.158 IST] [RMANEngine.readSqlOutput:787] Log
RMAN Output=channel ORA_DISK_1: starting archived log copy

[Thread-163] [2016-12-11 18:06:47.173 IST] [RMANEngine.readSqlOutput:787] Log
RMAN Output=input archived log thread=1 sequence=3 RECID=2 STAMP=930333781

[Thread-163] [2016-12-11 18:06:48.208 IST] [RMANEngine.readSqlOutput:787] Log
RMAN Output=output file

name=+FRA/pawdb/archivelog/2016_12_11/thread_1_seq_3.392.930334007 RECID=6
STAMP=930334007

[Thread-163] [2016-12-11 18:06:48.209 IST] [RMANEngine.readSqlOutput:787] Log
RMAN Output=channel ORA_DISK_1: archived log copy complete, elapsed time: 00:00:01

[Thread-163] [2016-12-11 18:06:48.210 IST] [RMANEngine.readSqlOutput:787] Log
RMAN Output=channel ORA_DISK_1: deleting archived log(s)

[Thread-163] [2016-12-11 18:06:48.211 IST] [RMANEngine.readSqlOutput:787] Log
RMAN Output=archived log file

name=+FRA/pawdb/archivelog/2016_12_11/thread_1_seq_3.393.930333781 RECID=2
STAMP=930333781

[Thread-163] [2016-12-11 18:06:48.286 IST] [RMANEngine.readSqlOutput:787] Log
RMAN Output=channel ORA_DISK_1: starting archived log copy

[Thread-163] [2016-12-11 18:06:48.295 IST] [RMANEngine.readSqlOutput:787] Log
RMAN Output=input archived log thread=1 sequence=4 RECID=3 STAMP=930333781

[Thread-163] [2016-12-11 18:06:49.324 IST] [RMANEngine.readSqlOutput:787] Log
RMAN Output=output file

name=+FRA/pawdb/archivelog/2016_12_11/thread_1_seq_4.393.930334009 RECID=7
STAMP=930334008

[Thread-163] [2016-12-11 18:06:49.326 IST] [RMANEngine.readSqlOutput:787] Log
RMAN Output=channel ORA_DISK_1: archived log copy complete, elapsed time: 00:00:01

[Thread-163] [2016-12-11 18:06:49.327 IST] [RMANEngine.readSqlOutput:787] Log
RMAN Output=channel ORA_DISK_1: deleting archived log(s)

[Thread-163] [2016-12-11 18:06:49.328 IST] [RMANEngine.readSqlOutput:787] Log
RMAN Output=archived log file

name=+FRA/pawdb/archivelog/2016_12_11/thread_1_seq_4.394.930333781 RECID=3
STAMP=930333781

[Thread-163] [2016-12-11 18:06:49.491 IST] [RMANEngine.readSqlOutput:787] Log
RMAN Output=channel ORA_DISK_1: starting archived log copy

[Thread-163] [2016-12-11 18:06:49.506 IST] [RMANEngine.readSqlOutput:787] Log
RMAN Output=input archived log thread=1 sequence=5 RECID=4 STAMP=930333807

[Thread-163] [2016-12-11 18:06:50.530 IST] [RMANEngine.readSqlOutput:787] Log
RMAN Output=output file

name=+FRA/pawdb/archivelog/2016_12_11/thread_1_seq_5.394.930334009 RECID=8
STAMP=930334009

[Thread-163] [2016-12-11 18:06:50.531 IST] [RMANEngine.readSqlOutput:787] Log
RMAN Output=channel ORA_DISK_1: archived log copy complete, elapsed time: 00:00:01

[Thread-163] [2016-12-11 18:06:50.531 IST] [RMANEngine.readSqlOutput:787] Log
RMAN Output=channel ORA_DISK_1: deleting archived log(s)

[Thread-163] [2016-12-11 18:06:50.532 IST] [RMANEngine.readSqlOutput:787] Log
RMAN Output=archived log file

name=+FRA/pawdb/archivelog/2016_12_11/thread_1_seq_5.391.930333807 RECID=4
STAMP=930333807

[Thread-163] [2016-12-11 18:06:51.071 IST] [RMANEngine.readSqlOutput:787] Log
RMAN Output=Finished backup at 11-DEC-16

[Thread-163] [2016-12-11 18:06:51.460 IST] [RMANEngine.readSqlOutput:787] Log
RMAN Output=

[Thread-163] [2016-12-11 18:06:51.463 IST] [RMANEngine.readSqlOutput:787] Log
RMAN Output=

[Thread-163] [2016-12-11 18:06:51.466 IST] [RMANEngine.readSqlOutput:787] Log
RMAN Output=RMAN> set echo on

[Thread-163] [2016-12-11 18:06:51.466 IST] [RMANEngine.readSqlOutput:787] Log
RMAN Output=

```
[Thread-163] [ 2016-12-11 18:06:51.466 IST ] [RMANEngine.readSqlOutput:787] Log
RMAN Output=echo set on
[Thread-163] [ 2016-12-11 18:06:51.467 IST ] [RMANEngine.readSqlOutput:931]
Notifying writer to proceed because
m_bInterrupted=falsebNotify=true m_bReaderDone=false m_bFatalErrorOccured=false
[main] [ 2016-12-11 18:06:51.467 IST ] [RMANEngine.executeImpl:1132] Completed
wait from reader
[main] [ 2016-12-11 18:06:51.467 IST ] [RMANEngine.executeImpl:1179] DONE
EXECUTING GIVEN COMMAND=backup as copy archive log all delete input;
[main] [ 2016-12-11 18:06:51.467 IST ] [RMANEngine.executeImpl:1084]
m_bExecQuery=false
[main] [ 2016-12-11 18:06:51.467 IST ] [RMANEngine.executeImpl:1092] Command being
written to rman process=crosscheck backup device type disk;
[main] [ 2016-12-11 18:06:51.467 IST ] [RMANEngine.executeImpl:1120] Notify reader
to start reading
[Thread-163] [ 2016-12-11 18:06:51.467 IST ] [RMANEngine.run:715] Return Value
from readSqlOutput=echo set on
[Thread-163] [ 2016-12-11 18:06:51.468 IST ] [RMANEngine.readSqlOutput:787] Log
RMAN Output=
[Thread-163] [ 2016-12-11 18:06:51.477 IST ] [RMANEngine.readSqlOutput:787] Log
RMAN Output=RMAN> crosscheck backup device type disk;
[Thread-163] [ 2016-12-11 18:06:51.510 IST ] [RMANEngine.readSqlOutput:787] Log
RMAN Output=released channel: ORA_DISK_1
[Thread-163] [ 2016-12-11 18:06:51.530 IST ] [RMANEngine.readSqlOutput:787] Log
RMAN Output=allocated channel: ORA_DISK_1
[Thread-163] [ 2016-12-11 18:06:51.531 IST ] [RMANEngine.readSqlOutput:787] Log
RMAN Output=channel ORA_DISK_1: SID=36 instance=pawdb1 device type=DISK
[Thread-163] [ 2016-12-11 18:06:51.707 IST ] [RMANEngine.readSqlOutput:787] Log
RMAN Output=crosschecked backup piece: found to be 'AVAILABLE'
[Thread-163] [ 2016-12-11 18:06:51.708 IST ] [RMANEngine.readSqlOutput:787] Log
RMAN Output=backup piece handle=+PAWDB_DATA/sp_pawdb_backup RECID=1 STAMP=930333602
[Thread-163] [ 2016-12-11 18:06:51.708 IST ] [RMANEngine.readSqlOutput:787] Log
RMAN Output=Crosschecked 1 objects
[Thread-163] [ 2016-12-11 18:06:51.709 IST ] [RMANEngine.readSqlOutput:787] Log
RMAN Output=
[Thread-163] [ 2016-12-11 18:06:51.746 IST ] [RMANEngine.readSqlOutput:787] Log
RMAN Output=
[Thread-163] [ 2016-12-11 18:06:51.750 IST ] [RMANEngine.readSqlOutput:787] Log
RMAN Output=
[Thread-163] [ 2016-12-11 18:06:51.752 IST ] [RMANEngine.readSqlOutput:787] Log
RMAN Output=RMAN> set echo on
[Thread-163] [ 2016-12-11 18:06:51.753 IST ] [RMANEngine.readSqlOutput:787] Log
RMAN Output=
[Thread-163] [ 2016-12-11 18:06:51.753 IST ] [RMANEngine.readSqlOutput:787] Log
RMAN Output=echo set on
[Thread-163] [ 2016-12-11 18:06:51.753 IST ] [RMANEngine.readSqlOutput:931]
Notifying writer to proceed because
m_bInterrupted=falsebNotify=true m_bReaderDone=false m_bFatalErrorOccured=false
[main] [ 2016-12-11 18:06:51.753 IST ] [RMANEngine.executeImpl:1132] Completed
wait from reader
[main] [ 2016-12-11 18:06:51.753 IST ] [RMANEngine.executeImpl:1179] DONE
EXECUTING GIVEN COMMAND=crosscheck backup device type disk;
[Thread-163] [ 2016-12-11 18:06:51.754 IST ] [RMANEngine.run:715] Return Value
from readSqlOutput=echo set on
[main] [ 2016-12-11 18:06:51.762 IST ] [RMANEngine.executeImpl:1084]
m_bExecQuery=false
[main] [ 2016-12-11 18:06:51.762 IST ] [RMANEngine.executeImpl:1092] Command being
written to rman process=backup as backupset device type disk backupset all delete
input;
```

```
[main] [ 2016-12-11 18:06:51.763 IST ] [RMANEngine.executeImpl:1120] Notify reader
to start reading
[Thread-163] [ 2016-12-11 18:06:51.763 IST ] [RMANEngine.readSqlOutput:787] Log
RMAN Output=
[Thread-163] [ 2016-12-11 18:06:51.775 IST ] [RMANEngine.readSqlOutput:787] Log
RMAN Output=RMAN> backup as backupset device type disk backupset all delete input;
[Thread-163] [ 2016-12-11 18:06:51.780 IST ] [RMANEngine.readSqlOutput:787] Log
RMAN Output=Starting backup at 11-DEC-16
[Thread-163] [ 2016-12-11 18:06:51.807 IST ] [RMANEngine.readSqlOutput:787] Log
RMAN Output=using channel ORA_DISK_1
[Thread-163] [ 2016-12-11 18:06:51.906 IST ] [RMANEngine.readSqlOutput:787] Log
RMAN Output=channel ORA_DISK_1: input backup set: count=5, stamp=930333601, piece=1
[Thread-163] [ 2016-12-11 18:06:51.918 IST ] [RMANEngine.readSqlOutput:787] Log
RMAN Output=channel ORA_DISK_1: starting piece 1 at 11-DEC-16
[Thread-163] [ 2016-12-11 18:06:51.932 IST ] [RMANEngine.readSqlOutput:787] Log
RMAN Output=channel ORA_DISK_1: backup piece +PAWDB_DATA/sp_pawdb_backup
[Thread-163] [ 2016-12-11 18:06:52.937 IST ] [RMANEngine.readSqlOutput:787] Log
RMAN Output=piece handle=+FRA/pawdb/backupset/2016_12_11/nnnnf0_0.391.930334011
comment=NONE
[Thread-163] [ 2016-12-11 18:06:52.939 IST ] [RMANEngine.readSqlOutput:787] Log
RMAN Output=channel ORA_DISK_1: finished piece 1 at 11-DEC-16
[Thread-163] [ 2016-12-11 18:06:52.940 IST ] [RMANEngine.readSqlOutput:787] Log
RMAN Output=channel ORA_DISK_1: backup piece complete, elapsed time: 00:00:01
[Thread-163] [ 2016-12-11 18:06:53.059 IST ] [RMANEngine.readSqlOutput:787] Log
RMAN Output=deleted backup piece
[Thread-163] [ 2016-12-11 18:06:53.060 IST ] [RMANEngine.readSqlOutput:787] Log
RMAN Output=backup piece handle=+PAWDB_DATA/sp_pawdb_backup RECID=1 STAMP=930333602
[Thread-163] [ 2016-12-11 18:06:53.062 IST ] [RMANEngine.readSqlOutput:787] Log
RMAN Output=Finished backup at 11-DEC-16
[Thread-163] [ 2016-12-11 18:06:53.292 IST ] [RMANEngine.readSqlOutput:787] Log
RMAN Output=
[Thread-163] [ 2016-12-11 18:06:53.295 IST ] [RMANEngine.readSqlOutput:787] Log
RMAN Output=
[Thread-163] [ 2016-12-11 18:06:53.297 IST ] [RMANEngine.readSqlOutput:787] Log
RMAN Output=RMAN> set echo on
[Thread-163] [ 2016-12-11 18:06:53.298 IST ] [RMANEngine.readSqlOutput:787] Log
RMAN Output=
[Thread-163] [ 2016-12-11 18:06:53.298 IST ] [RMANEngine.readSqlOutput:787] Log
RMAN Output=echo set on
[Thread-163] [ 2016-12-11 18:06:53.298 IST ] [RMANEngine.readSqlOutput:931]
Notifying writer to proceed because
m_bInterrupted=falsebNotify=true m_bReaderDone=false m_bFatalErrorOccured=false
[main] [ 2016-12-11 18:06:53.298 IST ] [RMANEngine.executeImpl:1132] Completed
wait from reader
[main] [ 2016-12-11 18:06:53.298 IST ] [RMANEngine.executeImpl:1179] DONE
EXECUTING GIVEN COMMAND=backup as backupset device type disk backupset all delete
input;
[main] [ 2016-12-11 18:06:53.298 IST ] [RMANEngine.executeImpl:1084]
m_bExecQuery=false
[main] [ 2016-12-11 18:06:53.298 IST ] [RMANEngine.executeImpl:1092] Command being
written to rman process=crosscheck copy device type disk;
[main] [ 2016-12-11 18:06:53.299 IST ] [RMANEngine.executeImpl:1120] Notify reader
to start reading
[Thread-163] [ 2016-12-11 18:06:53.299 IST ] [RMANEngine.run:715] Return Value
from readSqlOutput=echo set on
[Thread-163] [ 2016-12-11 18:06:53.299 IST ] [RMANEngine.readSqlOutput:787] Log
RMAN Output=
[Thread-163] [ 2016-12-11 18:06:53.309 IST ] [RMANEngine.readSqlOutput:787] Log
RMAN Output=RMAN> crosscheck copy device type disk;
```

```
[Thread-163] [ 2016-12-11 18:06:53.340 IST ] [RMANEngine.readSqlOutput:787] Log
RMAN Output=released channel: ORA_DISK_1
[Thread-163] [ 2016-12-11 18:06:53.360 IST ] [RMANEngine.readSqlOutput:787] Log
RMAN Output=allocated channel: ORA_DISK_1
[Thread-163] [ 2016-12-11 18:06:53.362 IST ] [RMANEngine.readSqlOutput:787] Log
RMAN Output=channel ORA_DISK_1: SID=36 instance=pawdbl device type=DISK
[Thread-163] [ 2016-12-11 18:06:53.408 IST ] [RMANEngine.readSqlOutput:787] Log
RMAN Output=specification does not match any datafile copy in the repository
[Thread-163] [ 2016-12-11 18:06:53.412 IST ] [RMANEngine.readSqlOutput:787] Log
RMAN Output=specification does not match any control file copy in the repository
[Thread-163] [ 2016-12-11 18:06:53.499 IST ] [RMANEngine.readSqlOutput:787] Log
RMAN Output=validation succeeded for archived log
[Thread-163] [ 2016-12-11 18:06:53.500 IST ] [RMANEngine.readSqlOutput:787] Log
RMAN Output=archived log file
name=+FRA/pawdb/archivelog/2016_12_11/thread_1_seq_2.399.930334005 RECID=5
STAMP=930334006
[Thread-163] [ 2016-12-11 18:06:53.504 IST ] [RMANEngine.readSqlOutput:787] Log
RMAN Output=validation succeeded for archived log
[Thread-163] [ 2016-12-11 18:06:53.506 IST ] [RMANEngine.readSqlOutput:787] Log
RMAN Output=archived log file
name=+FRA/pawdb/archivelog/2016_12_11/thread_1_seq_3.392.930334007 RECID=6
STAMP=930334007
[Thread-163] [ 2016-12-11 18:06:53.510 IST ] [RMANEngine.readSqlOutput:787] Log
RMAN Output=validation succeeded for archived log
[Thread-163] [ 2016-12-11 18:06:53.511 IST ] [RMANEngine.readSqlOutput:787] Log
RMAN Output=archived log file
name=+FRA/pawdb/archivelog/2016_12_11/thread_1_seq_4.393.930334009 RECID=7
STAMP=930334008
[Thread-163] [ 2016-12-11 18:06:53.515
  IST ] [RMANEngine.readSqlOutput:787] Log RMAN Output=validation succeeded for
archived log
[Thread-163] [ 2016-12-11 18:06:53.516 IST ] [RMANEngine.readSqlOutput:787] Log
RMAN Output=archived log file
name=+FRA/pawdb/archivelog/2016_12_11/thread_1_seq_5.394.930334009 RECID=8
STAMP=930334009
[Thread-163] [ 2016-12-11 18:06:53.516 IST ] [RMANEngine.readSqlOutput:787] Log
RMAN Output=Crosschecked 4 objects
[Thread-163] [ 2016-12-11 18:06:53.517 IST ] [RMANEngine.readSqlOutput:787] Log
RMAN Output=
[Thread-163] [ 2016-12-11 18:06:53.548 IST ] [RMANEngine.readSqlOutput:787] Log
RMAN Output=
[Thread-163] [ 2016-12-11 18:06:53.555 IST ] [RMANEngine.readSqlOutput:787] Log
RMAN Output=
[Thread-163] [ 2016-12-11 18:06:53.558 IST ] [RMANEngine.readSqlOutput:787] Log
RMAN Output=RMAN> set echo on
[Thread-163] [ 2016-12-11 18:06:53.558 IST ] [RMANEngine.readSqlOutput:787] Log
RMAN Output=
[Thread-163] [ 2016-12-11 18:06:53.558 IST ] [RMANEngine.readSqlOutput:787] Log
RMAN Output=echo set on
[Thread-163] [ 2016-12-11 18:06:53.559 IST ] [RMANEngine.readSqlOutput:931]
Notifying writer to proceed because
m_bInterrupted=falsebNotify=true m_bReaderDone=false m_bFatalErrorOccured=false
[main] [ 2016-12-11 18:06:53.559 IST ] [RMANEngine.executeImpl:1132] Completed
wait from reader
[main] [ 2016-12-11 18:06:53.559 IST ] [RMANEngine.executeImpl:1179] DONE
EXECUTING GIVEN COMMAND=crosscheck copy device type disk;
[Thread-163] [ 2016-12-11 18:06:53.559 IST ] [RMANEngine.run:715] Return Value
from readSqlOutput=echo set on
[main] [ 2016-12-11 18:06:53.570 IST ] [RMANEngine.done:1452] Done called
```

```
[main] [ 2016-12-11 18:06:53.571 IST ] [RMANEngine.spoolOff:1338] Setting spool
off = /u01/app/oracle/cfgtoollogs/rconfig/pawdb1/rmanLog
[main] [ 2016-12-11 18:06:53.571 IST ] [RMANEngine.executeImpl:1084]
m_bExecQuery=false
[main] [ 2016-12-11 18:06:53.571 IST ] [RMANEngine.executeImpl:1092] Command being
written to rman process=exit;
[main] [ 2016-12-11 18:06:53.571 IST ] [RMANEngine.executeImpl:1120] Notify reader
to start reading
[Thread-163] [ 2016-12-11 18:06:53.571 IST ] [RMANEngine.readSqlOutput:931]
Notifying writer to proceed because
m_bInterrupted=falsebNotify=falsem_bReaderDone=true m_bFatalErrorOccured=false
[main] [ 2016-12-11 18:06:53.571 IST ] [RMANEngine.executeImpl:1132] Completed
wait from reader
[main] [ 2016-12-11 18:06:53.571 IST ] [RMANEngine.executeImpl:1179] DONE
EXECUTING GIVEN COMMAND=exit;
[Thread-163] [ 2016-12-11 18:06:53.571 IST ] [RMANEngine.run:715] Return Value
from readSqlOutput=null
[Thread-161] [ 2016-12-11 18:06:54.631 IST ]
[Instance$RConfigErrorListener.gotError:435] Got error
[Thread-161] [ 2016-12-11 18:06:54.631 IST ]
[Instance$RConfigErrorListener.handleNonIgnorableError:450] Number of ERRORS:1
[Thread-161] [ 2016-12-11 18:06:54.631 IST ]
[Instance$RConfigErrorListener.handleNonIgnorableError:453] ERROR=ORA-01109:
database not open
[Thread-161] [ 2016-12-11 18:06:54.632 IST ]
[Instance$RConfigErrorListener.handleNonIgnorableError:461] Ignoring shutdown
error : database not open
[main] [ 2016-12-11 18:07:00.901 IST ] [SQLEngine.done:2148] Done called
[main] [ 2016-12-11 18:07:00.902 IST ] [SQLEngine.spoolOff:2008] Setting spool off
= /u01/app/oracle/cfgtoollogs/rconfig/pawdb1/sqlLog
[main] [ 2016-12-11 18:07:00.902 IST ] [ClusterUtils.areSharedPaths:552] 1.
path=/u01/app/oracle/product/11.2.0/db_1
[main] [ 2016-12-11 18:07:00.902 IST ] [ClusterUtils.areSharedPaths:573] 2.
path=/u01/app/oracle/product/11.2.0/db_1
[main] [ 2016-12-11 18:07:00.902 IST ] [ClusterUtils.areSharedPaths:578] hashKey =
[paw-racnode1, paw-racnode2]/u01/app/oracle/product/11.2.0/db_1
[main] [ 2016-12-11 18:07:00.903 IST ] [ClusterUtils.areSharedPaths:582] Got
shared=false from map
[main] [ 2016-12-11 18:07:00.903 IST ]
[InstanceManagement.deleteSidsFromRegistry:679] deleting sid=pawdb1 from registry
of node=paw-racnode1
[main] [ 2016-12-11 18:07:00.903 IST ]
[InstanceManagement.deleteSidsFromRegistry:679] deleting sid=pawdb2 from registry
of node=paw-racnode2
[main] [ 2016-12-11 18:07:00.903 IST ] [ClusterUtils.areSharedPaths:552] 1.
path=/u01/app/oracle/product/11.2.0/db_1
[main] [ 2016-12-11 18:07:00.903 IST ] [ClusterUtils.areSharedPaths:573] 2.
path=/u01/app/oracle/product/11.2.0/db_1
[main] [ 2016-12-11 18:07:00.903 IST ] [ClusterUtils.areSharedPaths:578] hashKey =
[paw-racnode1, paw-racnode2]/u01/app/oracle/product/11.2.0/db_1
[main] [ 2016-12-11 18:07:00.903 IST ] [ClusterUtils.areSharedPaths:582] Got
shared=false from map
[main] [ 2016-12-11 18:07:00.904 IST ] [InstanceManagement.addSidsToRegistry:444]
adding sid=pawdb1 to registry of node=paw-racnode1
[main] [ 2016-12-11 18:07:00.904 IST ] [Oratab.getTempFile:803] Temp oratab:
/tmp/oratab
[main] [ 2016-12-11 18:07:00.942 IST ] [InstanceManagement.addSidsToRegistry:444]
adding sid=pawdb2 to registry of node=paw-racnode2
[main] [ 2016-12-11 18:07:00.942 IST ] [Oratab.getTempFile:803] Temp oratab:
```

```
/tmp/oratab
[main] [ 2016-12-11 18:07:00.942 IST ] [OratabOPS.addEntry:364]
tempOratabFileName=/tmp/oratab.paw-racnode2
[main] [ 2016-12-11 18:07:00.942 IST ] [ClusterConfig.isClusterInstalled:361]
hasJarPresent=true
[main] [ 2016-12-11 18:07:00.942 IST ] [Version.isPre:274] version to be checked
11.2.0.1.0 major version to check against10
[main] [ 2016-12-11 18:07:00.943 IST ] [Version.isPre:285] isPre.java: Returning
FALSE
[main] [ 2016-12-11 18:07:00.943 IST ] [OCR.loadLibrary:308]
Inside constructor of OCR
[main] [ 2016-12-11 18:07:00.943 IST ] [OCR.isCluster:939] Calling OCRNative for
isCluster()
[main] [ 2016-12-11 18:07:00.943 IST ] [nativesystem.OCRNative.Native] JNI:
isCluster() Successfully initialized meta context
[main] [ 2016-12-11 18:07:00.943 IST ] [nativesystem.OCRNative.Native] JNI:
procr_get_conf() retValue = 0
[main] [ 2016-12-11 18:07:00.943 IST ] [nativesystem.OCRNative.Native] The OCR
file is configured & local_only=false

[main] [ 2016-12-11 18:07:00.943 IST ] [OCR.isCluster:943] OCR Result status =
true
[main] [ 2016-12-11 18:07:00.943 IST ] [OCR.isCluster:955] Boolean result = true
[main] [ 2016-12-11 18:07:00.944 IST ] [ClusterConfig.isClusterInstalled:361]
hasJarPresent=true
[main] [ 2016-12-11 18:07:00.944 IST ] [Version.isPre:274] version to be checked
11.2.0.1.0 major version to check against10
[main] [ 2016-12-11 18:07:00.944 IST ] [Version.isPre:285] isPre.java: Returning
FALSE
[main] [ 2016-12-11 18:07:00.944 IST ] [OCR.loadLibrary:308]
Inside constructor of OCR
[main] [ 2016-12-11 18:07:00.944 IST ] [OCR.isCluster:939] Calling OCRNative for
isCluster()
[main] [ 2016-12-11 18:07:00.944 IST ] [nativesystem.OCRNative.Native] JNI:
isCluster() Successfully initialized meta context
[main] [ 2016-12-11 18:07:00.944 IST ] [nativesystem.OCRNative.Native] JNI:
procr_get_conf() retValue = 0
[main] [ 2016-12-11 18:07:00.945 IST ] [nativesystem.OCRNative.Native] The OCR
file is configured & local_only=false

[main] [ 2016-12-11 18:07:00.945 IST ] [OCR.isCluster:943] OCR Result status =
true
[main] [ 2016-12-11 18:07:00.945 IST ] [OCR.isCluster:955] Boolean result = true
[main] [ 2016-12-11 18:07:00.945 IST ] [GetActiveNodes.create:226] Returning an
existing instance of GetActiveNodes
[main] [ 2016-12-11 18:07:00.945 IST ] [UnixSystem.copyFile:614] Copy file paw-
racnode2:/etc/oratab to localnode:/tmp/oratab.paw-racnode2
[main] [ 2016-12-11 18:07:00.947 IST ] [Utils.getLocalHost:356] Hostname
retrieved: paw-racnode1.airydba.com, returned: paw-racnode1
[main] [ 2016-12-11 18:07:00.947 IST ] [UnixSystem.remoteCopyFile:591] Copying
files paw-racnode2/etc/oratab localnode/tmp/oratab.paw-racnode2
[main] [ 2016-12-11 18:07:00.948 IST ] [Utils.getLocalHost:356] Hostname
retrieved: paw-racnode1.airydba.com, returned: paw-racnode1
[main] [ 2016-12-11 18:07:00.948 IST ] [Utils.getLocalHost:356] Hostname
retrieved: paw-racnode1.airydba.com, returned: paw-racnode1
[main] [ 2016-12-11 18:07:00.948 IST ] [UnixSystem.remoteCopyFile:608] UnixSystem:
/usr/bin/scp -p paw-racnode2:'/etc/oratab' /tmp/oratab.paw-racnode2
[main] [ 2016-12-11 18:07:00.949 IST ] [RuntimeExec.runCommand:75] Calling
Runtime.exec() with the command
```



```
[main] [ 2016-12-11 18:07:00.949 IST ] [RuntimeExec.runCommand:77] /usr/bin/scp
[main] [ 2016-12-11 18:07:00.949 IST ] [RuntimeExec.runCommand:77] -p
[main] [ 2016-12-11 18:07:00.949 IST ] [RuntimeExec.runCommand:77] paw-
racnode2:'/etc/oratab'
[main] [ 2016-12-11 18:07:00.949 IST ] [RuntimeExec.runCommand:77]
/tmp/oratab.paw-racnode2
[Thread-166] [ 2016-12-11 18:07:00.961 IST ] [StreamReader.run:61] In
StreamReader.run
[main] [ 2016-12-11 18:07:00.962 IST ] [RuntimeExec.runCommand:142] runCommand:
Waiting for the process
[Thread-165] [ 2016-12-11 18:07:00.962 IST ] [StreamReader.run:61] In
StreamReader.run
[main] [ 2016-12-11 18:07:01.130 IST ] [RuntimeExec.runCommand:144] runCommand:
process returns 0
[main] [ 2016-12-11 18:07:01.130 IST ] [RuntimeExec.runCommand:161] RunTimeExec:
output>
[main] [ 2016-12-11 18:07:01.131 IST ] [RuntimeExec.runCommand:170] RunTimeExec:
error>
[main] [ 2016-12-11 18:07:01.131 IST ] [RuntimeExec.runCommand:192] Returning from
RunTimeExec.runCommand
[main] [ 2016-12-11 18:07:01.132 IST ] [NativeSystem.isCmdScv:471] isCmdScv:
cmd=[/usr/bin/scp -p paw-racnode2:'/etc/oratab' /tmp/oratab.paw-racnode2]
[main] [ 2016-12-11 18:07:01.132 IST ] [NativeSystem.isCmdScv:521] isCmdScv:
/usr/bin/scp is present.
[main] [ 2016-12-11 18:07:01.132 IST ] [NativeSystem.isCmdScv:523] isCmdScv:
/usr/bin/scp is a file.
[main] [ 2016-12-11 18:07:01.133 IST ] [NativeSystem.isCmdScv:540] isCmdScv:
returned true
[main] [ 2016-12-11 18:07:01.133 IST ] [NativeSystem.rununixcmd:1058]
NativeSystem.rununixcmd: RetString 1| :successful
[main] [ 2016-12-11 18:07:01.133 IST ] [CopyCommand.execute:79]
CopyCommand.execute: native copyFile returns `1| :successful'
[main] [ 2016-12-11
18:07:01.133 IST ] [NativeResult.<init>:91] NativeResult: The String obtained
is1| :successful
[main] [ 2016-12-11 18:07:01.134 IST ] [NativeResult.<init>:99] The status string
is: 1
[main] [ 2016-12-11 18:07:01.134 IST ] [NativeResult.<init>:112] The result string
is: :successful 1
[main] [ 2016-12-11 18:07:01.134 IST ] [OratabOPS.addEntry:384] copy file status =
true
[main] [ 2016-12-11 18:07:01.135 IST ] [Oratab.getTempFile:803] Temp oratab:
/tmp/oratab
[main] [ 2016-12-11 18:07:01.136 IST ] [OratabOPS.addEntry:392] addEntry
status=true
[main] [ 2016-12-11 18:07:01.136 IST ] [ClusterConfig.isClusterInstalled:361]
hasJarPresent=true
[main] [ 2016-12-11 18:07:01.137 IST ] [Version.isPre:274] version to be checked
11.2.0.1.0 major version to check against10
[main] [ 2016-12-11 18:07:01.137 IST ] [Version.isPre:285] isPre.java: Returning
FALSE
[main] [ 2016-12-11 18:07:01.137 IST ] [OCR.loadLibrary:308]
Inside constructor of OCR
[main] [ 2016-12-11 18:07:01.137 IST ] [OCR.isCluster:939] Calling OCRNative for
isCluster()
[main] [ 2016-12-11 18:07:01.138 IST ] [nativesystem.OCRNative.Native] JNI:
isCluster() Successfully initialized meta context
[main] [ 2016-12-11 18:07:01.138 IST ] [nativesystem.OCRNative.Native] JNI:
procr_get_conf() retValue = 0
```

```
[main] [ 2016-12-11 18:07:01.138 IST ] [nativesystem.OCRNative.Native] The OCR
file is configured & local_only=false

[main] [ 2016-12-11 18:07:01.139 IST ] [OCR.isCluster:943] OCR Result status =
true
[main] [ 2016-12-11 18:07:01.139 IST ] [OCR.isCluster:955] Boolean result = true
[main] [ 2016-12-11 18:07:01.139 IST ] [ClusterConfig.isClusterInstalled:361]
hasJarPresent=true
[main] [ 2016-12-11 18:07:01.139 IST ] [Version.isPre:274] version to be checked
11.2.0.1.0 major version to check against10
[main] [ 2016-12-11 18:07:01.139 IST ] [Version.isPre:285] isPre.java: Returning
FALSE
[main] [ 2016-12-11 18:07:01.140 IST ] [OCR.loadLibrary:308]
Inside constructor of OCR
[main] [ 2016-12-11 18:07:01.140 IST ] [OCR.isCluster:939] Calling OCRNative for
isCluster()
[main] [ 2016-12-11 18:07:01.140 IST ] [nativesystem.OCRNative.Native] JNI:
isCluster() Successfully initialized meta context
[main] [ 2016-12-11 18:07:01.140 IST ] [nativesystem.OCRNative.Native] JNI:
procr_get_conf() retValue = 0
[main] [ 2016-12-11 18:07:01.141 IST ] [nativesystem.OCRNative.Native] The OCR
file is configured & local_only=false

[main] [ 2016-12-11 18:07:01.141 IST ] [OCR.isCluster:943] OCR Result status =
true
[main] [ 2016-12-11 18:07:01.141 IST ] [OCR.isCluster:955] Boolean result = true
[main] [ 2016-12-11 18:07:01.141 IST ] [GetActiveNodes.create:226] Returning an
existing instance of GetActiveNodes
[main] [ 2016-12-11 18:07:01.142 IST ] [UnixSystem.copyFile:614] Copy file
localnode:/tmp/oratab.paw-racnode2 to paw-racnode2:/etc/oratab
[main] [ 2016-12-11 18:07:01.143 IST ] [Utils.getLocalHost:356] Hostname
retrieved: paw-racnode1.airydba.com, returned: paw-racnode1
[main] [ 2016-12-11 18:07:01.144 IST ] [UnixSystem.remoteCopyFile:591] Copying
files localnode/tmp/oratab.paw-racnode2 paw-racnode2/etc/oratab
[main] [ 2016-12-11 18:07:01.145 IST ] [Utils.getLocalHost:356] Hostname
retrieved: paw-racnode1.airydba.com, returned: paw-racnode1
[main] [ 2016-12-11 18:07:01.145 IST ] [UnixSystem.remoteCopyFile:608] UnixSystem:
/usr/bin/scp -p /tmp/oratab.paw-racnode2 paw-racnode2:'/etc/oratab'
[main] [ 2016-12-11 18:07:01.145 IST ] [RuntimeExec.runCommand:75] Calling
Runtime.exec() with the command
[main] [ 2016-12-11 18:07:01.146 IST ] [RuntimeExec.runCommand:77] /usr/bin/scp
[main] [ 2016-12-11 18:07:01.146 IST ] [RuntimeExec.runCommand:77] -p
[main] [ 2016-12-11 18:07:01.146 IST ] [RuntimeExec.runCommand:77]
/tmp/oratab.paw-racnode2
[main] [ 2016-12-11 18:07:01.146 IST ] [RuntimeExec.runCommand:77] paw-
racnode2:'/etc/oratab'
[Thread-168] [ 2016-12-11 18:07:01.159 IST ] [StreamReader.run:61] In
StreamReader.run
[main] [ 2016-12-11 18:07:01.159 IST ] [RuntimeExec.runCommand:142] runCommand:
Waiting for the process
[Thread-167] [ 2016-12-11 18:07:01.161 IST ] [StreamReader.run:61] In
StreamReader.run
[main] [ 2016-12-11 18:07:01.335 IST ] [RuntimeExec.runCommand:144] runCommand:
process returns 0
[main] [ 2016-12-11 18:07:01.335 IST ] [RuntimeExec.runCommand:161] RunTimeExec:
output>
[main] [ 2016-12-11 18:07:01.336 IST ] [RuntimeExec.runCommand:170] RunTimeExec:
error>
[main] [ 2016-12-11 18:07:01.336 IST ] [RuntimeExec.runCommand:192] Returning from
```

```
RunTimeExec.runCommand
[main] [ 2016-12-11 18:07:01.336 IST ] [NativeSystem.isCmdScv:471] isCmdScv:
cmd=[/usr/bin/scp -p /tmp/oratab.paw-racnode2 paw-racnode2:'/etc/oratab']
[main] [ 2016-12-11 18:07:01.337 IST ] [NativeSystem.isCmdScv:521] isCmdScv:
/usr/bin/scp is present.
[main] [ 2016-12-11 18:07:01.337 IST ] [NativeSystem.isCmdScv:523] isCmdScv:
/usr/bin/scp is a file.
[main] [ 2016-12-11 18:07:01.338 IST ] [NativeSystem.isCmdScv:540] isCmdScv:
returned true
[main] [ 2016-12-11 18:07:01.338 IST ] [NativeSystem.rununixcmd:1058]
NativeSystem.rununixcmd: RetString 1| :successful
[main] [ 2016-12-11 18:07:01.338 IST ] [CopyCommand.execute:79]
CopyCommand.execute: native copyFile returns `1| :successful'
[main] [ 2016-12-11 18:07:01.338 IST ] [NativeResult.<init>:91] NativeResult: The
String obtained is1| :successful
[main] [ 2016-12-11 18:07:01.338 IST ] [NativeResult.<init>:99] The status string
is: 1
[main] [ 2016-12-11 18:07:01.339 IST ] [NativeResult.<init>:112] The result string
is: :successful 1
[main] [ 2016-12-11 18:07:01.341 IST ] [ClusterUtils.areSharedPaths:552] 1.
path=/u01/app/oracle/product/11.2.0/db_1
[main] [ 2016-12-11 18:07:01.341 IST ] [ClusterUtils.areSharedPaths:573] 2.
path=/u01/app/oracle/product/11.2.0/db_1
[main] [ 2016-12-11 18:07:01.342 IST ] [ClusterUtils.areSharedPaths:578] hashKey =
[paw-racnode1, paw-racnode2]/u01/app/oracle/product/11.2.0/db_1
[main] [ 2016-12-11 18:07:01.342 IST ] [ClusterUtils.areSharedPaths:582] Got
shared=false from map
[main] [ 2016-12-11 18:07:01.371 IST ] [InstanceManagement.createPasswordFiles:544]
sourcePwdFileLocation=/u01/app/oracle/product/11.2.0/db_1/dbs/orapwpawdb
[main] [ 2016-12-11 18:07:01.372 IST ] [ClusterUtils.areSharedPaths:552] 1.
path=/u01/app/oracle/product/11.2.0/db_1
[main] [ 2016-12-11 18:07:01.372 IST ] [ClusterUtils.areSharedPaths:573] 2.
path=/u01/app/oracle/product/11.2.0/db_1
[main] [ 2016-12-11 18:07:01.372 IST ] [ClusterUtils.areSharedPaths:578] hashKey =
[paw-racnode1, paw-racnode2]/u01/app/oracle/product/11.2.0/db_1
[main] [ 2016-12-11 18:07:01.372 IST ] [ClusterUtils.areSharedPaths:582] Got
shared=false from map
[main] [ 2016-12-11 18:07:01.373 IST ] [InstanceManagement.createPasswordFiles:561]
localPwdFileLocation=/u01/app/oracle/product/11.2.0/db_1/dbs/orapwpawdb1
[main] [ 2016-12-11 18:07:01.373 IST ] [InstanceManagement.createPasswordFiles:568]
Copying source password file: /u01/app/oracle/product/11.2.0/db_1/dbs/orapwpawdb to
/u01/app/oracle/product/11.2.0/db_1/dbs/orapwpawdb1
[main] [ 2016-12-11 18:07:01.373 IST ] [OsUtilsBase.copyFile:1413]
OsUtilsBase.copyFile:
[main] [ 2016-12-11 18:07:01.374 IST ] [OsUtilsBase.copyFile:1461] **write of file
at destination complete...
[main] [ 2016-12-11 18:07:01.374 IST ] [OsUtilsBase.copyFile:1496] **file copy
status:= true
[main] [ 2016-12-11 18:07:01.374 IST ] [ClusterUtils.areSharedPaths:552] 1.
path=/u01/app/oracle/product/11.2.0/db_1
[main] [ 2016-12-11 18:07:01.375 IST ] [ClusterUtils.areSharedPaths:573] 2.
path=/u01/app/oracle/product/11.2.0/db_1
[main] [ 2016-12-11 18:07:01.375 IST ] [ClusterUtils.areSharedPaths:578] hashKey =
[paw-racnode1, paw-racnode2]/u01/app/oracle/product/11.2.0/db_1
[main] [ 2016-12-11 18:07:01.375 IST ] [ClusterUtils.areSharedPaths:582] Got
shared=false from map
[main] [ 2016-12-11 18:07:01.419 IST ] [ClusterUtils.areSharedPaths:552] 1.
path=/u01/app/oracle/product/11.2.0/db_1/dbs
[main] [ 2016-12-11 18:07:01.419 IST ] [ClusterUtils.areSharedPaths:573] 2.
```

```
path=/u01/app/oracle/product/11.2.0/db_1/dbs
[main] [ 2016-12-11 18:07:01.419 IST ] [ClusterUtils.areSharedPaths:578]  hashCode =
[paw-racnode1, paw-racnode2]/u01/app/oracle/product/11.2.0/db_1/dbs
[main] [ 2016-12-11 18:07:01.419 IST ] [GetActiveNodes.create:226]  Returning an
existing instance of GetActiveNodes
[main] [ 2016-12-11 18:07:01.420 IST ] [Cluster.verifyNodeList:1147]
clusterNodes[0]=paw-racnode1
[main] [ 2016-12-11 18:07:01.420 IST ] [Cluster.verifyNodeList:1147]
clusterNodes[1]=paw-racnode2
[main] [ 2016-12-11 18:07:01.420 IST ] [Cluster.verifyNodeList:1152]
nodeList[0]=paw-racnode1
[main] [ 2016-12-11 18:07:01.427 IST ] [Cluster.verifyNodeList:1152]
nodeList[1]=paw-racnode2
[main] [ 2016-12-11 18:07:01.427 IST ] [GetActiveNodes.create:226]  Returning an
existing instance of GetActiveNodes
[main] [ 2016-12-11 18:07:01.427 IST ] [Cluster.isSharedPath:1071]  NodeList=[paw-
racnode1, paw-racnode2]
[main] [ 2016-12-11 18:07:01.428 IST ] [Cluster.isSharedPath:1107]
pathName=/u01/app/oracle/product/11.2.0/db_1/dbs/ dirPath =
/u01/app/oracle/product/11.2.0/db_1/dbs
[main] [ 2016-12-11 18:07:01.428 IST ] [UnixSystem.isSharedPath:1532]
dirPath=/u01/app/oracle/product/11.2.0/db_1/dbs
[main] [ 2016-12-11 18:07:01.428 IST ] [UnixSystem.isSharedPath:1537]
UnixSystem.isShared: pathName=/u01/app/oracle/product/11.2.0/db_1/dbs
tempFile=CFSFileName14814598214286661076033996299779.tmp
[main] [ 2016-12-11 18:07:01.428 IST ] [UnixSystem.isSharedPath:1542]
UnixSystem.isShared: dirPathName is
/u01/app/oracle/product/11.2.0/db_1/dbs/CFSFileName14814598214286661076033996299779
.tmp
[main] [ 2016-12-11 18:07:01.428 IST ] [UnixSystem.isSharedPath:1546]
UnixSystem.isShared: removing file
/u01/app/oracle/product/11.2.0/db_1/dbs/CFSFileName14814598214286661076033996299779
.tmp on paw-racnode2
[main] [ 2016-12-11 18:07:01.430 IST ] [Utils.getLocalHost:356]  Hostname
retrieved: paw-racnode1.airydba.com, returned: paw-racnode1
[main] [ 2016-12-11 18:07:01.430 IST ] [RuntimeExec.runCommand:75]  Calling
Runtime.exec() with the command
[main] [ 2016-12-11 18:07:01.430 IST ] [RuntimeExec.runCommand:77]  /usr/bin/ssh
[main] [ 2016-12-11 18:07:01.430 IST ] [RuntimeExec.runCommand:77]  -o
[main] [ 2016-12-11 18:07:01.430 IST ] [RuntimeExec.runCommand:77]
FallBackToRsh=no
[main] [ 2016-12-11 18:07:01.431 IST ] [RuntimeExec.runCommand:77]  -o
[main] [ 2016-12-11 18:07:01.431 IST ] [RuntimeExec.runCommand:77]
PasswordAuthentication=no
[main] [ 2016-12-11 18:07:01.431 IST ] [RuntimeExec.runCommand:77]  -o
[main] [ 2016-12-11 18:07:01.431 IST ] [RuntimeExec.runCommand:77]
StrictHostKeyChecking=yes
[main] [ 2016-12-11 18:07:01.431 IST ] [RuntimeExec.runCommand:77]  -o
[main] [ 2016-12-11 18:07:01.431 IST ] [RuntimeExec.runCommand:77]
NumberOfPasswordPrompts=0
[main] [ 2016-12-11 18:07:01.431 IST ] [RuntimeExec.runCommand:77]  paw-racnode2
[main] [ 2016-12-11 18:07:01.432 IST ] [RuntimeExec.runCommand:77]  -n
[main] [ 2016-12-11 18:07:01.432 IST ] [RuntimeExec.runCommand:77]  /bin/rm
[main] [ 2016-12-11 18:07:01.432 IST ] [RuntimeExec.runCommand:77]  -f
[main] [ 2016-12-11 18:07:01.432 IST ] [RuntimeExec.runCommand:77]
/u01/app/oracle/product/11.2.0/db_1/dbs/CFSFileName14814598214286661076033996299779
.tmp
[Thread-170] [ 2016-12-11 18:07:01.438 IST ] [StreamReader.run:61]  In
StreamReader.run
```

```
[main] [ 2016-12-11 18:07:01.438 IST ] [RuntimeExec.runCommand:142] runCommand:
Waiting for the process
[Thread-169] [ 2016-12-11 18:07:01.447 IST ] [StreamReader.run:61] In
StreamReader.run
[main] [ 2016-12-11 18:07:01.572 IST ] [RuntimeExec.runCommand:144] runCommand:
process returns 0
[main] [ 2016-12-11 18:07:01.572 IST ] [RuntimeExec.runCommand:161] RunTimeExec:
output>
[main] [ 2016-12-11 18:07:01.573 IST ] [RuntimeExec.runCommand:170] RunTimeExec:
error>
[main] [ 2016-12-11 18:07:01.573 IST ] [RuntimeExec.runCommand:192] Returning from
RunTimeExec.runCommand
[main] [ 2016-12-11 18:07:01.573 IST ] [NativeSystem.isCmdScv:471] isCmdScv:
cmd=[/usr/bin/ssh -o FallBackToRsh=no -o PasswordAuthentication=no -o
StrictHostKeyChecking=yes -o NumberOfPasswordPrompts=0 paw-racnode2 -n /bin/rm
-f
/u01/app/oracle/product/11.2.0/db_1/dbs/CFSFileName14814598214286661076033996299779
.tmp]
[main] [ 2016-12-11 18:07:01.574 IST ] [NativeSystem.isCmdScv:521] isCmdScv:
/usr/bin/ssh is present.
[main] [ 2016-12-11 18:07:01.580 IST ] [NativeSystem.isCmdScv:523] isCmdScv:
/usr/bin/ssh is a file.
[main] [ 2016-12-11 18:07:01.581 IST ] [NativeSystem.isCmdScv:540] isCmdScv:
returned true
[main] [ 2016-12-11 18:07:01.581 IST ] [NativeSystem.rununixcmd:1058]
NativeSystem.rununixcmd: RetString 1| :successful
[main] [ 2016-12-11 18:07:01.581 IST ] [UnixSystem.isSharedPath:1546]
UnixSystem.isShared: removing file
/u01/app/oracle/product/11.2.0/db_1/dbs/CFSFileName14814598214286661076033996299779
.tmp on paw-racnode1
[main] [ 2016-12-11 18:07:01.581 IST ] [RuntimeExec.runCommand:75] Calling
Runtime.exec() with the command
[main] [ 2016-12-11 18:07:01.582 IST ] [RuntimeExec.runCommand:77] /bin/rm
[main] [ 2016-12-11 18:07:01.582 IST ] [RuntimeExec.runCommand:77] -f
[main] [ 2016-12-11 18:07:01.582 IST ] [RuntimeExec.runCommand:77]
/u01/app/oracle/product/11.2.0/db_1/dbs/CFSFileName14814598214286661076033996299779
.tmp
[Thread-172] [ 2016-12-11 18:07:01.592 IST ] [StreamReader.run:61] In
StreamReader.run
[main] [ 2016-12-11 18:07:01.593 IST ] [RuntimeExec.runCommand:142] runCommand:
Waiting for the process
[main] [ 2016-12-11 18:07:01.593 IST ] [RuntimeExec.runCommand:144] runCommand:
process returns 0
[Thread-171] [ 2016-12-11 18:07:01.593 IST ] [StreamReader.run:61] In
StreamReader.run
[main] [ 2016-12-11 18:07:01.594 IST ] [RuntimeExec.runCommand:161] RunTimeExec:
output>
[main] [ 2016-12-11 18:07:01.594 IST ] [RuntimeExec.runCommand:170] RunTimeExec:
error>
[main] [ 2016-12-11 18:07:01.594 IST ] [RuntimeExec.runCommand:192] Returning from
RunTimeExec.runCommand
[main] [ 2016-12-11 18:07:01.595 IST ] [NativeSystem.isCmdScv:471] isCmdScv:
cmd=[/bin/rm -f
/u01/app/oracle/product/11.2.0/db_1/dbs/CFSFileName14814598214286661076033996299779
.tmp]
[main] [ 2016-12-11 18:07:01.595 IST ] [NativeSystem.isCmdScv:540] isCmdScv:
returned false
[main] [ 2016-12-11 18:07:01.595 IST ] [NativeSystem.rununixcmd:1058]
NativeSystem.rununixcmd: RetString 1| :successful
```

```
[main] [ 2016-12-11 18:07:01.596 IST ] [UnixSystem.isSharedPath:1551]
UnixSystem.isShared: creating file
/u01/app/oracle/product/11.2.0/db_1/dbs/CFSFileName14814598214286661076033996299779
.tmp
[main] [ 2016-12-11 18:07:01.596 IST ] [UnixSystem.testCFSFile:1646] The unix
command is /usr/bin/ssh -o FallBackToRsh=no -o PasswordAuthentication=no -o
StrictHostKeyChecking=yes -o NumberOfPasswordPrompts=0 paw-racnode2 -n /bin/sh -c
"/bin/ls /u01/app/oracle/product/11.2.0/db_1/dbs > /dev/null 2>&1 && /bin/cat
/u01/app/oracle/product/11.2.0/db_1/dbs/CFSFileName14814598214286661076033996299779
.tmp"
[main] [ 2016-12-11 18:07:01.596 IST ] [RuntimeExec.runCommand:75] Calling
Runtime.exec() with the command
[main] [ 2016-12-11 18:07:01.596 IST ] [RuntimeExec.runCommand:77] /usr/bin/ssh
[main] [ 2016-12-11 18:07:01.597 IST ] [RuntimeExec.runCommand:77] -o
[main] [ 2016-12-11 18:07:01.597 IST ] [RuntimeExec.runCommand:77]
FallBackToRsh=no
[main] [ 2016-12-11 18:07:01.597 IST ] [RuntimeExec.runCommand:77] -o
[main] [ 2016-12-11 18:07:01.597 IST ] [RuntimeExec.runCommand:77]
PasswordAuthentication=no
[main] [ 2016-12-11 18:07:01.597 IST ] [RuntimeExec.runCommand:77] -o
[main] [ 2016-12-11 18:07:01.598 IST ] [RuntimeExec.runCommand:77]
StrictHostKeyChecking=yes
[main] [ 2016-12-11 18:07:01.598 IST ] [RuntimeExec.runCommand:77] -o
[main] [ 2016-12-11 18:07:01.598 IST ] [RuntimeExec.runCommand:77]
NumberOfPasswordPrompts=0
[main] [ 2016-12-11 18:07:01.598 IST ] [RuntimeExec.runCommand:77] paw-racnode2
[main] [ 2016-12-11 18:07:01.598 IST ] [RuntimeExec.runCommand:77] -n
[main] [ 2016-12-11 18:07:01.599 IST ] [RuntimeExec.runCommand:77] /bin/sh
[main] [ 2016-12-11 18:07:01.599 IST ] [RuntimeExec.runCommand:77] -c
[main] [ 2016-12-11 18:07:01.599 IST ] [RuntimeExec.runCommand:77] "/bin/ls
/u01/app/oracle/product/11.2.0/db_1/dbs
[main] [ 2016-12-11 18:07:01.599 IST ] [RuntimeExec.runCommand:77] >
[main] [ 2016-12-11 18:07:01.599 IST ] [RuntimeExec.runCommand:77] /dev/null
[main] [ 2016-12-11 18:07:01.600 IST ] [RuntimeExec.runCommand:77] 2>&1
[main] [ 2016-12-11 18:07:01.600 IST ] [RuntimeExec.runCommand:77] &&
[main] [ 2016-12-11 18:07:01.600 IST ] [RuntimeExec.runCommand:77] /bin/cat
[main] [ 2016-12-11 18:07:01.600 IST ] [RuntimeExec.runCommand:77]
/u01/app/oracle/product/11.2.0/db_1/dbs/CFSFileName14814598214286661076033996299779
.tmp"
[Thread-174] [ 2016-12-11 18:07:01.609 IST ] [StreamReader.run:61] In
StreamReader.run
[main] [ 2016-12-11 18:07:01.609 IST ] [RuntimeExec.runCommand:142] runCommand:
Waiting for the process
[Thread-173] [ 2016-12-11 18:07:01.609 IST ] [StreamReader.run:61] In
StreamReader.run
[Thread-174] [ 2016-12-11 18:07:01.762 IST ] [StreamReader.run:65] ERROR>/bin/cat:
/u01/app/oracle/product/11.2.0/db_1/dbs/CFSFileName14814598214286661076033996299779
.tmp: No such file or directory
[main] [ 2016-12-11 18:07:01.763 IST ] [RuntimeExec.runCommand:144] runCommand:
process returns 1
[main] [ 2016-12-11 18:07:01.763 IST ] [RuntimeExec.runCommand:161] RunTimeExec:
output>
[main] [ 2016-12-11 18:07:01.764 IST ] [RuntimeExec.runCommand:170] RunTimeExec:
error>
[main] [ 2016-12-11 18:07:01.764 IST ] [RuntimeExec.runCommand:173] /bin/cat:
/u01/app/oracle/product/11.2.0/db_1/dbs/CFSFileName14814598214286661076033996299779
.tmp: No such file or directory
[main] [ 2016-12-11 18:07:01.764 IST ] [RuntimeExec.runCommand:192] Returning from
```

```
RunTimeExec.runCommand
[main] [ 2016-12-11 18:07:01.764 IST ] [UnixSystem.testCFSFile:1658] Command
output is empty
[main] [ 2016-12-11 18:07:01.765 IST ] [UnixSystem.testCFSFile:1659] ERROR:
/bin/cat:
/u01/app/oracle/product/11.2.0/db_1/dbs/CFSFileName14814598214286661076033996299779
.tmp: No such file or directory from node paw-racnode2
[main] [ 2016-12-11 18:07:01.765 IST ] [ClusterUtils.areSharedPaths:587] Got
shared=false from SRVM call
[main] [ 2016-12-11 18:07:01.766 IST ] [CommonUtils.createOPSPasswordFiles:734]
sharedPwdFile=false
[main] [ 2016-12-11 18:07:01.767 IST ] [ClusterConfig.isClusterInstalled:361]
hasJarPresent=true
[main] [ 2016-12-11 18:07:01.767 IST ] [Version.isPre:274] version to be checked
11.2.0.1.0 major version to check against10
[main] [ 2016-12-11 18:07:01.767 IST ] [Version.isPre:285] isPre.java: Returning
FALSE
[main] [ 2016-12-11 18:07:01.767 IST ] [OCR.loadLibrary:308]
Inside constructor of OCR
[main] [ 2016-12-11 18:07:01.768 IST ] [OCR.isCluster:939] Calling OCRNative for
isCluster()
[main] [ 2016-12-11 18:07:01.768 IST ] [nativesystem.OCRNative.Native] JNI:
isCluster() Successfully initialized meta context
[main] [ 2016-12-11 18:07:01.768 IST ] [nativesystem.OCRNative.Native] JNI:
procr_get_conf() retVal = 0
[main] [ 2016-12-11 18:07:01.769 IST ] [nativesystem.OCRNative.Native] The OCR
file is configured & local_only=false

[main] [ 2016-12-11 18:07:01.769 IST ] [OCR.isCluster:943] OCR Result status =
true
[main] [ 2016-12-11 18:07:01.769 IST ] [OCR.isCluster:955] Boolean result = true
[main] [ 2016-12-11 18:07:01.769 IST ] [ClusterConfig.isClusterInstalled:361]
hasJarPresent=true
[main] [ 2016-12-11 18:07:01.770 IST ] [Version.isPre:274] version to be checked
11.2.0.1.0 major version to check against10
[main] [ 2016-12-11 18:07:01.770 IST ] [Version.isPre:285] isPre.java: Returning
FALSE
[main] [ 2016-12-11 18:07:01.770 IST ] [OCR.loadLibrary:308]

Inside constructor of OCR
[main] [ 2016-12-11 18:07:01.770 IST ] [OCR.isCluster:939] Calling OCRNative for
isCluster()
[main] [ 2016-12-11 18:07:01.770 IST ] [nativesystem.OCRNative.Native] JNI:
isCluster() Successfully initialized meta context
[main] [ 2016-12-11 18:07:01.771 IST ] [nativesystem.OCRNative.Native] JNI:
procr_get_conf() retVal = 0
[main] [ 2016-12-11 18:07:01.771 IST ] [nativesystem.OCRNative.Native] The OCR
file is configured & local_only=false

[main] [ 2016-12-11 18:07:01.771 IST ] [OCR.isCluster:943] OCR Result status =
true
[main] [ 2016-12-11 18:07:01.771 IST ] [OCR.isCluster:955] Boolean result = true
[main] [ 2016-12-11 18:07:01.772 IST ] [GetActiveNodes.create:226] Returning an
existing instance of GetActiveNodes
[main] [ 2016-12-11 18:07:01.772 IST ] [UnixSystem.copyFile:614] Copy file
localnode:/u01/app/oracle/product/11.2.0/db_1/dbs/orapwpawdbl to
localnode:/u01/app/oracle/product/11.2.0/db_1/dbs/orapwpawdbl
[main] [ 2016-12-11 18:07:01.772 IST ] [CopyCommand.execute:79]
CopyCommand.execute: native copyFile returns `1|making self copy no-op'
```

```
[main] [ 2016-12-11 18:07:01.772 IST ] [NativeResult.<init>:91] NativeResult: The
String obtained is1|making self copy no-op
[main] [ 2016-12-11 18:07:01.773 IST ] [NativeResult.<init>:99] The status string
is: 1
[main] [ 2016-12-11 18:07:01.773 IST ] [NativeResult.<init>:112] The result string
is: making self copy no-op 1
[main] [ 2016-12-11 18:07:01.773 IST ] [ClusterConfig.isClusterInstalled:361]
hasJarPresent=true
[main] [ 2016-12-11 18:07:01.773 IST ] [Version.isPre:274] version to be checked
11.2.0.1.0 major version to check against10
[main] [ 2016-12-11 18:07:01.774 IST ] [Version.isPre:285] isPre.java: Returning
FALSE
[main] [ 2016-12-11 18:07:01.774 IST ] [OCR.loadLibrary:308]
Inside constructor of OCR
[main] [ 2016-12-11 18:07:01.774 IST ] [OCR.isCluster:939] Calling OCRNative for
isCluster()
[main] [ 2016-12-11 18:07:01.774 IST ] [nativesystem.OCRNative.Native] JNI:
isCluster() Successfully initialized meta context
[main] [ 2016-12-11 18:07:01.775 IST ] [nativesystem.OCRNative.Native] JNI:
procr_get_conf() retValue = 0
[main] [ 2016-12-11 18:07:01.775 IST ] [nativesystem.OCRNative.Native] The OCR
file is configured & local_only=false

[main] [ 2016-12-11 18:07:01.775 IST ] [OCR.isCluster:943] OCR Result status =
true
[main] [ 2016-12-11 18:07:01.775 IST ] [OCR.isCluster:955] Boolean result = true
[main] [ 2016-12-11 18:07:01.776 IST ] [ClusterConfig.isClusterInstalled:361]
hasJarPresent=true
[main] [ 2016-12-11 18:07:01.776 IST ] [Version.isPre:274] version to be checked
11.2.0.1.0 major version to check against10
[main] [ 2016-12-11 18:07:01.776 IST ] [Version.isPre:285] isPre.java: Returning
FALSE
[main] [ 2016-12-11 18:07:01.776 IST ] [OCR.loadLibrary:308]
Inside constructor of OCR
[main] [ 2016-12-11 18:07:01.776 IST ] [OCR.isCluster:939] Calling OCRNative for
isCluster()
[main] [ 2016-12-11 18:07:01.777 IST ] [nativesystem.OCRNative.Native] JNI:
isCluster() Successfully initialized meta context
[main] [ 2016-12-11 18:07:01.777 IST ] [nativesystem.OCRNative.Native] JNI:
procr_get_conf() retValue = 0
[main] [ 2016-12-11 18:07:01.777 IST ] [nativesystem.OCRNative.Native] The OCR
file is configured & local_only=false

[main] [ 2016-12-11 18:07:01.777 IST ] [OCR.isCluster:943] OCR Result status =
true
[main] [ 2016-12-11 18:07:01.778 IST ] [OCR.isCluster:955] Boolean result = true
[main] [ 2016-12-11 18:07:01.778 IST ] [GetActiveNodes.create:226] Returning an
existing instance of GetActiveNodes
[main] [ 2016-12-11 18:07:01.778 IST ] [UnixSystem.copyFile:614] Copy file
localnode:/u01/app/oracle/product/11.2.0/db_1/dbs/orapwpawdb1 to paw-
racnode2:/u01/app/oracle/product/11.2.0/db_1/dbs/orapwpawdb2
[main] [ 2016-12-11 18:07:01.779 IST ] [Utils.getLocalHost:356] Hostname
retrieved: paw-racnode1.airydba.com, returned: paw-racnode1
[main] [ 2016-12-11 18:07:01.780 IST ] [UnixSystem.remoteCopyFile:591] Copying
files localnode/u01/app/oracle/product/11.2.0/db_1/dbs/orapwpawdb1 paw-
racnode2/u01/app/oracle/product/11.2.0/db_1/dbs/orapwpawdb2
[main] [ 2016-12-11 18:07:01.780 IST ] [Utils.getLocalHost:356] Hostname
retrieved: paw-racnode1.airydba.com, returned: paw-racnode1
[main] [ 2016-12-11 18:07:01.780 IST ] [UnixSystem.remoteCopyFile:608] UnixSystem:
```



```
/usr/bin/scp -p /u01/app/oracle/product/11.2.0/db_1/dbs/orapwpawdb1 paw-
racnode2:'/u01/app/oracle/product/11.2.0/db_1/dbs/orapwpawdb2'
[main] [ 2016-12-11 18:07:01.780 IST ] [RuntimeExec.runCommand:75] Calling
Runtime.exec() with the command
[main] [ 2016-12-11 18:07:01.781 IST ] [RuntimeExec.runCommand:77] /usr/bin/scp
[main] [ 2016-12-11 18:07:01.781 IST ] [RuntimeExec.runCommand:77] -p
[main] [ 2016-12-11 18:07:01.783 IST ] [RuntimeExec.runCommand:77]
/u01/app/oracle/product/11.2.0/db_1/dbs/orapwpawdb1
[main] [ 2016-12-11 18:07:01.783 IST ] [RuntimeExec.runCommand:77] paw-
racnode2:'/u01/app/oracle/product/11.2.0/db_1/dbs/orapwpawdb2'
[Thread-176] [ 2016-12-11 18:07:01.795 IST ] [StreamReader.run:61] In
StreamReader.run
[main] [ 2016-12-11 18:07:01.795 IST ] [RuntimeExec.runCommand:142] runCommand:
Waiting for the process
[Thread-175] [ 2016-12-11 18:07:01.795 IST ] [StreamReader.run:61] In
StreamReader.run
[main] [ 2016-12-11 18:07:01.957 IST ] [RuntimeExec.runCommand:144] runCommand:
process returns 0
[main] [ 2016-12-11 18:07:01.957 IST ] [RuntimeExec.runCommand:161] RunTimeExec:
output>
[main] [ 2016-12-11 18:07:01.958 IST ] [RuntimeExec.runCommand:170] RunTimeExec:
error>
[main] [ 2016-12-11 18:07:01.958 IST ] [RuntimeExec.runCommand:192] Returning from
RunTimeExec.runCommand
[main] [ 2016-12-11 18:07:01.958 IST ] [NativeSystem.isCmdScv:471] isCmdScv:
cmd=[/usr/bin/scp -p /u01/app/oracle/product/11.2.0/db_1/dbs/orapwpawdb1 paw-
racnode2:'/u01/app/oracle/product/11.2.0/db_1/dbs/orapwpawdb2']
[main] [ 2016-12-11 18:07:01.959 IST ] [NativeSystem.isCmdScv:521] isCmdScv:
/usr/bin/scp is present.
[main] [ 2016-12-11 18:07:01.959 IST ] [NativeSystem.isCmdScv:523] isCmdScv:
/usr/bin/scp is a file.
[main] [ 2016-12-11 18:07:01.959 IST ] [NativeSystem.isCmdScv:540] isCmdScv:
returned true
[main] [ 2016-12-11 18:07:01.960 IST ] [NativeSystem.rununixcmd:1058]
NativeSystem.rununixcmd: RetString 1| :successful
[main] [ 2016-12-11 18:07:01.960 IST ] [CopyCommand.execute:79]
CopyCommand.execute: native copyFile returns `1| :successful'
[main] [ 2016-12-11 18:07:01.960 IST ] [NativeResult.<init>:91] NativeResult: The
String obtained is1| :successful
[main] [ 2016-12-11 18:07:01.960 IST ] [NativeResult.<init>:99] The status string
is: 1
[main] [ 2016-12-11 18:07:01.960 IST ] [NativeResult.<init>:112] The result string
is: :successful 1
[main] [ 2016-12-11 18:07:02.004 IST ] [CRSNative.internalQueryResources:1279]
About to doQueryResources: eType resource, nodeName null, filter (TYPE ==
ora.scan_vip.type)
[main] [ 2016-12-11 18:07:02.042 IST ] [CRSNative.internalQueryResources:1287]
found 3 resources
[main] [ 2016-12-11 18:07:02.042 IST ] [CRSNative.internalQueryResources:1289]
ora.scan1.vip
[main] [ 2016-12-11 18:07:02.042 IST ] [CRSNative.internalQueryResources:1289]
ora.scan2.vip
[main] [ 2016-12-11 18:07:02.042 IST ] [CRSNative.internalQueryResources:1289]
ora.scan3.vip
[main] [ 2016-12-11 18:07:02.070 IST ] [CRSNative.isEntityRegistered:672] entity:
ora.scan1.vip, type: 1, registered: true
[main] [ 2016-12-11 18:07:02.070 IST ] [ScanVIPImpl.<init>:152] ordinal number is
1
[main] [ 2016-12-11 18:07:02.093 IST ] [CRSNative.isEntityRegistered:672] entity:
```

```
ora.scan1.vip, type: 1, registered: true
[main] [ 2016-12-11 18:07:02.116 IST ] [CRSNative.isEntityRegistered:672] entity:
ora.scan2.vip, type: 1, registered: true
[main] [ 2016-12-11 18:07:02.116 IST ] [ScanVIPImpl.<init>:152] ordinal number is
2
[main] [ 2016-12-11 18:07:02.140 IST ] [CRSNative.isEntityRegistered:672] entity:
ora.scan2.vip, type: 1, registered: true
[main] [ 2016-12-11 18:07:02.164 IST ] [CRSNative.isEntityRegistered:672] entity:
ora.scan3.vip, type: 1, registered: true
[main] [ 2016-12-11 18:07:02.164 IST ] [ScanVIPImpl.<init>:152] ordinal number is
3
[main] [ 2016-12-11 18:07:02.186 IST ] [CRSNative.isEntityRegistered:672] entity:
ora.scan3.vip, type: 1, registered: true
[main] [ 2016-12-11 18:07:02.187 IST ] [ScanFactoryImpl.getScanListeners:1184]
Calling searchResources to get the listeners
[main] [ 2016-12-11 18:07:02.187 IST ] [CRSNative.internalQueryResources:1279]
About to doQueryResources: eType resource, nodeName null, filter (TYPE ==
ora.scan_listener.type)
[main] [ 2016-12-11 18:07:02.214 IST ] [CRSNative.internalQueryResources:1287]
found 3 resources
[main] [ 2016-12-11 18:07:02.214 IST ] [CRSNative.internalQueryResources:1289]
ora.LISTENER_SCAN1.lsnr
[main] [ 2016-12-11 18:07:02.214 IST ] [CRSNative.internalQueryResources:1289]
ora.LISTENER_SCAN2.lsnr
[main] [ 2016-12-11 18:07:02.214 IST ] [CRSNative.internalQueryResources:1289]
ora.LISTENER_SCAN3.lsnr
[main] [ 2016-12-11 18:07:02.214 IST ] [ScanFactoryImpl.getScanListeners:1189] The
number of listeners is 3
[main] [ 2016-12-11 18:07:02.215 IST ] [ScanFactoryImpl.getScanListener:1158]
Calling new ScanListenerImpl for oracle.cluster.impl.crs.ResourceAttribute@7f4d1d41
[main] [ 2016-12-11 18:07:02.215 IST ] [ScanListenerImpl.<init>:137] displayName
is LISTENER_SCAN1
[main] [ 2016-12-11 18:07:02.234 IST ] [CRSNative.isEntityRegistered:672] entity:
ora.LISTENER_SCAN1.lsnr, type: 1, registered: true
[main] [ 2016-12-11 18:07:02.234 IST ] [ScanFactoryImpl.getScanListener:1161]
Calling scanLsnr.crsResource()
[main] [ 2016-12-11 18:07:02.258 IST ] [CRSNative.isEntityRegistered:672] entity:
ora.LISTENER_SCAN1.lsnr, type: 1, registered: true
[main] [ 2016-12-11 18:07:02.258 IST ] [ScanFactoryImpl.getScanListener:1163]
Return from scanLsnr.crsResource()
[main] [ 2016-12-11 18:07:02.258
IST ] [ScanFactoryImpl.getScanListener:1158] Calling new ScanListenerImpl for
oracle.cluster.impl.crs.ResourceAttribute@654df764
[main] [ 2016-12-11 18:07:02.258 IST ] [ScanListenerImpl.<init>:137] displayName
is LISTENER_SCAN2
[main] [ 2016-12-11 18:07:02.281 IST ] [CRSNative.isEntityRegistered:672] entity:
ora.LISTENER_SCAN2.lsnr, type: 1, registered: true
[main] [ 2016-12-11 18:07:02.281 IST ] [ScanFactoryImpl.getScanListener:1161]
Calling scanLsnr.crsResource()
[main] [ 2016-12-11 18:07:02.303 IST ] [CRSNative.isEntityRegistered:672] entity:
ora.LISTENER_SCAN2.lsnr, type: 1, registered: true
[main] [ 2016-12-11 18:07:02.304 IST ] [ScanFactoryImpl.getScanListener:1163]
Return from scanLsnr.crsResource()
[main] [ 2016-12-11 18:07:02.304 IST ] [ScanFactoryImpl.getScanListener:1158]
Calling new ScanListenerImpl for oracle.cluster.impl.crs.ResourceAttribute@235dd910
[main] [ 2016-12-11 18:07:02.304 IST ] [ScanListenerImpl.<init>:137] displayName
is LISTENER_SCAN3
[main] [ 2016-12-11 18:07:02.328 IST ] [CRSNative.isEntityRegistered:672] entity:
ora.LISTENER_SCAN3.lsnr, type: 1, registered: true
```

```
[main] [ 2016-12-11 18:07:02.329 IST ] [ScanFactoryImpl.getScanListener:1161]
Calling scanLsnr.crsResource()
[main] [ 2016-12-11 18:07:02.353 IST ] [CRSNative.isEntityRegistered:672] entity:
ora.LISTENER_SCAN3.lsnr, type: 1, registered: true
[main] [ 2016-12-11 18:07:02.354 IST ] [ScanFactoryImpl.getScanListener:1163]
Return from scanLsnr.crsResource()
[main] [ 2016-12-11 18:07:02.354 IST ] [CRSNative.getStat:1153] About to call crs
stat: name: ora.scan1.vip, type: 1, node: null
[main] [ 2016-12-11 18:07:02.354 IST ] [CRSNative.getStat:1155] looking for
following attributes:
[main] [ 2016-12-11 18:07:02.355 IST ] [CRSNative.getStat:1157]
'SCAN_NAME'
[main] [ 2016-12-11 18:07:02.376 IST ] [CRSNative.getStat:1170] crs found 1
attributes
[main] [ 2016-12-11 18:07:02.377 IST ] [CRSNative.getStat:1180] Name:
'SCAN_NAME'; Value: 'paw-rac01-scan.airydba.com'
[main] [ 2016-12-11 18:07:02.377 IST ] [CRSNative.getStat:1153] About to call crs
stat: name: ora.LISTENER_SCAN1.lsnr, type: 1, node: null
[main] [ 2016-12-11 18:07:02.378 IST ] [CRSNative.getStat:1155] looking for
following attributes:
[main] [ 2016-12-11 18:07:02.378 IST ] [CRSNative.getStat:1157] 'PORT'
[main] [ 2016-12-11 18:07:02.399 IST ] [CRSNative.getStat:1170] crs found 1
attributes
[main] [ 2016-12-11 18:07:02.399 IST ] [CRSNative.getStat:1180] Name:
'PORT'; Value: '1521'
[main] [ 2016-12-11 18:07:02.399 IST ] [ScanListenerImpl.getPort:457] scanPort
=1521
[main] [ 2016-12-11 18:07:02.400 IST ] [NetConfig.configureListenerParameters:513]
Inside configure listener
[main] [ 2016-12-11 18:07:02.400 IST ] [OracleHome.getVersion:877]
OracleHome.getVersion called. Current Version: 11.2.0.1.0
[main] [ 2016-12-11 18:07:02.400 IST ] [OracleHome.getVersion:943] Current Version
From Inventory: 11.2.0.1.0
[main] [ 2016-12-11 18:07:02.400 IST ] [OracleHome.getVersion:948] using
sqlplus: /u01/app/oracle/product/11.2.0/db_1/bin/sqlplus
[main] [ 2016-12-11 18:07:02.400 IST ] [OracleHome.getVersion:877]
OracleHome.getVersion called. Current Version: 11.2.0.1.0
[main] [ 2016-12-11 18:07:02.400 IST ] [OracleHome.getVersion:943] Current Version
From Inventory: 11.2.0.1.0
[main] [ 2016-12-11 18:07:02.401 IST ] [OracleHome.getVersion:948] using
sqlplus: /u01/app/oracle/product/11.2.0/db_1/bin/sqlplus
[main] [ 2016-12-11 18:07:02.401 IST ] [OracleHome.getVersion:877]
OracleHome.getVersion called. Current Version: 11.2.0.1.0
[main] [ 2016-12-11 18:07:02.401 IST ] [OracleHome.getVersion:943] Current Version
From Inventory: 11.2.0.1.0
[main] [ 2016-12-11 18:07:02.401 IST ] [OracleHome.getVersion:948] using
sqlplus: /u01/app/oracle/product/11.2.0/db_1/bin/sqlplus
[main] [ 2016-12-11 18:07:02.401 IST ] [SQLPlusEngine.getCmmdParams:222] m_home
11.2.0.1.0
[main] [ 2016-12-11 18:07:02.401 IST ] [SQLPlusEngine.getCmmdParams:223] version >
112 true
[main] [ 2016-12-11 18:07:02.402 IST ] [SQLEngine.getEnvParams:547] Default
NLS_LANG: AMERICAN_AMERICA.AL32UTF8
[main] [ 2016-12-11 18:07:02.402 IST ] [SQLEngine.getEnvParams:557] NLS_LANG:
AMERICAN_AMERICA.AL32UTF8
[main] [ 2016-12-11 18:07:02.403 IST ] [SQLEngine.initialize:317] Execing
SQLPLUS/SVRMGR process...
[main] [ 2016-12-11 18:07:02.426 IST ] [SQLEngine.initialize:354]
m_bReaderStarted: false
```

```

[main] [ 2016-12-11 18:07:02.426 IST ] [SQLEngine.initialize:358] Starting Reader
Thread...
[main] [ 2016-12-11 18:07:02.456 IST ] [Instance.getSQLEngine:381] SQLEngine
spooling to=/u01/app/oracle/cfgtoollogs/rconfig/pawdb1/sqlLog
[main] [ 2016-12-11 18:07:02.456 IST ] [SQLEngine.setSpool:1940] old Spool = null
[main] [ 2016-12-11 18:07:02.456 IST ] [SQLEngine.setSpool:1941] Setting Spool
= /u01/app/oracle/cfgtoollogs/rconfig/pawdb1/sqlLog
[main] [ 2016-12-11 18:07:02.456 IST ] [SQLEngine.setSpool:1942] Is spool
appendable? --> true
[Thread-177] [ 2016-12-11 18:07:10.901 IST ]
[Instance$RConfigErrorListener.gotError:435] Got error
[Thread-177] [ 2016-12-11 18:07:10.901 IST ]
[Instance$RConfigErrorListener.handleNonIgnorableError:450] Number of ERRORS:1
[Thread-177] [ 2016-12-11 18:07:10.901 IST ]
[Instance$RConfigErrorListener.handleNonIgnorableError:453] ERROR=ORA-01507:
database not mounted
[Thread-177] [ 2016-12-11 18:07:10.901 IST ]
[Instance$RConfigErrorListener.handleNonIgnorableError:456] Ignoring shutdown
error : database not mounted
[main] [ 2016-12-11 18:07:17.794 IST ] [CRSNative.isEntityRegistered:672] entity:
ora.pawdb.db, type: 1, registered: true
[main] [ 2016-12-11 18:07:17.794 IST ] [CRSNative.getStat:1153] About to call crs
stat: name: ora.pawdb.db, type: 1, node: null
[main] [ 2016-12-11 18:07:17.794 IST ] [CRSNative.getStat:1155] looking for
following attributes:
[main] [ 2016-12-11 18:07:17.794 IST ] [CRSNative.getStat:1157]
'DB_UNIQUE_NAME'
[main] [ 2016-12-11 18:07:17.817 IST ] [CRSNative.getStat:1170] crs found 1
attributes
[main] [ 2016-12-11 18:07:17.817 IST ] [CRSNative.getStat:1180] Name:
'DB_UNIQUE_NAME'; Value: 'pawdb'
[main] [ 2016-12-11 18:07:17.817 IST ] [DatabaseImpl.crsResource:2446] calling
parent's crsResource
[main] [ 2016-12-11 18:07:17.840 IST ] [CRSNative.isEntityRegistered:672] entity:
ora.pawdb.db, type: 1, registered: true
[main] [ 2016-12-11 18:07:17.840 IST ] [CRSConfig.destroyRAC:473] Stopping database

[main] [ 2016-12-11 18:07:17.841 IST ] [CRSNative.getResourceInstancesID:1336]
Looking for RIs using filter: ((NAME == ora.pawdb.db) && ((STATE != OFFLINE) ||
(TARGET != OFFLINE)))
[main] [ 2016-12-11 18:07:17.907 IST ] [CRSNative.getResourceInstancesID:1344]
found 0 RIs
PRCR-1005 : Resource ora.pawdb.db is already stopped
at
oracle.cluster.impl.crs.CRSNative.internalStopResource(CRSNative.java:1394)
at oracle.cluster.impl.crs.CRSNative.stopResource(CRSNative.java:445)
at oracle.cluster.impl.crs.CRSResourceImpl.stop(CRSResourceImpl.java:496)
at oracle.cluster.impl.crs.CRSResourceImpl.stop(CRSResourceImpl.java:468)
at oracle.cluster.impl.database.DatabaseImpl.stop(DatabaseImpl.java:2377)
at
oracle.sysman.assistants.rconfig.engine.CRSConfig.destroyRAC(CRSConfig.java:474)
at oracle.sysman.assistants.rconfig.engine.Convert.runStep(Convert.java:371)
at
oracle.sysman.assistants.rconfig.engine.RACConvertStep.execute(RACConvertStep.java:
183)
at oracle.sysman.assistants.rconfig.engine.Request.execute(Request.java:79)
at
oracle.sysman.assistants.rconfig.engine.RConfigEngine.execute(RConfigEngine.java:66
)

```

```
at oracle.sysman.assistants.rconfig.RConfig.<init>(RConfig.java:97)
at oracle.sysman.assistants.rconfig.RConfig.<init>(RConfig.java:62)
at oracle.sysman.assistants.rconfig.RConfig.main(RConfig.java:145)
[main] [ 2016-12-11 18:07:17.908 IST ] [CRSConfig.destroyRAC:479] Removing
database
[main] [ 2016-12-11 18:07:17.908 IST ] [CRSNative.unregisterEntity:726] About to
unregister: name: ora.pawdb.db, force: true, type: 1
[main] [ 2016-12-11 18:07:18.189 IST ] [ServerPoolImpl.<init>:134] m_name =
ora.pawdb, m_displayName = pawdb
[main] [ 2016-12-11 18:07:18.214 IST ] [CRSNative.isEntityRegistered:672] entity:
ora.pawdb, type: 3, registered: true
[main] [ 2016-12-11 18:07:18.214 IST ] [CRSConfig.destroyRAC:485] Deleting SI
Legacy type server Group :pawdb
[main] [ 2016-12-11 18:07:18.214 IST ] [ServerPoolImpl.<init>:134] m_name =
ora.pawdb, m_displayName = pawdb
[main] [ 2016-12-11 18:07:18.236 IST ] [CRSNative.isEntityRegistered:672] entity:
ora.pawdb, type: 3, registered: true
[main] [ 2016-12-11 18:07:18.237 IST ] [CRSNative.internalQueryResources:1279]
About to doQueryResources: eType resource, nodeName null, filter (TYPE ==
ora.database.type)
[main] [ 2016-12-11 18:07:18.260 IST ] [CRSNative.internalQueryResources:1287]
found 2 resources
[main] [ 2016-12-11 18:07:18.260 IST ] [CRSNative.internalQueryResources:1289]
ora.orcl.db
[main] [ 2016-12-11 18:07:18.260 IST ] [CRSNative.internalQueryResources:1289]
ora.racdb.db
[main] [ 2016-12-11 18:07:18.281 IST ] [CRSNative.isEntityRegistered:672] entity:
ora.orcl.db, type: 1, registered: true
[main] [ 2016-12-11 18:07:18.281 IST ] [CRSNative.getStat:1153] About to call crs
stat: name: ora.orcl.db, type: 1, node: null
[main] [ 2016-12-11 18:07:18.282 IST ] [CRSNative.getStat:1155] looking for
following attributes:
[main] [ 2016-12-11 18:07:18.282 IST ] [CRSNative.getStat:1157]
'SERVER_POOLS'
[main] [ 2016-12-11 18:07:18.304 IST ] [CRSNative.getStat:1170] crs found 1
attributes
[main] [ 2016-12-11 18:07:18.305 IST ] [CRSNative.getStat:1180] Name:
'SERVER_POOLS'; Value: 'ora.orcl'
[main] [ 2016-12-11 18:07:18.305 IST ] [DatabaseFactoryImpl.getDatabases:620] db
server pools =ora.orcl
[main] [ 2016-12-11 18:07:18.305 IST ] [DatabaseFactoryImpl.getDatabases:621]
group name is ora.pawdb
[main] [ 2016-12-11 18:07:18.305 IST ] [DatabaseFactoryImpl.getDatabases:625]
sgName = ora.orcl
[main]
[ 2016-12-11 18:07:18.330 IST ] [CRSNative.isEntityRegistered:672] entity:
ora.racdb.db, type: 1, registered: true
[main] [ 2016-12-11 18:07:18.331 IST ] [CRSNative.getStat:1153] About to call crs
stat: name: ora.racdb.db, type: 1, node: null
[main] [ 2016-12-11 18:07:18.331 IST ] [CRSNative.getStat:1155] looking for
following attributes:
[main] [ 2016-12-11 18:07:18.331 IST ] [CRSNative.getStat:1157]
'SERVER_POOLS'
[main] [ 2016-12-11 18:07:18.350 IST ] [CRSNative.getStat:1170] crs found 1
attributes
[main] [ 2016-12-11 18:07:18.350 IST ] [CRSNative.getStat:1180] Name:
'SERVER_POOLS'; Value: 'ora.racdb'
[main] [ 2016-12-11 18:07:18.351 IST ] [DatabaseFactoryImpl.getDatabases:620] db
server pools =ora.racdb
```

```
[main] [ 2016-12-11 18:07:18.351 IST ] [DatabaseFactoryImpl.getDatabases:621]
group name is ora.pawdb
[main] [ 2016-12-11 18:07:18.351 IST ] [DatabaseFactoryImpl.getDatabases:625]
sgName = ora.racdb
[main] [ 2016-12-11 18:07:18.378 IST ] [ServerPoolImpl.remove:1096] The dblist
size is 0
[main] [ 2016-12-11 18:07:18.378 IST ] [CRSNative.unregisterEntity:726] About to
unregister: name: ora.pawdb, force: false, type: 3
[main] [ 2016-12-11 18:07:18.562 IST ] [CRSNativeResult.addComp:162] add comp:
name ora.pawdb.db, rc 210, msg CRS-0210: Could not find resource 'ora.pawdb.db'.
[main] [ 2016-12-11 18:07:18.563 IST ] [CRSNative.isEntityRegistered:672] entity:
ora.pawdb.db, type: 1, registered: false
[main] [ 2016-12-11 18:07:18.586 IST ] [DatabaseImpl.crsResource:2446] calling
parent's crsResource
PRCD-1120 : The resource for database pawdb could not be found.
PRCR-1001 : Resource ora.pawdb.db does not exist
    at
oracle.cluster.impl.database.DatabaseFactoryImpl.getDatabase(DatabaseFactoryImpl.java:415)
    at
oracle.cluster.database.DatabaseFactory.getDatabase(DatabaseFactory.java:251)
    at
oracle.sysman.assistants.rconfig.engine.CRSConfig.createRAC(CRSConfig.java:109)
    at oracle.sysman.assistants.rconfig.engine.Convert.runStep(Convert.java:372)
    at
oracle.sysman.assistants.rconfig.engine.RACConvertStep.execute(RACConvertStep.java:
183)
    at oracle.sysman.assistants.rconfig.engine.Request.execute(Request.java:79)
    at
oracle.sysman.assistants.rconfig.engine.RConfigEngine.execute(RConfigEngine.java:66
)
    at oracle.sysman.assistants.rconfig.RConfig.<init>(RConfig.java:97)
    at oracle.sysman.assistants.rconfig.RConfig.<init>(RConfig.java:62)
    at oracle.sysman.assistants.rconfig.RConfig.main(RConfig.java:145)
Caused by: PRCR-1001 : Resource ora.pawdb.db does not exist
    at
oracle.cluster.impl.common.SoftwareModuleImpl.crsResource(SoftwareModuleImpl.java:7
78)
    at
oracle.cluster.impl.database.DatabaseImpl.crsResource(DatabaseImpl.java:2447)
    at
oracle.cluster.impl.database.DatabaseFactoryImpl.getDatabase(DatabaseFactoryImpl.java:384)
    ... 9 more
[main] [ 2016-12-11 18:07:18.615 IST ] [Storage.extractDiskGroup:402] index of /=-
1
[main] [ 2016-12-11 18:07:18.615 IST ] [Storage.extractDiskGroup:415] Extracted
Value=PAWDB_DATA
[main] [ 2016-12-11 18:07:18.615 IST ] [CRSConfig.createRAC:158] Data Diskgroups
PAWDB_DATA
[main] [ 2016-12-11 18:07:18.616 IST ] [Storage.extractDiskGroup:402] index of /=-
1
[main] [ 2016-12-11 18:07:18.616 IST ] [Storage.extractDiskGroup:415] Extracted
Value=FRA
[main] [ 2016-12-11 18:07:18.616 IST ] [CRSConfig.createRAC:169] Recovery
Diskgroups FRA
[main] [ 2016-12-11 18:07:18.616 IST ] [DiskGroupImpl.<init>:106] name =
ora.PAWDB_DATA.dg, display name = PAWDB_DATA
[main] [ 2016-12-11 18:07:18.634 IST ] [CRSNative.isEntityRegistered:672] entity:
```

```
ora.PAWDB_DATA.dg, type: 1, registered: true
[main] [ 2016-12-11 18:07:18.635 IST ] [DiskGroupImpl.<init>:132] name =
ora.PAWDB_DATA.dg, display name = PAWDB_DATA
[main] [ 2016-12-11 18:07:18.635 IST ] [DiskGroupImpl.<init>:106] name =
ora.FRA.dg, display name = FRA
[main] [ 2016-12-11 18:07:18.658 IST ] [CRSNative.isEntityRegistered:672] entity:
ora.FRA.dg, type: 1, registered: true
[main] [ 2016-12-11 18:07:18.658 IST ] [DiskGroupImpl.<init>:132] name =
ora.FRA.dg, display name = FRA
[main] [ 2016-12-11 18:07:18.658 IST ] [ClusterUtil.<init>:65] ClusterUtil
Instance created
[main] [ 2016-12-11 18:07:18.659 IST ] [ClusterUtil.<init>:68] ClusterUtil
m_bSKGXN=true
[main] [ 2016-12-11 18:07:18.659 IST ] [has.ClusterUtilNative.Native] prsr_trace:
Native: getHostName

[main] [ 2016-12-11 18:07:18.659 IST ] [has.ClusterUtilNative.Native] prsr_trace:
Native: getHostName:hostname length: 256

[main] [ 2016-12-11 18:07:18.660 IST ] [has.ClusterUtilNative.Native] prsr_trace:
Native: getHostName:hostname: paw-racnode1

[main] [ 2016-12-11 18:07:18.661 IST ] [GetActiveNodes.getHostName:518] hostname =
paw-racnode1
[main] [ 2016-12-11 18:07:18.661 IST ] [Cluster.getHostName:1215] hostname = paw-
racnode1
[main] [ 2016-12-11 18:07:18.661 IST ] [ClusterUtil.<init>:65] ClusterUtil
Instance created
[main] [ 2016-12-11 18:07:18.661 IST ] [ClusterUtil.<init>:68] ClusterUtil
m_bSKGXN=true
[main] [ 2016-12-11 18:07:18.661 IST ] [has.ClusterUtilNative.Native] prsr_trace:
Native: getHostName

[main] [ 2016-12-11 18:07:18.661 IST ] [has.ClusterUtilNative.Native] prsr_trace:
Native: getHostName:hostname length: 256

[main] [ 2016-12-11 18:07:18.662 IST ] [has.ClusterUtilNative.Native] prsr_trace:
Native: getHostName:hostname: paw-racnode2

[main] [ 2016-12-11 18:07:18.662 IST ] [GetActiveNodes.getHostName:518] hostname =
paw-racnode2
[main] [ 2016-12-11 18:07:18.662 IST ] [Cluster.getHostName:1215] hostname = paw-
racnode2
[main] [ 2016-12-11 18:07:18.663 IST ] [CRSConfig.createRAC:186] Creating Legacy
type server Group :pawdb
[main] [ 2016-12-11 18:07:18.663 IST ] [ServerPoolImpl.<init>:134] m_name =
Generic, m_displayName = Generic
[main] [ 2016-12-11 18:07:18.680 IST ] [CRSNative.isEntityRegistered:672] entity:
Generic, type: 3, registered: true
[main] [ 2016-12-11 18:07:18.680 IST ] [ServerPoolImpl.<init>:134] m_name =
ora.pawdb, m_displayName = pawdb
[main] [ 2016-12-11 18:07:18.681 IST ] [CRSNative.register:1133] About to
register: name: ora.pawdb, type: 3, update: false, force: false
[main] [ 2016-12-11 18:07:18.681 IST ] [CRSNative.register:1141] Name:
'NAME', Value: 'ora.pawdb'
[main] [ 2016-12-11 18:07:18.681 IST ] [CRSNative.register:1141] Name:
'MIN_SIZE', Value: '0'
[main] [ 2016-12-11 18:07:18.681 IST ] [CRSNative.register:1141] Name:
'MAX_SIZE', Value: '-1'
```

```
[main] [ 2016-12-11 18:07:18.681 IST ] [CRSNative.register:1141]      Name:
'IMPORTANCE', Value: '1'
[main] [ 2016-12-11 18:07:18.681 IST ] [CRSNative.register:1141]      Name:
'PARENT_POOLS', Value: 'Generic'
[main] [ 2016-12-11 18:07:18.682 IST ] [CRSNative.register:1141]      Name:
'SERVER_NAMES', Value: 'paw-racnode1 paw-racnode2'
[main] [ 2016-12-11 18:07:18.682 IST ] [CRSNative.register:1141]      Name:
'EXCLUSIVE_POOLS', Value: ''
[main] [ 2016-12-11 18:07:18.796 IST ] [ClusterUtil.<init>:65]  ClusterUtil
Instance created
[main] [ 2016-12-11 18:07:18.796 IST ] [ClusterUtil.<init>:68]  ClusterUtil
m_bSKGXN=true
[main] [ 2016-12-11 18:07:18.796 IST ] [has.ClusterUtilNative.Native]  prsr_trace:
Native: getHostName

[main] [ 2016-12-11 18:07:18.796 IST ] [has.ClusterUtilNative.Native]  prsr_trace:
Native: getHostName:hostname length: 256

[main] [ 2016-12-11 18:07:18.798 IST ] [has.ClusterUtilNative.Native]  prsr_trace:
Native: getHostName:hostname: paw-racnode1

[main] [ 2016-12-11 18:07:18.798 IST ] [GetActiveNodes.getHostName:518]  hostname =
paw-racnode1
[main] [ 2016-12-11 18:07:18.798 IST ] [Cluster.getHostName:1215]  hostname = paw-
racnode1
[main] [ 2016-12-11 18:07:18.798 IST ] [ClusterUtil.<init>:65]  ClusterUtil
Instance created
[main] [ 2016-12-11 18:07:18.798 IST ] [ClusterUtil.<init>:68]  ClusterUtil
m_bSKGXN=true
[main] [ 2016-12-11 18:07:18.799 IST ] [has.ClusterUtilNative.Native]  prsr_trace:
Native: getHostName

[main] [ 2016-12-11 18:07:18.799 IST ] [has.ClusterUtilNative.Native]  prsr_trace:
Native: getHostName:hostname length: 256

[main] [ 2016-12-11 18:07:18.801 IST ] [has.ClusterUtilNative.Native]  prsr_trace:
Native: getHostName:hostname: paw-racnode2

[main] [ 2016-12-11 18:07:18.801 IST ] [GetActiveNodes.getHostName:518]  hostname =
paw-racnode2
[main] [ 2016-12-11 18:07:18.801 IST ] [Cluster.getHostName:1215]  hostname = paw-
racnode2
[main] [ 2016-12-11 18:07:18.801 IST ] [CRSConfig.createRAC:195]  Trying to create
dbcentric database: pawdb OH=/u01/app/oracle/product/11.2.0/db_1
[main] [ 2016-12-11 18:07:18.801 IST ] [CRSConfig.createRAC:200]  nodeName[0]=paw-
racnode1 gets instNames[0]=pawdb1
[main] [ 2016-12-11 18:07:18.802 IST ] [CRSConfig.createRAC:200]  nodeName[1]=paw-
racnode2 gets instNames[1]=pawdb2
[main] [ 2016-12-11 18:07:18.802 IST ] [ServerPoolImpl.<init>:134]  m_name =
ora.pawdb, m_displayName = pawdb
[main] [ 2016-12-11 18:07:18.827 IST ] [CRSNative.isEntityRegistered:672]  entity:
ora.pawdb, type: 3, registered: true
[main] [ 2016-12-11 18:07:18.827 IST ] [Util.<init>:86]  Util Instance created.
[main] [ 2016-12-11 18:07:18.827 IST ] [has.UtilNative.Native]  prsr_trace: Native:
getOracleUser

[main] [ 2016-12-11 18:07:18.828 IST ] [has.UtilNative.Native]  prsr_trace: Native:
prsr_getOracleUserID
```



```
[main] [ 2016-12-11 18:07:18.828 IST ] [has.UtilNative.Native] prsr_trace:
    OH=/u01/app/oracle/product/11.2.0/db_1 SID=NULLSID

[main] [ 2016-12-11 18:07:18.828 IST ] [has.UtilNative.Native] prsr_trace: scl
returned=0

[main] [ 2016-12-11 18:07:18.828 IST ] [has.UtilNative.Native] prsr_trace: Native:
prsr_getUserName

[main] [ 2016-12-11 18:07:18.828 IST ] [has.UtilNative.Native] prsr_trace: Native:
prsr_allocUserName

[main] [ 2016-12-11 18:07:18.828 IST ] [has.UtilNative.Native] prsr_trace:
get_user_name_by_id ret=0, insz=32, sz=6, name=oracle

[main] [ 2016-12-11 18:07:18.828 IST ] [has.UtilNative.Native] prsr_trace: Native:
getCurrentUser

[main] [ 2016-12-11 18:07:18.829 IST ] [has.UtilNative.Native] prsr_trace: Native:
prsr_getUserName

[main]
 [ 2016-12-11 18:07:18.829 IST ] [has.UtilNative.Native] prsr_trace: Native:
prsr_allocUserName

[main] [ 2016-12-11 18:07:18.829 IST ] [has.UtilNative.Native] prsr_trace:
get_user_name_by_id ret=0, insz=32, sz=6, name=oracle

[main] [ 2016-12-11 18:07:18.829 IST ] [has.UtilNative.Native] prsr_trace: got
uname=oracle

[main] [ 2016-12-11 18:07:18.829 IST ] [Version.isPre:274] version to be checked
11.2.0.1.0 major version to check against10
[main] [ 2016-12-11 18:07:18.829 IST ] [Version.isPre:285] isPre.java: Returning
FALSE
[main] [ 2016-12-11 18:07:18.830 IST ] [OCR.loadLibrary:308]
    Inside constructor of OCR
[main] [ 2016-12-11 18:07:18.830 IST ] [OCR.isCluster:939] Calling OCRNative for
isCluster()
[main] [ 2016-12-11 18:07:18.830 IST ] [nativesystem.OCRNative.Native] JNI:
isCluster() Successfully initialized meta context
[main] [ 2016-12-11 18:07:18.830 IST ] [nativesystem.OCRNative.Native] JNI:
procr_get_conf() retVal = 0
[main] [ 2016-12-11 18:07:18.830 IST ] [nativesystem.OCRNative.Native] The OCR
file is configured & local_only=false

[main] [ 2016-12-11 18:07:18.830 IST ] [OCR.isCluster:943] OCR Result status =
true
[main] [ 2016-12-11 18:07:18.831 IST ] [OCR.isCluster:955] Boolean result = true
[main] [ 2016-12-11 18:07:18.851 IST ] [CRSNativeResult.addComp:162] add comp:
name ora.pawdb.db, rc 210, msg CRS-0210: Could not find resource 'ora.pawdb.db'.
[main] [ 2016-12-11 18:07:18.852 IST ] [CRSNative.isEntityRegistered:672] entity:
ora.pawdb.db, type: 1, registered: false
[main] [ 2016-12-11 18:07:18.877 IST ] [CRSNativeResult.addComp:162] add comp:
name ora.pawdb.db, rc 210, msg CRS-0210: Could not find resource 'ora.pawdb.db'.
[main] [ 2016-12-11 18:07:18.877 IST ] [CRSNative.isEntityRegistered:672] entity:
ora.pawdb.db, type: 1, registered: false
[main] [ 2016-12-11 18:07:18.877 IST ] [Version.isPre:274] version to be checked
11.2.0.1.0 major version to check against10
```

```
[main] [ 2016-12-11 18:07:18.877 IST ] [Version.isPre:285] isPre.java: Returning
FALSE
[main] [ 2016-12-11 18:07:18.878 IST ] [OCR.loadLibrary:308]
  Inside constructor of OCR
[main] [ 2016-12-11 18:07:18.878 IST ] [OCR.isCluster:939] Calling OCRNative for
isCluster()
[main] [ 2016-12-11 18:07:18.878 IST ] [nativesystem.OCRNative.Native] JNI:
isCluster() Successfully initialized meta context
[main] [ 2016-12-11 18:07:18.878 IST ] [nativesystem.OCRNative.Native] JNI:
procr_get_conf() retVal = 0
[main] [ 2016-12-11 18:07:18.878 IST ] [nativesystem.OCRNative.Native] The OCR
file is configured & local_only=false

[main] [ 2016-12-11 18:07:18.878 IST ] [OCR.isCluster:943] OCR Result status =
true
[main] [ 2016-12-11 18:07:18.878 IST ] [OCR.isCluster:955] Boolean result = true
[main] [ 2016-12-11 18:07:18.878 IST ] [DatabaseImpl.create:320] Checking server
group configuration
[main] [ 2016-12-11 18:07:18.879 IST ] [CRSNative.internalQueryResources:1279]
About to doQueryResources: eType server pool, nodeName null, filter ((NAME ==
ora.pawdb) && (PARENT_POOLS != )) || (PARENT_POOLS CONTAINS ora.pawdb))
[main] [ 2016-12-11 18:07:18.900 IST ] [CRSNative.internalQueryResources:1287]
found 1 resources
[main] [ 2016-12-11 18:07:18.901 IST ] [CRSNative.internalQueryResources:1289]
ora.pawdb
[main] [ 2016-12-11 18:07:18.901 IST ] [CRSNative.internalQueryResources:1279]
About to doQueryResources: eType resource, nodeName null, filter (TYPE ==
ora.database.type)
[main] [ 2016-12-11 18:07:18.926 IST ] [CRSNative.internalQueryResources:1287]
found 2 resources
[main] [ 2016-12-11 18:07:18.926 IST ] [CRSNative.internalQueryResources:1289]
ora.orcl.db
[main] [ 2016-12-11 18:07:18.926 IST ] [CRSNative.internalQueryResources:1289]
ora.racdb.db
[main] [ 2016-12-11 18:07:18.947 IST ] [CRSNative.isEntityRegistered:672] entity:
ora.orcl.db, type: 1, registered: true
[main] [ 2016-12-11 18:07:18.947 IST ] [CRSNative.getStat:1153] About to call crs
stat: name: ora.orcl.db, type: 1, node: null
[main] [ 2016-12-11 18:07:18.947 IST ] [CRSNative.getStat:1155] looking for
following attributes:
[main] [ 2016-12-11 18:07:18.948 IST ] [CRSNative.getStat:1157]
'SERVER_POOLS'
[main] [ 2016-12-11 18:07:18.970 IST ] [CRSNative.getStat:1170] crs found 1
attributes
[main] [ 2016-12-11 18:07:18.970 IST ] [CRSNative.getStat:1180] Name:
'SERVER_POOLS'; Value: 'ora.orcl'
[main] [ 2016-12-11 18:07:18.970 IST ] [DatabaseFactoryImpl.getDatabases:620] db
server pools =ora.orcl
[main] [ 2016-12-11 18:07:18.970 IST ] [DatabaseFactoryImpl.getDatabases:621]
group name is ora.pawdb
[main] [ 2016-12-11 18:07:18.971 IST ] [DatabaseFactoryImpl.getDatabases:625]
sgName = ora.orcl
[main] [ 2016-12-11 18:07:18.992 IST ] [CRSNative.isEntityRegistered:672] entity:
ora.racdb.db, type: 1, registered: true
[main] [ 2016-12-11 18:07:18.992 IST ] [CRSNative.getStat:1153] About to call crs
stat: name: ora.racdb.db, type: 1, node: null
[main] [ 2016-12-11 18:07:18.993 IST ] [CRSNative.getStat:1155] looking for
following attributes:
[main] [ 2016-12-11 18:07:18.993 IST ] [CRSNative.getStat:1157]
```

```

'SERVER_POOLS'
[main] [ 2016-12-11 18:07:19.015 IST ] [CRSNative.getStat:1170] crs found 1
attributes
[main] [ 2016-12-11 18:07:19.015 IST ] [CRSNative.getStat:1180] Name:
'SERVER_POOLS'; Value: 'ora.racdb'
[main] [ 2016-12-11 18:07:19.015 IST ] [DatabaseFactoryImpl.getDatabases:620] db
server pools =ora.racdb
[main] [ 2016-12-11 18:07:19.016 IST ] [DatabaseFactoryImpl.getDatabases:621]
group name is ora.pawdb
[main] [ 2016-12-11 18:07:19.019 IST ] [DatabaseFactoryImpl.getDatabases:625]
sgName = ora.racdb
[main] [ 2016-12-11 18:07:19.022 IST ] [CRSNative.internalQueryResources:1279]
About to doQueryResources: eType resource, nodeName null, filter (TYPE ==
ora.service.type)
[main] [ 2016-12-11 18:07:19.039 IST ] [CRSNative.internalQueryResources:1287]
found 0 resources
[main] [ 2016-12-11 18:07:19.039 IST ] [DatabaseFactoryImpl.getServices:1288]
Could not find any resource of TYPE=ora.service.type
[main] [ 2016-12-11 18:07:19.039 IST ] [DatabaseImpl.create:377] no existing db or
service hosted by server group, pawdb
[main] [ 2016-12-11 18:07:19.039 IST ] [DatabaseImpl.create:382] Done with server
group check: AdminManaged=true
[main] [ 2016-12-11 18:07:19.040 IST ] [DatabaseImpl.create:443] instance Name =
pawdb1
[main] [ 2016-12-11 18:07:19.040 IST ] [DatabaseImpl.create:443] instance Name =
pawdb2
[main] [ 2016-12-11 18:07:19.064 IST ] [CRSNative.isEntityRegistered:672] entity:
ora.PAWDB_DATA.dg, type: 1, registered: true
[main] [ 2016-12-11 18:07:19.087 IST ] [CRSNative.isEntityRegistered:672] entity:
ora.FRA.dg, type: 1, registered: true
[main] [ 2016-12-11 18:07:19.087 IST ] [DatabaseImpl.create:455] Checking for
ora.database.type
[main] [ 2016-12-11 18:07:19.109 IST ] [CRSNative.isEntityRegistered:672] entity:
ora.database.type, type: 2, registered: true
[main] [ 2016-12-11 18:07:19.109 IST ] [DatabaseImpl.create:488] ora.database.type
exists
[main] [ 2016-12-11 18:07:19.133 IST ] [CRSNative.isEntityRegistered:672] entity:
ora.listener.type, type: 2, registered: true
[main] [ 2016-12-11 18:07:19.157 IST ] [CRSNative.isEntityRegistered:672] entity:
ora.scan_listener.type, type: 2, registered: true
[main] [ 2016-12-11 18:07:19.157 IST ] [DatabaseImpl.create:524] Updating database
attributes
[main] [ 2016-12-11 18:07:19.157 IST ] [DatabaseImpl.getServerGroupString:3616]
=====server group name is ora.pawdb
[main] [ 2016-12-11 18:07:19.158 IST ] [DatabaseImpl.create:544] dbUniqueName =
pawdb
[main] [ 2016-12-11 18:07:19.158 IST ] [DatabaseImpl.create:655] Creating
USR_ORA_INST_NAME@NODENAME....
[main] [ 2016-12-11 18:07:19.158 IST ] [DatabaseImpl.create:660] nodeName = paw-
racnode1, instanceName = pawdb1
[main] [ 2016-12-11 18:07:19.158 IST ] [DatabaseImpl.create:660] nodeName = paw-
racnode2, instanceName = pawdb2
[main] [ 2016-12-11 18:07:19.159 IST ] [DatabaseImpl.create:672] adding
cardinality of size 2 to the admin managed db
[main] [ 2016-12-11 18:07:19.159 IST ] [DatabaseImpl.create:688] Creating
dependencies
[main] [ 2016-12-11 18:07:19.240 IST ] [Version.isPre:274] version to be checked
11.2.0.1.0 major version to check against10
[main] [ 2016-12-11 18:07:19.240 IST ] [Version.isPre:285] isPre.java: Returning

```

```
FALSE
[main] [ 2016-12-11 18:07:19.240 IST ] [OCR.loadLibrary:308]
  Inside constructor of OCR
[main] [ 2016-12-11 18:07:19.241 IST ] [OCR.isCluster:939] Calling OCRNative for
isCluster()
[main] [ 2016-12-11 18:07:19.241 IST ] [nativesystem.OCRNative.Native] JNI:
isCluster() Successfully initialized meta context
[main] [ 2016-12-11 18:07:19.241 IST ] [nativesystem.OCRNative.Native] JNI:
procr_get_conf() retValue = 0
[main] [ 2016-12-11 18:07:19.241 IST ] [nativesystem.OCRNative.Native] The OCR
file is configured & local_only=false

[main] [ 2016-12-11 18:07:19.242 IST ] [OCR.isCluster:943] OCR Result status =
true
[main] [ 2016-12-11 18:07:19.242 IST ] [OCR.isCluster:955] Boolean result = true
[main] [ 2016-12-11 18:07:19.245 IST ] [NativeSystem.isCmdScv:471] isCmdScv:
cmd=[]
[main] [ 2016-12-11 18:07:19.245 IST ] [RuntimeExec.runCommand:75] Calling
Runtime.exec() with the command
[main] [ 2016-12-11 18:07:19.250 IST ] [RuntimeExec.runCommand:77] /bin/sh
[main] [ 2016-12-11 18:07:19.251 IST ] [RuntimeExec.runCommand:77] -c
[main] [ 2016-12-11 18:07:19.251 IST ] [RuntimeExec.runCommand:77] /sbin//acfsutil
info fs -o mountpoints /u01/app/oracle/product/11.2.0/db_1
[Thread-180] [ 2016-12-11 18:07:19.272 IST ] [StreamReader.run:61] In
StreamReader.run
[main] [ 2016-12-11 18:07:19.272 IST ] [RuntimeExec.runCommand:142] runCommand:
Waiting for the process
[Thread-179] [ 2016-12-11 18:07:19.273 IST ] [StreamReader.run:61] In
StreamReader.run
[Thread-180] [ 2016-12-11 18:07:19.341 IST ] [StreamReader.run:65] ERROR>acfsutil
info fs: ACFS-03037: not an ACFS file system
[main] [ 2016-12-11 18:07:19.354
  IST ] [RuntimeExec.runCommand:144] runCommand: process returns 1
[main] [ 2016-12-11 18:07:19.354 IST ] [RuntimeExec.runCommand:161] RunTimeExec:
output>
[main] [ 2016-12-11 18:07:19.354 IST ] [RuntimeExec.runCommand:170] RunTimeExec:
error>
[main] [ 2016-12-11 18:07:19.355 IST ] [RuntimeExec.runCommand:173] acfsutil info
fs: ACFS-03037: not an ACFS file system
[main] [ 2016-12-11 18:07:19.355 IST ] [RuntimeExec.runCommand:192] Returning from
RunTimeExec.runCommand
[main] [ 2016-12-11 18:07:19.355 IST ] [OFSUtil.getMountPoint:961]
m_cmdtool.execute failed for given path, /u01/app/oracle/product/11.2.0/db_1
[main] [ 2016-12-11 18:07:19.364 IST ] [DatabaseImpl.createStartDep:3277]
Exception encountered when getting mountpoint for oracle home: PRCT-1121 :
Execution of acfsutil failed on local node with result acfsutil info fs: ACFS-
03037: not an ACFS file system
[main] [ 2016-12-11 18:07:19.365 IST ] [DatabaseImpl.createStartDep:3344] hardDep
= hard(ora.PAWDB_DATA.dg,ora.FRA.dg)
[main] [ 2016-12-11 18:07:19.365 IST ] [DatabaseImpl.createStartDep:3345] pullDep
= pullup(ora.PAWDB_DATA.dg,ora.FRA.dg)
[main] [ 2016-12-11 18:07:19.365 IST ] [DatabaseImpl.createStartDep:3351] start
dependencies with diskgroup for cluster database =
hard(ora.PAWDB_DATA.dg,ora.FRA.dg)
weak(type:ora.listener.type,global:type:ora.scan_listener.type,uniform:ora.ons,unif
orm:ora.eons) pullup(ora.PAWDB_DATA.dg,ora.FRA.dg)
[main] [ 2016-12-11 18:07:19.365 IST ] [DatabaseImpl.createStopDep:3482] creating
stop dependencies
[main] [ 2016-12-11 18:07:19.366 IST ] [Version.isPre:274] version to be checked
```

```

11.2.0.1.0 major version to check against10
[main] [ 2016-12-11 18:07:19.366 IST ] [Version.isPre:285] isPre.java: Returning
FALSE
[main] [ 2016-12-11 18:07:19.366 IST ] [OCR.loadLibrary:308]
  Inside constructor of OCR
[main] [ 2016-12-11 18:07:19.366 IST ] [OCR.isCluster:939] Calling OCRNative for
isCluster()
[main] [ 2016-12-11 18:07:19.366 IST ] [nativesystem.OCRNative.Native] JNI:
isCluster() Successfully initialized meta context
[main] [ 2016-12-11 18:07:19.367 IST ] [nativesystem.OCRNative.Native] JNI:
procr_get_conf() retValue = 0
[main] [ 2016-12-11 18:07:19.367 IST ] [nativesystem.OCRNative.Native] The OCR
file is configured & local_only=false

[main] [ 2016-12-11 18:07:19.367 IST ] [OCR.isCluster:943] OCR Result status =
true
[main] [ 2016-12-11 18:07:19.367 IST ] [OCR.isCluster:955] Boolean result = true
[main] [ 2016-12-11 18:07:19.367 IST ] [NativeSystem.isCmdScv:471] isCmdScv:
cmd=[]
[main] [ 2016-12-11 18:07:19.368 IST ] [RuntimeExec.runCommand:75] Calling
Runtime.exec() with the command
[main] [ 2016-12-11 18:07:19.368 IST ] [RuntimeExec.runCommand:77] /bin/sh
[main] [ 2016-12-11 18:07:19.368 IST ] [RuntimeExec.runCommand:77] -c
[main] [ 2016-12-11 18:07:19.368 IST ] [RuntimeExec.runCommand:77] /sbin//acfsutil
info fs -o mountpoints /u01/app/oracle/product/11.2.0/db_1
[Thread-182] [ 2016-12-11 18:07:19.376 IST ] [StreamReader.run:61] In
StreamReader.run
[main] [ 2016-12-11 18:07:19.377 IST ] [RuntimeExec.runCommand:142] runCommand:
Waiting for the process
[Thread-181] [ 2016-12-11 18:07:19.377 IST ] [StreamReader.run:61] In
StreamReader.run
[Thread-182] [ 2016-12-11 18:07:19.392 IST ] [StreamReader.run:65] ERROR>acfsutil
info fs: ACFS-03037: not an ACFS file system
[main] [ 2016-12-11 18:07:19.396 IST ] [RuntimeExec.runCommand:144] runCommand:
process returns 1
[main] [ 2016-12-11 18:07:19.396 IST ] [RuntimeExec.runCommand:161] RunTimeExec:
output>
[main] [ 2016-12-11 18:07:19.396 IST ] [RuntimeExec.runCommand:170] RunTimeExec:
error>
[main] [ 2016-12-11 18:07:19.396 IST ] [RuntimeExec.runCommand:173] acfsutil info
fs: ACFS-03037: not an ACFS file system
[main] [ 2016-12-11 18:07:19.396 IST ] [RuntimeExec.runCommand:192] Returning from
RunTimeExec.runCommand
[main] [ 2016-12-11 18:07:19.397 IST ] [OFSUtil.getMountPoint:961]
m_cmdtool.execute failed for given path, /u01/app/oracle/product/11.2.0/db_1
[main] [ 2016-12-11 18:07:19.397 IST ] [DatabaseImpl.createStopDep:3505] This
exception is not a problem as it just indicates that OracleHome is not on ACFS:
PRCT-1121 : Execution of acfsutil failed on local node with result acfsutil info
fs: ACFS-03037: not an ACFS file system
[main] [ 2016-12-11 18:07:19.397 IST ] [DatabaseImpl.createStopDep:3579] stop
dependencies =
hard(intermediate:ora.asm,shutdown:ora.PAWDB_DATA.dg,shutdown:ora.FRA.dg)
[main] [ 2016-12-11 18:07:19.422 IST ] [CRSNativeResult.addComp:162] add comp:
name ora.pawdb.db, rc 210, msg CRS-0210: Could not find resource 'ora.pawdb.db'.
[main] [ 2016-12-11 18:07:19.422 IST ] [CRSNative.isEntityRegistered:672] entity:
ora.pawdb.db, type: 1, registered: false
[main] [ 2016-12-11 18:07:19.422 IST ] [CRSNative.register:1133] About to
register: name: ora.pawdb.db, type: 1, update: false, force: false
[main] [ 2016-12-11 18:07:19.422 IST ] [CRSNative.register:1141] Name:

```

```

'TYPE', Value: 'ora.database.type'
[main] [ 2016-12-11 18:07:19.423 IST ] [CRSNative.register:1141] Name:
'DESCRIPTION', Value: 'Oracle Database resource'
[main] [ 2016-12-11 18:07:19.423 IST ] [CRSNative.register:1141] Name:
'AGENT_FILENAME', Value: '%CRS_HOME%/bin/oraagent%CRS_EXE_SUFFIX%'
[main] [ 2016-12-11 18:07:19.423 IST ] [CRSNative.register:1141] Name:
'ORACLE_HOME', Value: '/u01/app/oracle/product/11.2.0/db_1'
[main] [ 2016-12-11 18:07:19.423 IST ] [CRSNative.register:1141] Name:
'SERVER_POOLS', Value: 'ora.pawdb'
[main] [ 2016-12-11 18:07:19.423 IST ] [CRSNative.register:1141] Name:
'CLUSTER_DATABASE', Value: 'true'
[main] [ 2016-12-11 18:07:19.423 IST ] [CRSNative.register:1141] Name:
'RESTART_ATTEMPTS', Value: '2'
[main] [ 2016-12-11 18:07:19.424 IST ] [CRSNative.register:1141] Name:
'START_TIMEOUT', Value: '600'
[main] [ 2016-12-11 18:07:19.424 IST ] [CRSNative.register:1141] Name:
'STOP_TIMEOUT', Value: '600'
[main] [ 2016-12-11 18:07:19.424 IST ] [CRSNative.register:1141] Name:
'CHECK_TIMEOUT', Value: '600'
[main] [ 2016-12-11 18:07:19.424 IST ] [CRSNative.register:1141] Name:
'CHECK_INTERVAL', Value: '1'
[main] [ 2016-12-11 18:07:19.424 IST ] [CRSNative.register:1141] Name:
'FAILURE_INTERVAL', Value: '60'
[main] [ 2016-12-11 18:07:19.424 IST ] [CRSNative.register:1141] Name:
'FAILURE_THRESHOLD', Value: '1'
[main] [ 2016-12-11 18:07:19.425 IST ] [CRSNative.register:1141] Name:
'INSTANCE_FAILOVER', Value: '0'
[main] [ 2016-12-11 18:07:19.425 IST ] [CRSNative.register:1141] Name:
'USR_ORA_OPI', Value: 'false'
[main] [ 2016-12-11 18:07:19.425 IST ] [CRSNative.register:1141] Name:
'SPFILE', Value: '+PAWDB_DATA/spfilepawdb.ora'
[main] [ 2016-12-11 18:07:19.425 IST ] [CRSNative.register:1141] Name:
'ROLE', Value: 'PRIMARY'
[main] [ 2016-12-11 18:07:19.425 IST ] [CRSNative.register:1141] Name:
'MANAGEMENT_POLICY', Value: 'AUTOMATIC'
[main] [ 2016-12-11 18:07:19.425 IST ] [CRSNative.register:1141] Name:
'DB_UNIQUE_NAME', Value: 'pawdb'
[main] [ 2016-12-11 18:07:19.425 IST ] [CRSNative.register:1141] Name:
'USR_ORA_DB_NAME', Value: 'pawdb'
[main] [ 2016-12-11 18:07:19.426 IST ] [CRSNative.register:1141] Name:
'USR_ORA_DOMAIN', Value: ''
[main] [ 2016-12-11 18:07:19.426 IST ] [CRSNative.register:1141] Name:
'GEN_AUDIT_FILE_DEST', Value: ''
[main] [ 2016-12-11 18:07:19.426 IST ] [CRSNative.register:1141] Name:
'USR_ORA_FLAGS', Value: ''
[main] [ 2016-12-11 18:07:19.426 IST ] [CRSNative.register:1141] Name:
'USR_ORA_OPEN_MODE', Value: 'open'
[main] [ 2016-12-11 18:07:19.426 IST ] [CRSNative.register:1141] Name:
'USR_ORA_STOP_MODE', Value: 'immediate'
[main] [ 2016-12-11 18:07:19.426 IST ] [CRSNative.register:1141] Name:
'USR_ORA_INST_NAME', Value: ''
[main] [ 2016-12-11 18:07:19.426 IST ] [CRSNative.register:1141] Name:
'GEN_USR_ORA_INST_NAME', Value: ''
[main] [ 2016-12-11 18:07:19.427 IST ] [CRSNative.register:1141] Name:
'DEFAULT_TEMPLATE', Value: 'PROPERTY(RESOURCE_CLASS=database)
PROPERTY(DB_UNIQUE_NAME= CONCAT(PARSE(%NAME%, ., 2), %USR_ORA_DOMAIN%, .))
ELEMENT(INSTANCE_NAME= %GEN_USR_ORA_INST_NAME%)'
[main] [ 2016-12-11 18:07:19.427 IST ] [CRSNative.register:1141] Name:
'VERSION', Value: '11.2.0.1.0'

```

```

[main] [ 2016-12-11 18:07:19.427 IST ] [CRSNative.register:1141]      Name:
'USR_ORA_INST_NAME@SERVERNAME(paw-racnode1)', Value: 'pawdb1'
[main] [ 2016-12-11 18:07:19.427 IST ] [CRSNative.register:1141]      Name:
'USR_ORA_INST_NAME@SERVERNAME(paw-racnode2)', Value: 'pawdb2'
[main] [ 2016-12-11 18:07:19.427 IST ] [CRSNative.register:1141]      Name:
'CARDINALITY', Value: '2'
[main] [ 2016-12-11 18:07:19.427 IST ] [CRSNative.register:1141]      Name:
'START_DEPENDENCIES', Value: 'hard(ora.PAWDB_DATA.dg,ora.FRA.dg)
weak(type:ora.listener.type,global:type:ora.scan_listener.type,uniform:ora.ons,unif
orm:ora.eons) pullup(ora.PAWDB_DATA.dg,ora.FRA.dg) '
[main] [ 2016-12-11 18:07:19.428 IST ] [CRSNative.register:1141]      Name:
'STOP_DEPENDENCIES', Value:
'hard(intermediate:ora.asm,shutdown:ora.PAWDB_DATA.dg,shutdown:ora.FRA.dg) '
[main] [ 2016-12-11 18:07:19.491 IST ] [DatabaseImpl.create:700]      Successfully
creating database resource
[main] [ 2016-12-11 18:07:19.514 IST ] [CRSNative.isEntityRegistered:672] entity:
ora.pawdb.db, type: 1, registered: true
[main] [ 2016-12-11 18:07:19.515 IST ] [CRSConfig.createRAC:209]      Completed
Configuring Cluster
[main] [ 2016-12-11 18:07:19.515 IST ] [CRSConfig.createRAC:234]      Disable Resource
[main] [ 2016-12-11 18:07:19.515 IST ] [CRSNative.getStat:1153]      About to call crs
stat: name: ora.pawdb.db, type: 1, node: null
[main] [ 2016-12-11 18:07:19.515 IST ] [CRSNative.getStat:1155]      looking for
following attributes:
[main] [ 2016-12-11 18:07:19.515 IST ] [CRSNative.getStat:1157]
'ENABLED'
[main] [ 2016-12-11 18:07:19.539 IST ] [CRSNative.getStat:1170]      crs found 1
attributes
[main] [ 2016-12-11 18:07:19.539 IST ] [CRSNative.getStat:1180]      Name:
'ENABLED'; Value: '1'
[main] [ 2016-12-11 18:07:19.540
IST ] [CRSNative.register:1133]      About to register: name: ora.pawdb.db, type: 1,
update: true, force: false
[main] [ 2016-12-11 18:07:19.540 IST ] [CRSNative.register:1141]      Name:
'ENABLED', Value: '0'
[main] [ 2016-12-11 18:07:19.616 IST ] [CRSNative.getStat:1153]      About to call crs
stat: name: ora.pawdb.db, type: 1, node: null
[main] [ 2016-12-11 18:07:19.636 IST ] [CRSNative.getStat:1170]      crs found 70
attributes
[main] [ 2016-12-11 18:07:19.636 IST ] [CRSNative.getStat:1180]      Name:
'STATE'; Value: 'OFFLINE'
[main] [ 2016-12-11 18:07:19.636 IST ] [CRSNative.getStat:1180]      Name:
'TARGET'; Value: 'OFFLINE'
[main] [ 2016-12-11 18:07:19.636 IST ] [CRSNative.getStat:1180]      Name: 'ACL';
Value: 'owner:oracle:rwx,pgrp:oinstall:rwx,other:r--'
[main] [ 2016-12-11 18:07:19.637 IST ] [CRSNative.getStat:1180]      Name:
'ACTION_FAILURE_TEMPLATE'; Value: ''
[main] [ 2016-12-11 18:07:19.637 IST ] [CRSNative.getStat:1180]      Name:
'ACTION_SCRIPT'; Value: ''
[main] [ 2016-12-11 18:07:19.637 IST ] [CRSNative.getStat:1180]      Name:
'ACTIVE_PLACEMENT'; Value: '1'
[main] [ 2016-12-11 18:07:19.637 IST ] [CRSNative.getStat:1180]      Name:
'AGENT_FILENAME'; Value: '%CRS_HOME%/bin/oraagent%CRS_EXE_SUFFIX%'
[main] [ 2016-12-11 18:07:19.637 IST ] [CRSNative.getStat:1180]      Name:
'AUTO_START'; Value: 'restore'
[main] [ 2016-12-11 18:07:19.638 IST ] [CRSNative.getStat:1180]      Name:
'CARDINALITY'; Value: '2'
[main] [ 2016-12-11 18:07:19.638 IST ] [CRSNative.getStat:1180]      Name:
'CARDINALITY_ID'; Value: '0'

```

```

[main] [ 2016-12-11 18:07:19.638 IST ] [CRSNative.getStat:1180] Name:
'CHECK_INTERVAL'; Value: '1'
[main] [ 2016-12-11 18:07:19.638 IST ] [CRSNative.getStat:1180] Name:
'CHECK_TIMEOUT'; Value: '600'
[main] [ 2016-12-11 18:07:19.638 IST ] [CRSNative.getStat:1180] Name:
'CLUSTER_DATABASE'; Value: 'true'
[main] [ 2016-12-11 18:07:19.638 IST ] [CRSNative.getStat:1180] Name:
'CREATION_SEED'; Value: '56'
[main] [ 2016-12-11 18:07:19.638 IST ] [CRSNative.getStat:1180] Name:
'CURRENT_RCOUNT'; Value: '0'
[main] [ 2016-12-11 18:07:19.639 IST ] [CRSNative.getStat:1180] Name:
'DB_UNIQUE_NAME'; Value: 'pawdb'
[main] [ 2016-12-11 18:07:19.639 IST ] [CRSNative.getStat:1180] Name:
'DEFAULT_TEMPLATE'; Value: 'PROPERTY(RESOURCE_CLASS=database)
PROPERTY(DB_UNIQUE_NAME= CONCAT(PARSE(%NAME%, ., 2), %USR_ORA_DOMAIN%, .))
ELEMENT(INSTANCE_NAME= %GEN_USR_ORA_INST_NAME%)'
[main] [ 2016-12-11 18:07:19.639 IST ] [CRSNative.getStat:1180] Name:
'DEGREE'; Value: '1'
[main] [ 2016-12-11 18:07:19.639 IST ] [CRSNative.getStat:1180] Name:
'DEGREE_ID'; Value: '0'
[main] [ 2016-12-11 18:07:19.639 IST ] [CRSNative.getStat:1180] Name:
'DESCRIPTION'; Value: 'Oracle Database resource'
[main] [ 2016-12-11 18:07:19.639 IST ] [CRSNative.getStat:1180] Name:
'ENABLED'; Value: '0'
[main] [ 2016-12-11 18:07:19.639 IST ] [CRSNative.getStat:1180] Name:
'FAILOVER_DELAY'; Value: '0'
[main] [ 2016-12-11 18:07:19.640 IST ] [CRSNative.getStat:1180] Name:
'FAILURE_COUNT'; Value: '0'
[main] [ 2016-12-11 18:07:19.640 IST ] [CRSNative.getStat:1180] Name:
'FAILURE_HISTORY'; Value: ''
[main] [ 2016-12-11 18:07:19.640 IST ] [CRSNative.getStat:1180] Name:
'FAILURE_INTERVAL'; Value: '60'
[main] [ 2016-12-11 18:07:19.640 IST ] [CRSNative.getStat:1180] Name:
'FAILURE_THRESHOLD'; Value: '1'
[main] [ 2016-12-11 18:07:19.640 IST ] [CRSNative.getStat:1180] Name:
'GEN_AUDIT_FILE_DEST'; Value: ''
[main] [ 2016-12-11 18:07:19.640 IST ] [CRSNative.getStat:1180] Name:
'GEN_USR_ORA_INST_NAME'; Value: ''
[main] [ 2016-12-11 18:07:19.641 IST ] [CRSNative.getStat:1180] Name:
'HOSTING_MEMBERS'; Value: ''
[main] [ 2016-12-11 18:07:19.641 IST ] [CRSNative.getStat:1180] Name: 'ID';
Value: 'ora.pawdb.db'
[main] [ 2016-12-11 18:07:19.641 IST ] [CRSNative.getStat:1180] Name:
'INCARNATION'; Value: '0'
[main] [ 2016-12-11 18:07:19.641 IST ] [CRSNative.getStat:1180] Name:
'INSTANCE_FAILOVER'; Value: '0'
[main] [ 2016-12-11 18:07:19.641 IST ] [CRSNative.getStat:1180] Name:
'LAST_FAULT'; Value: '0'
[main] [ 2016-12-11 18:07:19.641 IST ] [CRSNative.getStat:1180] Name:
'LAST_RESTART'; Value: '0'
[main] [ 2016-12-11 18:07:19.642 IST ] [CRSNative.getStat:1180] Name:
'LAST_SERVER'; Value: ''
[main] [ 2016-12-11 18:07:19.642 IST ] [CRSNative.getStat:1180] Name:
'LOAD'; Value: '1'
[main] [ 2016-12-11 18:07:19.642 IST ] [CRSNative.getStat:1180] Name:
'LOGGING_LEVEL'; Value: '1'
[main] [ 2016-12-11 18:07:19.642 IST ] [CRSNative.getStat:1180] Name:
'MANAGEMENT_POLICY'; Value: 'AUTOMATIC'
[main] [ 2016-12-11 18:07:19.642 IST ] [CRSNative.getStat:1180] Name:

```



```

'NAME'; Value: 'ora.pawdb.db'
[main] [ 2016-12-11 18:07:19.642 IST ] [CRSNative.getStat:1180] Name:
'NLS_LANG'; Value: ''
[main] [ 2016-12-11 18:07:19.642 IST ] [CRSNative.getStat:1180] Name:
'NOT_RESTARTING_TEMPLATE'; Value: ''
[main] [ 2016-12-11 18:07:19.643 IST ] [CRSNative.getStat:1180] Name:
'OFFLINE_CHECK_INTERVAL'; Value: '0'
[main] [ 2016-12-11 18:07:19.643 IST ] [CRSNative.getStat:1180] Name:
'ORACLE_HOME'; Value: '/u01/app/oracle/product/11.2.0/db_1'
[main] [ 2016-12-11 18:07:19.643 IST ] [CRSNative.getStat:1180] Name:
'PLACEMENT'; Value: 'restricted'
[main] [ 2016-12-11 18:07:19.643 IST ] [CRSNative.getStat:1180] Name:
'PROFILE_CHANGE_TEMPLATE'; Value: ''
[main] [ 2016-12-11 18:07:19.643 IST ] [CRSNative.getStat:1180] Name:
'RESTART_ATTEMPTS'; Value: '2'
[main] [ 2016-12-11 18:07:19.643 IST ] [CRSNative.getStat:1180] Name:
'ROLE'; Value: 'PRIMARY'
[main] [ 2016-12-11 18:07:19.643 IST ] [CRSNative.getStat:1180] Name:
'SCRIPT_TIMEOUT'; Value: '60'
[main] [ 2016-12-11 18:07:19.644 IST ] [CRSNative.getStat:1180] Name:
'SERVER_POOLS'; Value: 'ora.pawdb'
[main] [ 2016-12-11 18:07:19.644 IST ] [CRSNative.getStat:1180] Name:
'SPFILE'; Value: '+PAWDB_DATA/spfilepawdb.ora'
[main] [ 2016-12-11 18:07:19.644 IST ] [CRSNative.getStat:1180] Name:
'START_DEPENDENCIES'; Value: 'hard(ora.PAWDB_DATA.dg,ora.FRA.dg)
weak(type:ora.listener.type,global:type:ora.scan_listener.type,uniform:ora.ons,unif
orm:ora.eons) pullup(ora.PAWDB_DATA.dg,ora.FRA.dg) '
[main] [ 2016-12-11 18:07:19.644 IST ] [CRSNative.getStat:1180] Name:
'START_TIMEOUT'; Value: '600'
[main] [ 2016-12-11 18:07:19.644 IST ] [CRSNative.getStat:1180] Name:
'STATE_CHANGE_TEMPLATE'; Value: ''
[main] [ 2016-12-11 18:07:19.644 IST ] [CRSNative.getStat:1180] Name:
'STATE_CHANGE_VERS'; Value: '0'
[main] [ 2016-12-11 18:07:19.645 IST ] [CRSNative.getStat:1180] Name:
'STATE_DETAILS'; Value: ''
[main] [ 2016-12-11 18:07:19.645 IST ] [CRSNative.getStat:1180] Name:
'STOP_DEPENDENCIES'; Value:
'hard(intermediate:ora.asm,shutdown:ora.PAWDB_DATA.dg,shutdown:ora.FRA.dg) '
[main] [ 2016-12-11 18:07:19.648 IST ] [CRSNative.getStat:1180] Name:
'STOP_TIMEOUT'; Value: '600'
[main] [ 2016-12-11 18:07:19.648 IST ] [CRSNative.getStat:1180] Name:
'TYPE'; Value: 'ora.database.type'
[main] [ 2016-12-11 18:07:19.648 IST ] [CRSNative.getStat:1180] Name:
'UPTIME_THRESHOLD'; Value: '1h'
[main] [ 2016-12-11 18:07:19.648 IST ] [CRSNative.getStat:1180] Name:
'USR_ORA_DB_NAME'; Value: 'pawdb'
[main] [ 2016-12-11 18:07:19.648 IST ] [CRSNative.getStat:1180] Name:
'USR_ORA_DOMAIN'; Value: ''
[main] [ 2016-12-11 18:07:19.648 IST ] [CRSNative.getStat:1180] Name:
'USR_ORA_ENV'; Value: ''
[main] [ 2016-12-11 18:07:19.649 IST ] [CRSNative.getStat:1180] Name:
'USR_ORA_FLAGS'; Value: ''
[main] [ 2016-12-11 18:07:19.649 IST ] [CRSNative.getStat:1180] Name:
'USR_ORA_INST_NAME'; Value: ''
[main] [ 2016-12-11 18:07:19.649 IST ] [CRSNative.getStat:1180] Name:
'USR_ORA_INST_NAME@SERVERNAME(paw-racnode1)'; Value: 'pawdb1'
[main] [ 2016-12-11 18:07:19.649 IST ] [CRSNative.getStat:1180] Name:
'USR_ORA_INST_NAME@SERVERNAME(paw-racnode2)'; Value: 'pawdb2'
[main] [ 2016-12-11 18:07:19.649 IST ] [CRSNative.getStat:1180] Name:

```

```

'USR_ORA_OPEN_MODE'; Value: 'open'
[main] [ 2016-12-11 18:07:19.649 IST ] [CRSNative.getStat:1180]      Name:
'USR_ORA_OPI'; Value: 'false'
[main] [ 2016-12-11 18:07:19.650 IST ] [CRSNative.getStat:1180]      Name:
'USR_ORA_STOP_MODE'; Value: 'immediate'
[main] [ 2016-12-11 18:07:19.650 IST ] [CRSNative.getStat:1180]      Name:
'VERSION'; Value: '11.2.0.1.0'
[main] [ 2016-12-11 18:07:19.650 IST ] [CRSConfig.startRAC:263]  Enable Database HA
Resource
[main] [ 2016-12-11 18:07:19.669 IST ] [CRSNative.isEntityRegistered:672]  entity:
ora.pawdb.db, type: 1, registered: true
[main] [ 2016-12-11 18:07:19.669 IST ] [CRSNative.getStat:1153]  About to call crs
stat: name: ora.pawdb.db, type: 1, node: null
[main] [ 2016-12-11 18:07:19.669 IST ] [CRSNative.getStat:1155]  looking for
following attributes:
[main] [ 2016-12-11 18:07:19.669 IST ] [CRSNative.getStat:1157]
      'DB_UNIQUE_NAME'
[main] [ 2016-12-11 18:07:19.692 IST ] [CRSNative.getStat:1170]  crs found 1
attributes
[main] [ 2016-12-11 18:07:19.692 IST ] [CRSNative.getStat:1180]      Name:
'DB_UNIQUE_NAME'; Value: 'pawdb'
[main] [ 2016-12-11 18:07:19.692 IST ] [DatabaseImpl.crsResource:2446]  calling
parent's crsResource
[main] [ 2016-12-11 18:07:19.716 IST ] [CRSNative.isEntityRegistered:672]  entity:
ora.pawdb.db, type: 1, registered: true
[main] [ 2016-12-11 18:07:19.716 IST ] [CRSNative.getStat:1153]  About to call crs
stat: name: ora.pawdb.db, type: 1, node: null
[main] [ 2016-12-11 18:07:19.716 IST ] [CRSNative.getStat:1155]  looking for
following attributes:
[main] [ 2016-12-11 18:07:19.716 IST ] [CRSNative.getStat:1157]
      'ENABLED'
[main] [ 2016-12-11 18:07:19.739 IST ] [CRSNative.getStat:1170]  crs found 1
attributes
[main] [ 2016-12-11 18:07:19.739 IST ] [CRSNative.getStat:1180]      Name:
'ENABLED'; Value: '0'
[main] [ 2016-12-11 18:07:19.740 IST ] [CRSNative.register:1133]  About to
register: name: ora.pawdb.db, type: 1, update: true, force: false
[main] [ 2016-12-11 18:07:19.740 IST ] [CRSNative.register:1141]      Name:
'ENABLED', Value: '1'
[main] [ 2016-12-11 18:07:19.799 IST ] [CRSNative.getStat:1153]  About to
call crs stat: name: ora.pawdb.db, type: 1, node: null
[main] [ 2016-12-11 18:07:19.826 IST ] [CRSNative.getStat:1170]  crs found 70
attributes
[main] [ 2016-12-11 18:07:19.826 IST ] [CRSNative.getStat:1180]      Name:
'STATE'; Value: 'OFFLINE'
[main] [ 2016-12-11 18:07:19.826 IST ] [CRSNative.getStat:1180]      Name:
'TARGET'; Value: 'OFFLINE'
[main] [ 2016-12-11 18:07:19.826 IST ] [CRSNative.getStat:1180]      Name: 'ACL';
Value: 'owner:oracle:rx,prp:oinstall:rx,other::r--'
[main] [ 2016-12-11 18:07:19.827 IST ] [CRSNative.getStat:1180]      Name:
'ACTION_FAILURE_TEMPLATE'; Value: ''
[main] [ 2016-12-11 18:07:19.827 IST ] [CRSNative.getStat:1180]      Name:
'ACTION_SCRIPT'; Value: ''
[main] [ 2016-12-11 18:07:19.827 IST ] [CRSNative.getStat:1180]      Name:
'ACTIVE_PLACEMENT'; Value: '1'
[main] [ 2016-12-11 18:07:19.827 IST ] [CRSNative.getStat:1180]      Name:
'AGENT_FILENAME'; Value: '%CRS_HOME%/bin/oraagent%CRS_EXE_SUFFIX%'
[main] [ 2016-12-11 18:07:19.827 IST ] [CRSNative.getStat:1180]      Name:
'AUTO_START'; Value: 'restore'

```

```

[main] [ 2016-12-11 18:07:19.827 IST ] [CRSNative.getStat:1180] Name:
'CARDINALITY'; Value: '2'
[main] [ 2016-12-11 18:07:19.829 IST ] [CRSNative.getStat:1180] Name:
'CARDINALITY_ID'; Value: '0'
[main] [ 2016-12-11 18:07:19.830 IST ] [CRSNative.getStat:1180] Name:
'CHECK_INTERVAL'; Value: '1'
[main] [ 2016-12-11 18:07:19.830 IST ] [CRSNative.getStat:1180] Name:
'CHECK_TIMEOUT'; Value: '600'
[main] [ 2016-12-11 18:07:19.830 IST ] [CRSNative.getStat:1180] Name:
'CLUSTER_DATABASE'; Value: 'true'
[main] [ 2016-12-11 18:07:19.830 IST ] [CRSNative.getStat:1180] Name:
'CREATION_SEED'; Value: '57'
[main] [ 2016-12-11 18:07:19.830 IST ] [CRSNative.getStat:1180] Name:
'CURRENT_RCOUNT'; Value: '0'
[main] [ 2016-12-11 18:07:19.830 IST ] [CRSNative.getStat:1180] Name:
'DB_UNIQUE_NAME'; Value: 'pawdb'
[main] [ 2016-12-11 18:07:19.831 IST ] [CRSNative.getStat:1180] Name:
'DEFAULT_TEMPLATE'; Value: 'PROPERTY(RESOURCE_CLASS=database)
PROPERTY(DB_UNIQUE_NAME= CONCAT(PARSE(%NAME%, ., 2), %USR_ORA_DOMAIN%, .))
ELEMENT(INSTANCE_NAME= %GEN_USR_ORA_INST_NAME%)'
[main] [ 2016-12-11 18:07:19.831 IST ] [CRSNative.getStat:1180] Name:
'DEGREE'; Value: '1'
[main] [ 2016-12-11 18:07:19.831 IST ] [CRSNative.getStat:1180] Name:
'DEGREE_ID'; Value: '0'
[main] [ 2016-12-11 18:07:19.831 IST ] [CRSNative.getStat:1180] Name:
'DESCRIPTION'; Value: 'Oracle Database resource'
[main] [ 2016-12-11 18:07:19.832 IST ] [CRSNative.getStat:1180] Name:
'ENABLED'; Value: '1'
[main] [ 2016-12-11 18:07:19.832 IST ] [CRSNative.getStat:1180] Name:
'FAILOVER_DELAY'; Value: '0'
[main] [ 2016-12-11 18:07:19.833 IST ] [CRSNative.getStat:1180] Name:
'FAILURE_COUNT'; Value: '0'
[main] [ 2016-12-11 18:07:19.833 IST ] [CRSNative.getStat:1180] Name:
'FAILURE_HISTORY'; Value: ''
[main] [ 2016-12-11 18:07:19.833 IST ] [CRSNative.getStat:1180] Name:
'FAILURE_INTERVAL'; Value: '60'
[main] [ 2016-12-11 18:07:19.833 IST ] [CRSNative.getStat:1180] Name:
'FAILURE_THRESHOLD'; Value: '1'
[main] [ 2016-12-11 18:07:19.833 IST ] [CRSNative.getStat:1180] Name:
'GEN_AUDIT_FILE_DEST'; Value: ''
[main] [ 2016-12-11 18:07:19.833 IST ] [CRSNative.getStat:1180] Name:
'GEN_USR_ORA_INST_NAME'; Value: ''
[main] [ 2016-12-11 18:07:19.833 IST ] [CRSNative.getStat:1180] Name:
'HOSTING_MEMBERS'; Value: ''
[main] [ 2016-12-11 18:07:19.834 IST ] [CRSNative.getStat:1180] Name: 'ID';
Value: 'ora.pawdb.db'
[main] [ 2016-12-11 18:07:19.834 IST ] [CRSNative.getStat:1180] Name:
'INCARNATION'; Value: '0'
[main] [ 2016-12-11 18:07:19.834 IST ] [CRSNative.getStat:1180] Name:
'INSTANCE_FAILOVER'; Value: '0'
[main] [ 2016-12-11 18:07:19.834 IST ] [CRSNative.getStat:1180] Name:
'LAST_FAULT'; Value: '0'
[main] [ 2016-12-11 18:07:19.834 IST ] [CRSNative.getStat:1180] Name:
'LAST_RESTART'; Value: '0'
[main] [ 2016-12-11 18:07:19.834 IST ] [CRSNative.getStat:1180] Name:
'LAST_SERVER'; Value: ''
[main] [ 2016-12-11 18:07:19.834 IST ] [CRSNative.getStat:1180] Name:
'LOAD'; Value: '1'
[main] [ 2016-12-11 18:07:19.835 IST ] [CRSNative.getStat:1180] Name:

```

```

'LOGGING_LEVEL'; Value: '1'
[main] [ 2016-12-11 18:07:19.835 IST ] [CRSNative.getStat:1180] Name:
'MANAGEMENT_POLICY'; Value: 'AUTOMATIC'
[main] [ 2016-12-11 18:07:19.835 IST ] [CRSNative.getStat:1180] Name:
'NAME'; Value: 'ora.pawdb.db'
[main] [ 2016-12-11 18:07:19.835 IST ] [CRSNative.getStat:1180] Name:
'NLS_LANG'; Value: ''
[main] [ 2016-12-11 18:07:19.835 IST ] [CRSNative.getStat:1180] Name:
'NOT_RESTARTING_TEMPLATE'; Value: ''
[main] [ 2016-12-11 18:07:19.835 IST ] [CRSNative.getStat:1180] Name:
'OFFLINE_CHECK_INTERVAL'; Value: '0'
[main] [ 2016-12-11 18:07:19.836 IST ] [CRSNative.getStat:1180] Name:
'ORACLE_HOME'; Value: '/u01/app/oracle/product/11.2.0/db_1'
[main] [ 2016-12-11 18:07:19.836 IST ] [CRSNative.getStat:1180] Name:
'PLACEMENT'; Value: 'restricted'
[main] [ 2016-12-11 18:07:19.836 IST ] [CRSNative.getStat:1180] Name:
'PROFILE_CHANGE_TEMPLATE'; Value: ''
[main] [ 2016-12-11 18:07:19.836 IST ] [CRSNative.getStat:1180] Name:
'RESTART_ATTEMPTS'; Value: '2'
[main] [ 2016-12-11 18:07:19.865 IST ] [CRSNative.getStat:1180] Name:
'ROLE'; Value: 'PRIMARY'
[main] [ 2016-12-11 18:07:19.866 IST ] [CRSNative.getStat:1180] Name:
'SCRIPT_TIMEOUT'; Value: '60'
[main] [ 2016-12-11 18:07:19.867 IST ] [CRSNative.getStat:1180] Name:
'SERVER_POOLS'; Value: 'ora.pawdb'
[main] [ 2016-12-11 18:07:19.867 IST ] [CRSNative.getStat:1180] Name:
'SPFILE'; Value: '+PAWDB_DATA/spfilepawdb.ora'
[main] [ 2016-12-11 18:07:19.867 IST ] [CRSNative.getStat:1180] Name:
'START_DEPENDENCIES'; Value: 'hard(ora.PAWDB_DATA.dg,ora.FRA.dg)
weak(type:ora.listener.type,global:type:ora.scan_listener.type,uniform:ora.ons,unif
orm:ora.eons) pullup(ora.PAWDB_DATA.dg,ora.FRA.dg) '
[main] [ 2016-12-11 18:07:19.867 IST ] [CRSNative.getStat:1180] Name:
'START_TIMEOUT'; Value: '600'
[main] [ 2016-12-11 18:07:19.867 IST ] [CRSNative.getStat:1180] Name:
'STATE_CHANGE_TEMPLATE'; Value: ''
[main] [ 2016-12-11 18:07:19.867 IST ] [CRSNative.getStat:1180] Name:
'STATE_CHANGE_VERS'; Value: '0'
[main] [ 2016-12-11 18:07:19.867 IST ] [CRSNative.getStat:1180] Name:
'STATE_DETAILS'; Value: ''
[main] [ 2016-12-11 18:07:19.868 IST ] [CRSNative.getStat:1180] Name:
'STOP_DEPENDENCIES'; Value:
'hard(intermediate:ora.asm,shutdown:ora.PAWDB_DATA.dg,shutdown:ora.FRA.dg) '
[main] [ 2016-12-11 18:07:19.868 IST ] [CRSNative.getStat:1180] Name:
'STOP_TIMEOUT'; Value: '600'
[main] [ 2016-12-11 18:07:19.868 IST ] [CRSNative.getStat:1180] Name:
'TYPE'; Value: 'ora.database.type'
[main] [ 2016-12-11 18:07:19.868 IST ] [CRSNative.getStat:1180] Name:
'UPTIME_THRESHOLD'; Value: '1h'
[main] [ 2016-12-11 18:07:19.868 IST ] [CRSNative.getStat:1180] Name:
'USR_ORA_DB_NAME'; Value: 'pawdb'
[main] [ 2016-12-11 18:07:19.868 IST ] [CRSNative.getStat:1180] Name:
'USR_ORA_DOMAIN'; Value: ''
[main] [ 2016-12-11 18:07:19.868 IST ] [CRSNative.getStat:1180] Name:
'USR_ORA_ENV'; Value: ''
[main] [ 2016-12-11 18:07:19.868 IST ] [CRSNative.getStat:1180] Name:
'USR_ORA_FLAGS'; Value: ''
[main] [ 2016-12-11 18:07:19.869 IST ] [CRSNative.getStat:1180] Name:
'USR_ORA_INST_NAME'; Value: ''
[main] [ 2016-12-11 18:07:19.869 IST ] [CRSNative.getStat:1180] Name:

```

```
'USR_ORA_INST_NAME@SERVERNAME(paw-racnode1)'; Value: 'pawdb1'
[main] [ 2016-12-11 18:07:19.869 IST ] [CRSNative.getStat:1180]      Name:
'USR_ORA_INST_NAME@SERVERNAME(paw-racnode2)'; Value: 'pawdb2'
[main] [ 2016-12-11 18:07:19.869 IST ] [CRSNative.getStat:1180]      Name:
'USR_ORA_OPEN_MODE'; Value: 'open'
[main] [ 2016-12-11 18:07:19.869 IST ] [CRSNative.getStat:1180]      Name:
'USR_ORA_OPI'; Value: 'false'
[main] [ 2016-12-11 18:07:19.869 IST ] [CRSNative.getStat:1180]      Name:
'USR_ORA_STOP_MODE'; Value: 'immediate'
[main] [ 2016-12-11 18:07:19.869 IST ] [CRSNative.getStat:1180]      Name:
'VERSION'; Value: '11.2.0.1.0'
[main] [ 2016-12-11 18:07:19.869 IST ] [CRSConfig.startRAC:266] Starting Database
HA Resource
[main] [ 2016-12-11 18:07:19.870 IST ] [CRSNative.internalStartResource:339] About
to start resource: Name: ora.pawdb.db, node: null, options: 0, filter null
[main] [ 2016-12-11 18:07:20.020 IST ] [CRSNativeResult.addLine:106] callback:
ora.pawdb.db false CRS-2672: Attempting to start 'ora.pawdb.db' on 'paw-racnode1'
[main] [ 2016-12-11 18:07:20.021 IST ] [CRSNativeResult.addLine:106] callback:
ora.pawdb.db false CRS-2672: Attempting to start 'ora.PAWDB_DATA.dg' on 'paw-
racnode2'
[main] [ 2016-12-11 18:07:24.479 IST ] [CRSNativeResult.addLine:106] callback:
ora.pawdb.db false CRS-2676: Start of 'ora.PAWDB_DATA.dg' on 'paw-racnode2'
succeeded
[main] [ 2016-12-11 18:07:24.480 IST ] [CRSNativeResult.addLine:106] callback:
ora.pawdb.db false CRS-2672: Attempting to start 'ora.pawdb.db' on 'paw-racnode2'
[main] [ 2016-12-11 18:07:47.858 IST ] [CRSNativeResult.addLine:106] callback:
ora.pawdb.db false CRS-2676: Start of 'ora.pawdb.db' on 'paw-racnode1' succeeded
[main] [ 2016-12-11 18:08:29.418 IST ] [CRSNativeResult.addLine:106] callback:
ora.pawdb.db false CRS-2676: Start of 'ora.pawdb.db' on 'paw-racnode2' succeeded
[main] [ 2016-12-11 18:08:29.450 IST ] [CRSNative.internalStartResource:372] Start
resource completed: node: null
[main] [ 2016-12-11 18:08:29.450 IST ] [CRSNative.internalStartResource:375] cmd
output: CRS-2672: Attempting to start 'ora.pawdb.db' on 'paw-racnode1'
[main] [ 2016-12-11 18:08:29.451 IST ] [CRSNative.internalStartResource:375] cmd
output: CRS-2672: Attempting to start 'ora.PAWDB_DATA.dg' on 'paw-racnode2'
[main] [ 2016-12-11 18:08:29.451 IST ] [CRSNative.internalStartResource:375] cmd
output: CRS-2676: Start of 'ora.PAWDB_DATA.dg' on 'paw-racnode2' succeeded
[main] [ 2016-12-11 18:08:29.451 IST ] [CRSNative.internalStartResource:375] cmd
output: CRS-2672: Attempting to start 'ora.pawdb.db' on 'paw-racnode2'
[main] [ 2016-12-11 18:08:29.451 IST ] [CRSNative.internalStartResource:375]
cmd output: CRS-2676: Start of 'ora.pawdb.db' on 'paw-racnode1' succeeded
[main] [ 2016-12-11 18:08:29.451 IST ] [CRSNative.internalStartResource:375] cmd
output: CRS-2676: Start of 'ora.pawdb.db' on 'paw-racnode2' succeeded
[main] [ 2016-12-11 18:08:29.451 IST ] [CRSConfig.startRAC:280] Database HA
Resource successfully started
[main] [ 2016-12-11 18:08:29.451 IST ] [CRSConfig.startRAC:282] Cluster Started
[main] [ 2016-12-11 18:08:29.451 IST ] [SQLEngine.done:2148] Done called
[main] [ 2016-12-11 18:08:29.452 IST ] [SQLEngine.spoolOff:2008] Setting spool off
= /u01/app/oracle/cfgtoollogs/rconfig/pawdb1/sqlLog
[main] [ 2016-12-11 18:08:29.452 IST ] [OracleHome.getVersion:877]
OracleHome.getVersion called. Current Version: 11.2.0.1.0
[main] [ 2016-12-11 18:08:29.452 IST ] [OracleHome.getVersion:943] Current Version
From Inventory: 11.2.0.1.0
[main] [ 2016-12-11 18:08:29.452 IST ] [OracleHome.getVersion:948] using
sqlplus: /u01/app/oracle/product/11.2.0/db_1/bin/sqlplus
[main] [ 2016-12-11 18:08:29.452 IST ] [OracleHome.getVersion:877]
OracleHome.getVersion called. Current Version: 11.2.0.1.0
[main] [ 2016-12-11 18:08:29.452 IST ] [OracleHome.getVersion:943] Current Version
From Inventory: 11.2.0.1.0
```

```
[main] [ 2016-12-11 18:08:29.452 IST ] [OracleHome.getVersion:948] using
sqlplus: /u01/app/oracle/product/11.2.0/db_1/bin/sqlplus
[main] [ 2016-12-11 18:08:29.453 IST ] [OracleHome.getVersion:877]
OracleHome.getVersion called. Current Version: 11.2.0.1.0
[main] [ 2016-12-11 18:08:29.453 IST ] [OracleHome.getVersion:943] Current Version
From Inventory: 11.2.0.1.0
[main] [ 2016-12-11 18:08:29.453 IST ] [OracleHome.getVersion:948] using
sqlplus: /u01/app/oracle/product/11.2.0/db_1/bin/sqlplus
[main] [ 2016-12-11 18:08:29.453 IST ] [SQLPlusEngine.getCmmdParams:222] m_home
11.2.0.1.0
[main] [ 2016-12-11 18:08:29.453 IST ] [SQLPlusEngine.getCmmdParams:223] version >
112 true
[main] [ 2016-12-11 18:08:29.454 IST ] [SQLEngine.getEnvParams:547] Default
NLS_LANG: AMERICAN_AMERICA.AL32UTF8
[main] [ 2016-12-11 18:08:29.454 IST ] [SQLEngine.getEnvParams:557] NLS_LANG:
AMERICAN_AMERICA.AL32UTF8
[main] [ 2016-12-11 18:08:29.454 IST ] [SQLEngine.initialize:317] Execing
SQLPLUS/SVRMGR process...
[main] [ 2016-12-11 18:08:29.475 IST ] [SQLEngine.initialize:354]
m_bReaderStarted: false
[main] [ 2016-12-11 18:08:29.476 IST ] [SQLEngine.initialize:358] Starting Reader
Thread...
[main] [ 2016-12-11 18:08:29.536 IST ] [Instance.getSQLEngine:381] SQLEngine
spooling to=/u01/app/oracle/cfgtoollogs/rconfig/pawdb1/sqlLog
[main] [ 2016-12-11 18:08:29.537 IST ] [SQLEngine.setSpool:1940] old Spool = null
[main] [ 2016-12-11 18:08:29.537 IST ] [SQLEngine.setSpool:1941] Setting Spool
= /u01/app/oracle/cfgtoollogs/rconfig/pawdb1/sqlLog
[main] [ 2016-12-11 18:08:29.537 IST ] [SQLEngine.setSpool:1942] Is spool
appendable? --> true
[main] [ 2016-12-11 18:08:29.538 IST ] [CRSConfig.startRAC:292] Re-enabling
standby destinations
[main] [ 2016-12-11 18:08:29.538 IST ] [StorageManagement.createClusterViews:2167]
Creating cluster views...
[main] [ 2016-12-11 18:09:21.710 IST ] [StorageManagement.createClusterViews:2183]
Cluster views created successfully.
[main] [ 2016-12-11 18:09:21.710 IST ] [SQLEngine.done:2148] Done called
[main] [ 2016-12-11 18:09:21.710 IST ] [SQLEngine.spoolOff:2008] Setting spool off
= /u01/app/oracle/cfgtoollogs/rconfig/pawdb1/sqlLog
[main] [ 2016-12-11 18:09:21.710 IST ] [RACConvertStep.execute:185] STEP
Result=Operation Succeeded
[main] [ 2016-12-11 18:09:21.712 IST ] [RACConvertStep.execute:215] Returning
result:Operation Succeeded
[main] [ 2016-12-11 18:09:21.712 IST ] [RConfigEngine.execute:68] bAsyncJob=false
[main] [ 2016-12-11 18:09:21.786 IST ] [CRSNative.isEntityRegistered:672] entity:
ora.pawdb.db, type: 1, registered: true
[main] [ 2016-12-11 18:09:21.787 IST ] [CRSNative.getStat:1153] About to call crs
stat: name: ora.pawdb.db, type: 1, node: null
[main] [ 2016-12-11 18:09:21.787 IST ] [CRSNative.getStat:1155] looking for
following attributes:
[main] [ 2016-12-11 18:09:21.787 IST ] [CRSNative.getStat:1157]
'DB_UNIQUE_NAME'
[main] [ 2016-12-11 18:09:21.809 IST ] [CRSNative.getStat:1170] crs found 1
attributes
[main] [ 2016-12-11 18:09:21.810 IST ] [CRSNative.getStat:1180] Name:
'DB_UNIQUE_NAME'; Value: 'pawdb'
[main] [ 2016-12-11 18:09:21.810 IST ] [DatabaseImpl.crsResource:2446] calling
parent's crsResource
[main] [ 2016-12-11 18:09:21.834 IST ] [CRSNative.isEntityRegistered:672] entity:
ora.pawdb.db, type: 1, registered: true
```

```
[main] [ 2016-12-11 18:09:21.834 IST ] [Version.isPre:274] version to be checked
11.2.0.1.0 major version to check against10
[main] [ 2016-12-11 18:09:21.834 IST ] [Version.isPre:285] isPre.java: Returning
FALSE
[main] [ 2016-12-11 18:09:21.834 IST ] [OCR.loadLibrary:308]
Inside constructor of OCR
[main] [ 2016-12-11 18:09:21.834 IST ] [OCR.isCluster:939] Calling OCRNative for
isCluster()
[main] [ 2016-12-11 18:09:21.835 IST ] [nativesystem.OCRNative.Native] JNI:
isCluster() Successfully initialized meta context
[main] [ 2016-12-11 18:09:21.835 IST ] [nativesystem.OCRNative.Native] JNI:
procr_get_conf() retValue = 0
[main] [ 2016-12-11 18:09:21.835 IST ] [nativesystem.OCRNative.Native] The OCR
file is configured & local_only=false

[main] [ 2016-12-11 18:09:21.835 IST ] [OCR.isCluster:943] OCR Result status =
true
[main] [ 2016-12-11 18:09:21.835 IST ] [OCR.isCluster:955] Boolean result = true
[main] [ 2016-12-11 18:09:21.838 IST ] [CRSNative.getStat:1153] About to call crs
stat: name: ora.pawdb.db, type: 1, node: null
[main] [ 2016-12-11 18:09:21.838 IST ] [CRSNative.getStat:1155] looking for
following attributes:
[main] [ 2016-12-11 18:09:21.838 IST ] [CRSNative.getStat:1157]
'SERVER_POOLS'
[main] [ 2016-12-11 18:09:21.857 IST ] [CRSNative.getStat:1170] crs found 1
attributes
[main] [ 2016-12-11 18:09:21.858 IST ] [CRSNative.getStat:1180] Name:
'SERVER_POOLS'; Value: 'ora.pawdb'
[main] [ 2016-12-11 18:09:21.858 IST ] [DatabaseImpl.serverPoolsHelper:2677] list
of server pool names =ora.pawdb
[main] [ 2016-12-11 18:09:21.858 IST ] [ServerPoolImpl.<init>:134] m_name =
ora.pawdb, m_displayName = pawdb
[main] [ 2016-12-11 18:09:21.881 IST ] [CRSNative.isEntityRegistered:672] entity:
ora.pawdb, type: 3, registered: true
[main] [ 2016-12-11 18:09:21.881 IST ] [CRSNative.internalQueryResources:1279]
About to doQueryResources: eType server pool, nodeName null, filter ((NAME ==
ora.pawdb) && (PARENT_POOLS != )) || (PARENT_POOLS CONTAINS ora.pawdb))
[main] [ 2016-12-11 18:09:21.906 IST ] [CRSNative.internalQueryResources:1287]
found 1 resources
[main] [ 2016-12-11 18:09:21.906 IST ] [CRSNative.internalQueryResources:1289]
ora.pawdb
[main] [ 2016-12-11 18:09:21.931 IST ] [CRSNativeResult.addRIAttr:139] addRIAttr:
name 'ora.pawdb.db 1 1', 'CLUSTER_DATABASE': 'true'
[main] [ 2016-12-11 18:09:21.931 IST ] [CRSNativeResult.addRIAttr:139] addRIAttr:
name 'ora.pawdb.db 1 1', 'GEN_USR_ORA_INST_NAME': 'pawdb1'
[main] [ 2016-12-11 18:09:21.931 IST ] [CRSNativeResult.addRIAttr:139] addRIAttr:
name 'ora.pawdb.db 1 1', 'GEN_USR_ORA_INST_NAME@SERVERNAME (paw-racnode1)': 'pawdb1'
[main] [ 2016-12-11 18:09:21.931 IST ] [CRSNativeResult.addRIAttr:139] addRIAttr:
name 'ora.pawdb.db 1 1', 'GEN_USR_ORA_INST_NAME@SERVERNAME (paw-racnode2)': 'pawdb2'
[main] [ 2016-12-11 18:09:21.931 IST ] [CRSNativeResult.addRIAttr:139] addRIAttr:
name 'ora.pawdb.db 1 1', 'LAST_SERVER': 'paw-racnode1'
[main] [ 2016-12-11 18:09:21.932 IST ] [CRSNativeResult.addRIAttr:139] addRIAttr:
name 'ora.pawdb.db 1 1', 'USR_ORA_INST_NAME': 'pawdb1'
[main] [ 2016-12-11 18:09:21.932 IST ] [CRSNativeResult.addRIAttr:139] addRIAttr:
name 'ora.pawdb.db 1 1', 'USR_ORA_INST_NAME@SERVERNAME (paw-racnode1)': 'pawdb1'
[main] [ 2016-12-11 18:09:21.932 IST ] [CRSNativeResult.addRIAttr:139] addRIAttr:
name 'ora.pawdb.db 1 1', 'USR_ORA_INST_NAME@SERVERNAME (paw-racnode2)': 'pawdb2'
[main] [ 2016-12-11 18:09:21.932 IST ] [CRSNativeResult.addRIAttr:139] addRIAttr:
name 'ora.pawdb.db 2 1', 'CLUSTER_DATABASE': 'true'
```

```

[main] [ 2016-12-11 18:09:21.932 IST ] [CRSNativeResult.addRIAttr:139] addRIAttr:
name 'ora.pawdb.db 2 1', 'GEN_USR_ORA_INST_NAME':'pawdb2'
[main] [ 2016-12-11 18:09:21.932 IST ] [CRSNativeResult.addRIAttr:139] addRIAttr:
name 'ora.pawdb.db 2 1', 'GEN_USR_ORA_INST_NAME@SERVERNAME(paw-racnode1)':'pawdb1'
[main] [ 2016-12-11 18:09:21.932 IST ] [CRSNativeResult.addRIAttr:139] addRIAttr:
name 'ora.pawdb.db 2 1', 'GEN_USR_ORA_INST_NAME@SERVERNAME(paw-racnode2)':'pawdb2'
[main] [ 2016-12-11 18:09:21.933 IST ] [CRSNativeResult.addRIAttr:139] addRIAttr:
name 'ora.pawdb.db 2 1', 'LAST_SERVER':'paw-racnode2'
[main] [ 2016-12-11 18:09:21.933 IST ] [CRSNativeResult.addRIAttr:139] addRIAttr:
name 'ora.pawdb.db 2 1', 'USR_ORA_INST_NAME':'pawdb2'
[main] [ 2016-12-11 18:09:21.933 IST ] [CRSNativeResult.addRIAttr:139] addRIAttr:
name 'ora.pawdb.db 2 1', 'USR_ORA_INST_NAME@SERVERNAME(paw-racnode1)':'pawdb1'
[main] [ 2016-12-11 18:09:21.933 IST ] [CRSNativeResult.addRIAttr:139] addRIAttr:
name 'ora.pawdb.db 2 1', 'USR_ORA_INST_NAME@SERVERNAME(paw-racnode2)':'pawdb2'
[main] [ 2016-12-11 18:09:21.933 IST ] [CRSNative.searchEntities:857] found 2
entities
[main] [ 2016-12-11 18:09:21.933 IST ] [DatabaseImpl.getDBInstances:1185]
riID=ora.pawdb.db 1 1 result={CLUSTER_DATABASE=true, GEN_USR_ORA_INST_NAME=pawdb1,
GEN_USR_ORA_INST_NAME@SERVERNAME(paw-racnode1)=pawdb1,
GEN_USR_ORA_INST_NAME@SERVERNAME(paw-racnode2)=pawdb2, LAST_SERVER=paw-racnode1,
USR_ORA_INST_NAME=pawdb1, USR_ORA_INST_NAME@SERVERNAME(paw-racnode1)=pawdb1,
USR_ORA_INST_NAME@SERVERNAME(paw-racnode2)=pawdb2}
[main] [ 2016-12-11 18:09:21.973 IST ] [DatabaseImpl.getDBInstances:1309] ignoring
gen instance pawdb1
[main] [ 2016-12-11 18:09:21.973 IST ] [DatabaseImpl.getDBInstances:1309] ignoring
gen instance pawdb2
[main] [ 2016-12-11 18:09:21.973
IST ] [DatabaseImpl.getDBInstances:1322] Instances: <pawdb1,paw-
racnode1><pawdb2,paw-racnode2>; GEN:
[main] [ 2016-12-11 18:09:21.974 IST ] [RConfigEngine.execute:77] Result=<?xml
version="1.0" ?>
<RConfig version="1.1" >
<ConvertToRAC>
  <Convert>
    <Response>
      <Result code="0" >
        Operation Succeeded
      </Result>
    </Response>
    <ReturnValue type="object">
<Oracle_Home>
  /u01/app/oracle/product/11.2.0/db_1
</Oracle_Home>
<Database type="ADMIN_MANAGED" >
  <InstanceList>
    <Instance SID="pawdb1" Node="paw-racnode1" >
    </Instance>
    <Instance SID="pawdb2" Node="paw-racnode2" >
    </Instance>
  </InstanceList>
  </Database> </ReturnValue>
</Convert>
</ConvertToRAC></RConfig>

```